




Catalist 20th April 2016



Price List index

page 02	BIC B07	page 24	POP P00 Ø 3,0	page 66	POP P10	page 104	SKY line Led
page 03	BIC B12	page 25	POP P01 Ø 4,0	page 67	POP P11	page 105	SKY Walk
page 04	BIC B16	page 26	POP P01 Ø 5,5	page 68	POP P12 Ø 3,0	page 114	TANGO
page 05	BIC B25	page 28	POP P01 Static Ø 12,5	page 69	POP P12/L Ø 3,0	page 106	TIM T01
page 05	BIC B50	page 30	POP P01 Dynamic Ø 12,5	page 70	POP P12/K Ø 3,0	page 106	TIM T13
page 05	BIC B60	page 31	POP P02 Ø 5,5	page 71	POP P12 Ø 7,0	page 107	TIM T02
page 05	BIC B120	page 33	POP RING Static Ø 7,0	page 72	POP P12 Ø 12,5	page 108	TIM T03
page 06	BOX 23	page 34	POP RING Static Ø 13,1	page 74	POP P13 Ø 7,0	page 109	TIM T22
page 06	BOX 31	page 36	POP RING Dynamic Ø 13,1	page 75	POP P13 Ø 12,5	page 110	TIM T32
page 08	BOX 50	page 38	POP RING Pull Ø 12,5	page 78	POP P14 Ø 3,0	page 111	Tim T25
page 09	BOX 63	page 40	POP P03 Ø 6,0	page 79	POP P14 Ø 7,0	page 111	Tim T60
page 10	BOX 120	page 40	POP P03 Ø 8,0	page 80	POP P14 Ø 12,5	page 111	Tim T120
page 11	micro BOX7/1	page 42	POP P03 Ø 17,0	page 82	POP P15 Ø 3,0	page 111	Tim T121
page 11	micro BOX7/2	page 42	POP P03 Static Ø 17,0	page 83	POP P15 Ø 7,0	page 112	Tim T124 ARC
page 14	CLUB C01 ARC	page 42	POP P03 Wall Wash Ø 17,0	page 84	POP P15 Ø 12,5	page 112	Tim T196 ARC
page 14	CLUB C02 ARC	page 44	POP P03 Look 13W Ø 17,0	page 86	POP P16 Pull h.15,7	page 113	Tim T124 CUP
page 14	CLUB C03 ARC	page 46	POP P03 Look Ø 17,0 Multi-Watt	page 87	POP P16 Pull h.21,0	page 113	Tim T196 CUP
page 15	CLUB C01 CUP	page 48	POP P04 Ø 8,0	page 88	POP P25	page 115	Tum Tech
page 15	CLUB C02 CUP	page 49	POP P04 Ø 12,0	page 89	POP P26	page 116	WALLY W01 Dynamic Ø 12,5
page 15	CLUB C03 CUP	page 50	POP P04 Magic	page 90	POP P30 Sun Static	page 117	WALLY RING Dynamic Ø 13,1
page 17	e-PAD 15	page 53	POP P04/K Magic	page 91	POP P30 Sun Pull	page 119	WALLY RING Flash Ø 12,2
page 17	e-PAD 30	page 54	POP P05 Ø 6,7 - Ø 8,2 brickwork	page 92	POP P32 Host ARC	page 118	WALLY RING Pull Ø 12,5
page 18	FILA 39	page 56	POP P05 Ø 6,7 - Ø 8,2 plasterboard	page 92	POP P32 Host CUP	page 119	WALLY W04
page 18	FILA 57	page 60	POP P06 ARC Ø 6,0	page 93	POP P33 Host	page 120	WALLY W07 Static
page 19	FILA 78	page 60	POP P06 ARC Ø 12,0	page 94	POP P40 Chandelier Ø180,0	page 120	WALLY W07 Pull h.15,6
page 19	FILA 100	page 60	POP P06 ARC Ø 12,0 bi-color	page 94	POP P40 Chandelier 250x95	page 121	WALLY W07 Pull h.22,1
page 20	ITA 25	page 61	POP P06 CUP Ø 6,0	page 95	POP P40 Chandelier 400x240	page 122	WALLY W13
page 20	ITA 36	page 61	POP P06 CUP Ø 12,0	page 96	POP P120 ARC	page 123	WALLY W14
page 20	ITA 56	page 61	POP P06 CUP Ø 12,0 bi-color	page 96	POP P200 ARC	page 124	WALLY W15
page 20	ITA 68	page 62	POP P07 Ø 6,0	page 97	POP P120 CUP	page 126	WALLY W16 Pull h.15,3
page 22	JEK P	page 62	POP P07 Ø 12,0	page 97	POP P200 CUP	page 127	WALLY W16 Pull h.21,8
page 23	JEK P-Z	page 62	POP P07 Ø 12,0 bi-color	page 98	POP P122 Brooklyn ARC	page 128	Zip 45-60
		page 63	POP P07 Dynamic	page 98	POP P202 Brooklyn ARC	page 129	Zip 90
		page 64	POP P07 Pull h. 16,0	page 101	POP P123 Brooklyn CUP		
		page 65	POP P07 Pull h. 21,0	page 101	POP P203 Brooklyn CUP		
				page 102	POP P207 Up		





BIC B07 recessed *only for plasterboard*

Structure		Electrification	Code	Free of TAX
Matt black painted White painted	IP20	230V GU10 max 1x50W 230V GU10 Led	B07.210.02 B07.210.06	€ 50,00 '09 € 50,00 '09
Matt black painted White painted	IP20	12V GU5.3 1x50W Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz DALI 12V max. 105VA 240V 50-60 Hz	B07.220.02 B07.220.06 KIT.100.105 KIT.101.105	€ 41,00 '09 € 41,00 '09 € 18,00 '09 € 92,00 '11
Matt black painted White painted	IP40	22° 2700°K Led 11,2W 1115 lm 100 lm/W 85 CRI 350m/A	B07.32S.02 B07.32S.06	€ 120,00 '16 ▼ € 120,00 '16 ▼
Matt black painted White painted	IP40	22° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A	B07.33S.02 B07.33S.06	€ 120,00 '16 ▼ € 120,00 '16 ▼
Matt black painted White painted	IP40	22° 4000°K Led 11,2W 1229 lm 110 lm/W 85 CRI 350m/A	B07.34S.02 B07.34S.06	€ 120,00 '16 ▼ € 120,00 '16 ▼
Matt black painted White painted	IP40	12° 2700°K Led 11,2W 1115 lm 100 lm/W 85 CRI 350m/A	B07.32T.02 B07.32T.06	€ 120,00 '16 ▼ € 120,00 '16 ▼
Matt black painted White painted	IP40	12° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A	B07.33T.02 B07.33T.06	€ 120,00 '16 ▼ € 120,00 '16 ▼
Matt black painted White painted	IP40	12° 4000°K Led 11,2W 1229 lm 110 lm/W 85 CRI 350m/A	B07.34T.02 B07.34T.06	€ 120,00 '16 ▼ € 120,00 '16 ▼
		Converter for Led 350m/A: ON/OFF min. 1 - max. 1 ON/OFF min. 2 - max. 2 DALI - PUSH - 1...10V min. 1 - max. 3 DALI min. 1 - max. 1 PUSH - 1...10V min. 1 - max. 1	KIT.350.1L KIT.350.2S KIT.351.40 KIT.352.15 KIT.353.15	€ 21,00 '13 € 35,00 '16 € 105,00 '15 € 59,00 '15 € 59,00 '15
		Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 - max. 1 3:00 hours min. 1 - max. 1	KIT.900.01 KIT.900.03	€ 95,00 '15 € 137,00 '15
		Led and Emergency unit, warranty only when used together with converter bought from Oty		
Housing for plasterboard	■ singular unit housing ■ double linear unit housing ■ triple linear unit housing		Z07.070.01 Z07.070.2L Z07.070.3L	€ 22,00 '15 € 40,00 '11 € 58,00 '11
Frosted pirez glass without holes	ROS singular unit pirez glass		V07.070.01	€ 30,00 '15


Code		LxL	H	P
B07.210.XX	GU10	7,0	11,5	3,6
B07.210.XX	GU10 Led	7,0	—	—
B07.220.XX	GU5.3	7,0	10,0	3,1
B07.3XX.XX	350 m/A led	7,0	13,1	3,8

ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.

- emergency unit works only if the emergency Kit is connected to one converter ONLY.





Code		LxL	H	P
B12.5XX.XX	350-500 m/A led	12,0	12,1	3,9
B12.530.XX	G53 1x 75W	12,0	12,1	3,9



BIC B12 recessed *only for plasterboard*

Structure		Electrification	Code	Structure	Free of TAX
		60° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	B12.52L.02 B12.52L.06	Black White	€ 174,00 '16 ▼ € 174,00 '16 ▼
		60° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	B12.53L.02 B12.53L.06	Black White	€ 174,00 '16 ▼ € 174,00 '16 ▼
		60° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	B12.54L.02 B12.54L.06	Black White	€ 174,00 '16 ▼ € 174,00 '16 ▼
		24° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	B12.52S.02 B12.52S.06	Black White	€ 174,00 '16 ▼ € 174,00 '16 ▼
		24° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	B12.53S.02 B12.53S.06	Black White	€ 174,00 '16 ▼ € 174,00 '16 ▼
		24° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	B12.54S.02 B12.54S.06	Black White	€ 174,00 '16 ▼ € 174,00 '16 ▼
		12° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	B12.52T.02 B12.52T.06	Black White	€ 174,00 '16 ▼ € 174,00 '16 ▼
		12° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	B12.53T.02 B12.53T.06	Black White	€ 174,00 '16 ▼ € 174,00 '16 ▼
		12° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	B12.54T.02 B12.54T.06	Black White	€ 174,00 '16 ▼ € 174,00 '16 ▼
		Converter for Led 350m/A: ON/OFF min. 1 - max. 1 350m/A DALI - PUSH - 1...10V min. 1 - max. 3 350m/A DALI min. 1 - max. 1 350m/A PUSH - 1...10V min. 1 - max. 1 350m/A	KIT.350.1L KIT.351.40 KIT.352.15 KIT.353.15		€ 21,00 '13 € 105,00 '15 € 59,00 '15 € 59,00 '15
		Converter for Led 500m/A: ON/OFF min. 1 - max. 1 500m/A DALI - PUSH - 1...10V min. 1 - max. 2 500m/A DALI min. 1 - max. 1 500m/A PUSH - 1...10V min. 1 - max. 1 500m/A	KIT.500.1L KIT.501.50 KIT.502.20 KIT.503.20		€ 21,00 '15 € 105,00 '15 € 59,00 '15 € 59,00 '15
		Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 - max. 1 3:00 hours min. 1 - max. 1	KIT.900.01 KIT.900.03		€ 95,00 '15 € 137,00 '15
		Led and Emergency unit, warranty only when used together with converter bought from Oty			
IP20		12V G53 1x50W	B12.530.02 B12.530.06	Black White	€ 64,00 '16 ▼ € 64,00 '16 ▼
		Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz DALI 12V max. 105VA 240V 50-60 Hz	KIT.100.105 KIT.101.105		€ 18,00 '09 € 92,00 '11
Housing for plasterboard	■ singular unit housing		Z12.120.01		€ 39,00 '16




BIC B16 recessed *only for plasterboard*



Structure		Electrification ©	Code	Free of TAX
Matt black painted White painted	IP44	104° 2700°K Led 26,2W 3374 lm 129 lm/W 85 CRI 700m/A	B16.62L.02	€ 172,00 ^{'15}
			B16.62L.06	€ 172,00 ^{'15}
Matt black painted White painted		104° 3000°K Led 26,2W 3533 lm 135 lm/W 85 CRI 700m/A	B16.63L.02	€ 172,00 ^{'15}
			B16.63L.06	€ 172,00 ^{'15}
Matt black painted White painted		104° 4000°K Led 26,2W 3649 lm 139 lm/W 85 CRI 700m/A	B16.64L.02	€ 172,00 ^{'15}
			B16.64L.06	€ 172,00 ^{'15}
	sizes mm: 140x45x28 124x80x22	Converter for Led 700m/A: ON/OFF min. 1 -max. 1 DALI - PUSH - 1...10V min. 1 -max. 1	KIT.700.1L KIT.701.50	€ 24,00 ^{'15} € 105,00 ^{'13}
	sizes mm: 185x59x34 212x46x34	Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 -max. 1 3:00 hours min. 1 -max. 1	KIT.900.01 KIT.900.03	€ 95,00 ^{'15} € 137,00 ^{'15}
Housing for plasterboard	■	singular unit housing	ZOB.016.01	€ 49,00 ^{'11}

ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.
- emergency unit works only if the emergency Kit is connected to one converter ONLY.

BIC B25 led recessed *only for plasterboard*



Structure		Electrification ©	Code	Free of TAX
Matt black painted White painted	IP44	104° 3000°K Led 17W 2030 lm 121 lm/W 85 CRI 700m/A	BC2.63L.02	€ 220,00 ^{'16}
			BC2.63L.06	€ 220,00 ^{'16}
Housing for plasterboard	■	singular unit housing	ZOB.025.01	€ 63,00 ^{'11}

BIC B50 led recessed *only for plasterboard*

Structure		Electrification ©	Code	Free of TAX
Matt black painted White painted	IP44	104° 3000°K Led 25,6W 3090 lm 120 lm/W 85 CRI 700m/A	BC5.63L.02	€ 268,00 ^{'16}
			BC5.63L.06	€ 268,00 ^{'16}
Matt black painted White painted	IP44	104° 3000°K Led 25,6W 3090 lm 120 lm/W 85 CRI 700m/A EMERGENCY Unit 1:00 hour at 14%	BC5.93L.02	€ 420,00 ^{'16}
			BC5.93L.06	€ 420,00 ^{'16}
Housing for plasterboard	■	singular unit housing	ZOB.050.01	€ 72,00 ^{'16}

BIC B60 led recessed *only for plasterboard*

Structure		Electrification ©	Code	Free of TAX
Matt black painted White painted	IP44	104° 3000°K Led 34,2W 4120 lm 120 lm/W 85 CRI 700m/A	BC6.63L.02	€ 284,00 ^{'16}
			BC6.63L.06	€ 284,00 ^{'16}
Matt black painted White painted	IP44	104° 3000°K Led 34,2W 4120 lm 120 lm/W 85 CRI 700m/A EMERGENCY Unit 1:00 hour at 11%	BC6.93L.02	€ 430,00 ^{'16}
			BC6.93L.06	€ 430,00 ^{'16}
Housing for plasterboard	■	singular unit housing	ZOB.060.01	€ 78,00 ^{'16}

BIC B120 led recessed *only for plasterboard*

Structure		Electrification ©	Code	Free of TAX
Matt black painted White painted	IP44	104° 3000°K Led 68,4W 8240 lm 120 lm/W 85 CRI 700m/A	BC12.63L.02	€ 434,00 ^{'16}
			BC12.63L.06	€ 434,00 ^{'16}
Housing for plasterboard	■	singular unit housing	ZOB.120.01	€ 118,00 ^{'16}

Code	L1	L2	H
BC2.63L.XX	25,1	9,6	14,6
BC5.63L.XX	50,1	9,6	14,6
BC5.93L.XX	50,1	9,6	15,9
BC6.63L.XX	60,1	9,6	14,6
BC6.93L.XX	60,1	9,6	15,9
BC12.63L.XX	120,1	9,6	14,9



BOX 23

Structure			Electrification ☒	Code	Free of TAX
Black painted				B23.510.02	€ 132,00 🔒 '15
Brushed Steel				B23.510.04	€ 144,00 🔒 '06
White painted		IP20	R7S 78mm 1x100W	B23.510.06	€ 132,00 🔒 '06
Corten painted				B23.510.08	€ 144,00 🔒 '06
Polished Steel				B23.510.09	€ 160,00 🔒 '15
Black painted				B23.100.02	€ 129,00 🔒 '15 ▼
Brushed Steel				B23.100.04	€ 145,00 🔒 '15 ▼
White painted		IP40	G24Q-2 1x18W E electronic ballast	B23.100.06	€ 129,00 🔒 '15 ▼
Corten painted				B23.100.08	€ 135,00 🔒 '15 ▼
Polished Steel				B23.100.09	€ 161,00 🔒 '15 ▼
Gold leaf				B23.100.FO	€ 161,00 🔒 '15 ▼

Code	L	H	P
BOX23	23,0	8,5	7,2
B23.4XL.XX	23,0	8,5	7,2

Use in horizontal position only



BOX 23 led

Structure			Electrification ©	Code	Free of TAX
Black painted				B23.42L.02	€ 252,00 🔒 '16
Brushed Steel				B23.42L.04	€ 273,00 🔒 '16
White painted		IP40	90° 2700°K Led 2x6,8W 2x811 lm	B23.42L.06	€ 252,00 🔒 '16
Corten painted			119 lm/W 80 CRI 700m/A	B23.42L.08	€ 257,00 🔒 '16
Polished Steel				B23.42L.09	€ 295,00 🔒 '16
Gold leaf				B23.42L.FO	€ 273,00 🔒 '16
Black painted				B23.43L.02	€ 252,00 🔒 '16
Brushed Steel				B23.43L.04	€ 273,00 🔒 '16
White painted		IP40	90° 3000°K Led 2x6,8W 2x826 lm	B23.43L.06	€ 252,00 🔒 '16
Corten painted			121 lm/W 80 CRI 700m/A	B23.43L.08	€ 257,00 🔒 '16
Polished Steel				B23.43L.09	€ 295,00 🔒 '16
Gold leaf				B23.43L.FO	€ 273,00 🔒 '16

Code	L	H	P
BOX31	31,0	8,5	7,2

Use in horizontal position only

BOX 31

Structure			Electrification ☒	Code	Free of TAX
Black painted				B31.510.02	€ 135,00 🔒 '15
Brushed Steel				B31.510.04	€ 144,00 🔒 '15 ▼
White painted		IP20	R7S 78mm 1x150W	B31.510.06	€ 135,00 🔒 '15 ▼
Corten painted				B31.510.08	€ 140,00 🔒 '15 ▼
Polished Steel				B31.510.09	€ 181,00 🔒 '15
Black painted				B31.100.02	€ 140,00 🔒 '15
Brushed Steel				B31.100.04	€ 150,00 🔒 '15 ▼
White painted		IP40	G24Q-3 1x26W E electronic ballast	B31.100.06	€ 140,00 🔒 '15 ▼
Corten painted				B31.100.08	€ 145,00 🔒 '15 ▼
Polished Steel				B31.100.09	€ 182,50 🔒 '08
Gold leaf				B31.100.FO	€ 182,00 🔒 '15 ▼




NEW BOX 31 led Item dimmable on request PUSH - 1...10V

Code	L	H	P
B31.4XL.XX	31,0	8,5	7,2

Use in horizontal position only

Structure			Electrification ©	Code	Free of TAX
Black painted				B31.42L.02	€ 289,00 🔒 '16 ▼
Brushed Steel				B31.42L.04	€ 316,00 🔒 '16 ▼
White painted		IP40	90° 2700°K Led 2x9W 2x1081 lm	B31.42L.06	€ 289,00 🔒 '16 ▼
Corten painted			120 lm/W 80 CRI 700m/A	B31.42L.08	€ 295,00 🔒 '16 ▼
Polished Steel				B31.42L.09	€ 343,00 🔒 '16 ▼
Gold leaf				B31.42L.FO	€ 316,00 🔒 '16 ▼
Black painted				B31.43L.02	€ 289,00 🔒 '16 ▼
Brushed Steel				B31.43L.04	€ 316,00 🔒 '16 ▼
White painted		IP40	90° 3000°K Led 2x9W 2x1102 lm	B31.43L.06	€ 289,00 🔒 '16 ▼
Corten painted			122 lm/W 80 CRI 700m/A	B31.43L.08	€ 295,00 🔒 '16 ▼
Polished Steel				B31.43L.09	€ 343,00 🔒 '16 ▼
Gold leaf				B31.43L.FO	€ 316,00 🔒 '16 ▼





BOX 50


Structure	Up/Down	Electrification ☒	Code	Free of TAX
Black painted	IP20	R7S 78mm 2x100W *	B50.510.02	€ 170,00 🔒 ¹⁵
Brushed Steel			B50.510.04	€ 186,00 🔒 ¹⁵ ▼
White painted			B50.510.06	€ 170,00 🔒 ¹⁵ ▼
Corten painted			B50.510.08	€ 180,00 🔒 ¹⁵ ▼
Polished Steel			B50.510.09	€ 238,00 🔒 ¹⁵
Black painted	IP40	2G11 1x36W E electronic ballast	B50.100.02	€ 190,00 🔒 ¹⁵
Brushed Steel			B50.100.04	€ 206,00 🔒 ¹⁵ ▼
White painted			B50.100.06	€ 190,00 🔒 ¹⁵ ▼
Corten painted			B50.100.08	€ 199,00 🔒 ¹⁵ ▼
Polished Steel			B50.100.09	€ 234,00 🔒 ⁰⁸
Gold leaf	B50.100.FO	€ 236,00 🔒 ¹³ ▼		
Black painted	IP40	2G11 1x36W ED - DALI electronic dimmable EXCEL one4all	B50.107.02	€ 255,00 🔒 ¹⁵ ▼
Brushed Steel			B50.107.04	€ 285,00 🔒 ¹⁵ ▼
White painted			B50.107.06	€ 255,00 🔒 ¹⁵ ▼
Corten painted			B50.107.08	€ 265,00 🔒 ¹⁵ ▼
Polished Steel			B50.107.09	€ 316,00 🔒 ¹⁵ ▼
Gold leaf	B50.107.FO	€ 316,00 🔒 ¹⁵ ▼		
Black painted	IP20	2G11 1x36W E - ES electronic ballast + EMERGENCY 3:00h n° 1 bulb switch on at 20% powered. ROS	B50.109.02	€ 345,00 🔒 ¹⁵
Brushed Steel			B50.109.04	€ 375,00 🔒 ¹⁵ ▼
White painted			B50.109.06	€ 345,00 🔒 ¹⁵ ▼
Corten painted			B50.109.08	€ 355,00 🔒 ¹⁵ ▼
Polished Steel			B50.109.09	€ 437,00 🔒 ¹⁵

BOX 50 led Item dimmable on request DALI - PUSH - 1...10V

Structure	Up/Down	Electrification ©	Code	Free of TAX
Black painted	IP40	90° 2700°K Led 2x13,5W 2x1622 lm 120 lm/W 80 CRI 700m/A	B50.42L.02	€ 364,00 🔒 ¹⁶
Brushed Steel			B50.42L.04	€ 396,00 🔒 ¹⁶
White painted			B50.42L.06	€ 364,00 🔒 ¹⁶
Corten painted			B50.42L.08	€ 370,00 🔒 ¹⁵
Polished Steel			B50.42L.09	€ 434,00 🔒 ¹⁶
Gold leaf	B50.42L.FO	€ 407,00 🔒 ¹⁵		
Black painted	IP40	90° 3000°K Led 2x13,5W 2x1653 lm 122 lm/W 80 CRI 700m/A	B50.43L.02	€ 364,00 🔒 ¹⁶
Brushed Steel			B50.43L.04	€ 396,00 🔒 ¹⁶
White painted			B50.43L.06	€ 364,00 🔒 ¹⁶
Corten painted			B50.43L.08	€ 370,00 🔒 ¹⁵
Polished Steel			B50.43L.09	€ 434,00 🔒 ¹⁶
Gold leaf	B50.43L.FO	€ 407,00 🔒 ¹⁵		
Black painted	IP40	90° 2700°K Led 2x13,5W 2x1622 lm 120 lm/W 80 CRI 700m/A EMERGENCY Unit 1:00 hour at 14%	B50.92L.02	€ 503,00 🔒 ¹⁶
Brushed Steel			B50.92L.04	€ 546,00 🔒 ¹⁶
White painted			B50.92L.06	€ 503,00 🔒 ¹⁶
Corten painted			B50.92L.08	€ 509,00 🔒 ¹⁶
Polished Steel			B50.92L.09	€ 578,00 🔒 ¹⁶
Gold leaf	B50.92L.FO	€ 546,00 🔒 ¹⁶		
Black painted	IP40	90° 3000°K Led 2x13,5W 2x1653 lm 122 lm/W 80 CRI 700m/A EMERGENCY Unit 1:00 hour at 14%	B50.93L.02	€ 503,00 🔒 ¹⁶
Brushed Steel			B50.93L.04	€ 546,00 🔒 ¹⁶
White painted			B50.93L.06	€ 503,00 🔒 ¹⁶
Corten painted			B50.93L.08	€ 509,00 🔒 ¹⁶
Polished Steel			B50.93L.09	€ 578,00 🔒 ¹⁶
Gold leaf	B50.93L.FO	€ 546,00 🔒 ¹⁶		

NEW

NEW



BOX 63

Structure	Up/Down	Electrification ☒	Code	Free of TAX
Black painted	IP20	R7S 78mm 3x100W	B63.510.02	€ 210,00 🔒 ¹⁵
Brushed Steel			B63.510.04	€ 241,00 🔒 ⁰⁶
White painted			B63.510.06	€ 210,00 🔒 ¹⁵ ▼
Corten painted			B63.510.08	€ 215,00 🔒 ¹⁵ ▼
Polished Steel			B63.510.09	€ 289,00 🔒 ¹⁵
Black painted	IP40	2G11 1x55W E electronic ballast	B63.100.02	€ 210,00 🔒 ¹⁵
Brushed Steel			B63.100.04	€ 240,00 🔒 ⁰⁶
White painted			B63.100.06	€ 210,00 🔒 ¹⁵ ▼
Corten painted			B63.100.08	€ 220,00 🔒 ¹⁵ ▼
Polished Steel			B63.100.09	€ 262,00 🔒 ¹⁵
Gold leaf	B63.100.FO	€ 263,00 🔒 ¹³ ▼		
Black painted	IP40	2G11 1x55W ED - DALI electronic dimmable EXCEL one4all	B63.107.02	€ 265,00 🔒 ¹⁵ ▼
Brushed Steel			B63.107.04	€ 290,00 🔒 ¹⁵ ▼
White painted			B63.107.06	€ 265,00 🔒 ¹⁵ ▼
Corten painted			B63.107.08	€ 270,00 🔒 ¹⁵ ▼
Polished Steel			B63.107.09	€ 337,00 🔒 ¹⁵ ▼
Gold leaf	B63.107.FO	€ 338,00 🔒 ¹⁵ ▼		
Black painted	IP20	2G11 1x55W E - ES electronic ballast + EMERGENCY 3:00h n° 1 bulb switch on at 20% powered. ROS	B63.109.02	€ 390,00 🔒 ¹⁵
Brushed Steel			B63.109.04	€ 428,00 🔒 ¹¹
White painted			B63.109.06	€ 390,00 🔒 ¹⁵ ▼
Corten painted			B63.109.08	€ 400,00 🔒 ¹⁵ ▼
Polished Steel			B63.109.09	€ 520,00 🔒 ¹⁵

BOX 63 led Item dimmable on request DALI - PUSH - 1...10V

Structure	Up/Down	Electrification ©	Code	Free of TAX
Black painted	IP40	90° 2700°K Led 2x18,2W 2x2163 lm 119 lm/W 80 CRI 700m/A	B63.42L.02	€ 396,00 🔒 ¹⁵
Brushed Steel			B63.42L.04	€ 428,00 🔒 ¹⁵
White painted			B63.42L.06	€ 396,00 🔒 ¹⁶
Corten painted			B63.42L.08	€ 407,00 🔒 ¹⁵
Polished Steel			B63.42L.09	€ 482,00 🔒 ¹⁵
Gold leaf	B63.42L.FO	€ 461,00 🔒 ¹⁵		
Black painted	IP40	90° 3000°K Led 2x18,2W 2x2205 lm 121 lm/W 80 CRI 700m/A	B63.43L.02	€ 396,00 🔒 ¹⁵
Brushed Steel			B63.43L.04	€ 428,00 🔒 ¹⁵
White painted			B63.43L.06	€ 396,00 🔒 ¹⁶
Corten painted			B63.43L.08	€ 407,00 🔒 ¹⁵
Polished Steel			B63.43L.09	€ 482,00 🔒 ¹⁵
Gold leaf	B63.43L.FO	€ 461,00 🔒 ¹⁵		
Black painted	IP40	90° 2700°K Led 2x18,2W 2x2163 lm 119 lm/W 80 CRI 700m/A EMERGENCY Unit 1:00 hour at 11%	B63.92L.02	€ 552,00 🔒 ¹⁶
Brushed Steel			B63.92L.04	€ 573,00 🔒 ¹⁶
White painted			B63.92L.06	€ 552,00 🔒 ¹⁶
Corten painted			B63.92L.08	€ 552,00 🔒 ¹⁶
Polished Steel			B63.92L.09	€ 616,00 🔒 ¹⁶
Gold leaf	B63.92L.FO	€ 568,00 🔒 ¹⁶		
Black painted	IP40	90° 3000°K Led 2x18,2W 2x2205 lm 121 lm/W 80 CRI 700m/A EMERGENCY Unit 1:00 hour at 11%	B63.93L.02	€ 552,00 🔒 ¹⁶
Brushed Steel			B63.93L.04	€ 573,00 🔒 ¹⁶
White painted			B63.93L.06	€ 552,00 🔒 ¹⁶
Corten painted			B63.93L.08	€ 552,00 🔒 ¹⁶
Polished Steel			B63.93L.09	€ 616,00 🔒 ¹⁶
Gold leaf	B63.93L.FO	€ 568,00 🔒 ¹⁶		

NEW

NEW



Code	L	H	P
BOX120	120,0	8,5	7,2
B120.4XLXX	120,0	8,5	7,2


Use in horizontal position only

BOX 120

Structure	Up/Down		Electrification ☒	Code	Free of TAX
Black painted Brushed Steel White painted Corten painted Polished Steel Gold leaf		IP20	G5 2x54W E electronic ballast	B120.100.02 B120.100.04 B120.100.06 B120.100.08 B120.100.09 B120.100.FO	€ 451,00 📌 ^{'15} € 495,00 📌 ^{'06} € 451,00 📌 ^{'06} € 482,00 📌 ^{'06} € 520,00 📌 ^{'15} € 545,00 📌 ^{'13} ▼
Black painted Brushed Steel White painted Corten painted Polished Steel Gold leaf		IP20	G5 2x54W ED - DALI electronic dimmable EXCEL one4all	B120.107.02 B120.107.04 B120.107.06 B120.107.08 B120.107.09 B120.107.FO	€ 589,00 📌 ^{'15} € 635,00 📌 ^{'06} € 589,00 📌 ^{'06} € 589,00 📌 ^{'06} € 635,00 📌 ^{'06} € 632,00 📌 ^{'13} ▼
Black painted Brushed Steel White painted Corten painted Polished Steel Gold leaf	Black painted White painted White painted Corten painted White painted Gold painted	IP20	G5 2x54W E - ES electronic ballast + EMERGENCY 1:00h n° 1 bulb switch on at 20% powered. ROS	B120.109.02 B120.109.04 B120.109.06 B120.109.08 B120.109.09 B120.109.FO	€ 640,00 📌 ^{'15} € 686,50 📌 ^{'06} € 640,00 📌 ^{'06} € 640,00 📌 ^{'06} € 686,50 📌 ^{'06} € 707,00 📌 ^{'13} ▼

NEW BOX 120 led - Item dimmable on request

Structure			Electrification ☒	Code	Free of TAX
Black painted Brushed Steel White painted Corten painted Polished Steel Gold leaf		IP40	90° 2700°K Led 2x63,6W 2x4395 lm 138 lm/W 80 CRI 350m/A	B120.42L.02 B120.42L.04 B120.42L.06 B120.42L.08 B120.42L.09 B120.42L.FO	€ 685,00 📌 ^{'16} € 717,00 📌 ^{'16} € 685,00 📌 ^{'16} € 685,00 📌 ^{'16} € 787,00 📌 ^{'16} € 728,00 📌 ^{'16}
Black painted Brushed Steel White painted Corten painted Polished Steel Gold leaf		IP40	90° 3000°K Led 2x63,6W 2x4740 lm 149 lm/W 80 CRI 350m/A	B120.43L.02 B120.43L.04 B120.43L.06 B120.43L.08 B120.43L.09 B120.43L.FO	€ 685,00 📌 ^{'16} € 717,00 📌 ^{'16} € 685,00 📌 ^{'16} € 685,00 📌 ^{'16} € 787,00 📌 ^{'16} € 728,00 📌 ^{'16}




Codice	L	P	H
BOX7/1	7,2	7,2	9,5

MicroBOX 7/1

Structure			Electrification ☒	Code	Free of TAX
Black painted Brushed Steel White painted Corten painted Polished Steel		IP20	230V GU10 max 1x50W	B71.210.02 B71.210.04 B71.210.06 B71.210.08 B71.210.09	€ 75,00 📌 ^{'15} € 85,00 📌 ^{'15} € 75,00 📌 ^{'15} € 80,00 📌 ^{'06} € 95,00 📌 ^{'15}

MicroBOX 7/1 led

Structure			Electrification ☒	Code	Free of TAX
Black painted Brushed Steel White painted Corten painted Polished Steel		IP20	70° 3000°K Led 8,7W 660 lm 76 lm/W >85 CRI 220V+240V Dimmerabile in taglio di fase - IGBT	B71.33S.02 B71.33S.04 B71.33S.06 B71.33S.08 B71.33S.09	€ 134,00 📌 ^{'15} € 145,00 📌 ^{'15} € 134,00 📌 ^{'15} € 134,00 📌 ^{'15} € 161,00 📌 ^{'15}



Codice	L	P	H
BOX7/2	7,2	7,2	19,0

MicroBOX 7/2

Structure			Electrification ☒	Code	Free of TAX
Black painted Brushed Steel White painted Corten painted Polished Steel		IP20	230V GU10 max 2x50W	B72.210.02 B72.210.04 B72.210.06 B72.210.08 B72.210.09	€ 95,00 📌 ^{'15} € 108,00 📌 ^{'15} € 95,00 📌 ^{'06} € 100,00 📌 ^{'15} ▼ € 130,00 📌 ^{'15}

MicroBOX 7/2 led


Structure			Electrification ☒	Code	Free of TAX
Black painted Brushed Steel White painted Corten painted Polished Steel		IP20	70° 3000°K Led 2x8,7W 2x660 lm 76 lm/W >85 CRI 220V+240V Dimmerabile in taglio di fase - IGBT	B72.33S.02 B72.33S.04 B72.33S.06 B72.33S.08 B72.33S.09	€ 215,00 📌 ^{'16} € 235,00 📌 ^{'16} € 215,00 📌 ^{'16} € 215,00 📌 ^{'16} € 255,00 📌 ^{'16}



12 Oty light




Oty light 13




M CLUB C01 ARC recessed canopy for plasterboard or wood ceiling

Canopy + Wiring	Reflector		Electrification	Code	Free of TAX
Black painted	Black Ral 9005	IP20	G9 max 1x60W	CA01.110.02	€ 311,00
Black painted	White Ral 9016			CA01.110.06	€ 311,00
Black painted	Grey Ral 7046			CA01.110.31	€ 311,00
Black painted	Mustard Ral 1005			CA01.110.35	€ 311,00
Black painted	Beige Ral 1019			CA01.110.39	€ 311,00
Black painted	Black Ral 9005	IP20	105° 2700°K Led 9,1W 1010 lm 111 lm/W 80 CRI 250m/A - on/off	CA01.22L.02	€ 406,00
Black painted	White Ral 9016			CA01.22L.06	€ 406,00
Black painted	Grey Ral 7046			CA01.22L.31	€ 406,00
Black painted	Mustard Ral 1005			CA01.22L.35	€ 406,00
Black painted	Beige Ral 1019			CA01.22L.39	€ 406,00



M CLUB C02 ARC recessed canopy for plasterboard or wood ceiling


Canopy + Wiring	Reflector		Electrification	Code	Free of TAX
Black painted	Black Ral 9005	IP20	G9 max 1x60W	CA02.110.02	€ 311,00
Black painted	White Ral 9016			CA02.110.06	€ 311,00
Black painted	Grey Ral 7046			CA02.110.31	€ 311,00
Black painted	Mustard Ral 1005			CA02.110.35	€ 311,00
Black painted	Beige Ral 1019			CA02.110.39	€ 311,00
Black painted	Black Ral 9005	IP20	105° 2700°K Led 9,1W 1010 lm 111 lm/W 80 CRI 250m/A - on/off	CA02.22L.02	€ 406,00
Black painted	White Ral 9016			CA02.22L.06	€ 406,00
Black painted	Grey Ral 7046			CA02.22L.31	€ 406,00
Black painted	Mustard Ral 1005			CA02.22L.35	€ 406,00
Black painted	Beige Ral 1019			CA02.22L.39	€ 406,00



M CLUB C03 ARC recessed canopy for plasterboard or wood ceiling


Canopy + Wiring	Reflector		Electrification	Code	Free of TAX
Black painted	Black Ral 9005	IP20	G9 max 1x60W	CA03.110.02	€ 311,00
Black painted	White Ral 9016			CA03.110.06	€ 311,00
Black painted	Grey Ral 7046			CA03.110.31	€ 311,00
Black painted	Mustard Ral 1005			CA03.110.35	€ 311,00
Black painted	Beige Ral 1019			CA03.110.39	€ 311,00
Black painted	Black Ral 9005	IP20	105° 2700°K Led 9,1W 1010 lm 111 lm/W 80 CRI 250m/A - on/off	CA03.22L.02	€ 406,00
Black painted	White Ral 9016			CA03.22L.06	€ 406,00
Black painted	Grey Ral 7046			CA03.22L.31	€ 406,00
Black painted	Mustard Ral 1005			CA03.22L.35	€ 406,00
Black painted	Beige Ral 1019			CA03.22L.39	€ 406,00

3000°K for led version on request
20 working days for the delivering of the Grey, Yellow and Beige colors




M CLUB C01 CUP with external canopy

Canopy + Wiring	Reflector		Electrification	Code	Free of TAX
Black painted	Black Ral 9005	IP20	G9 max 1x60W	CC01.110.02	€ 311,00
Black painted	White Ral 9016			CC01.110.06	€ 311,00
Black painted	Grey Ral 7046			CC01.110.31	€ 311,00
Black painted	Mustard Ral 1005			CC01.110.35	€ 311,00
Black painted	Beige Ral 1019			CC01.110.39	€ 311,00
Black painted	Black Ral 9005	IP20	105° 2700°K Led 9,1W 1010 lm 111 lm/W 80 CRI 250m/A - on/off	CC01.22L.02	€ 406,00
Black painted	White Ral 9016			CC01.22L.06	€ 406,00
Black painted	Grey Ral 7046			CC01.22L.31	€ 406,00
Black painted	Mustard Ral 1005			CC01.22L.35	€ 406,00
Black painted	Beige Ral 1019			CC01.22L.39	€ 406,00



M CLUB C02 CUP with external canopy



Canopy + Wiring	Reflector		Electrification	Code	Free of TAX
Black painted	Black Ral 9005	IP20	G9 max 1x60W	CC02.110.02	€ 311,00
Black painted	White Ral 9016			CC02.110.06	€ 311,00
Black painted	Grey Ral 7046			CC02.110.31	€ 311,00
Black painted	Mustard Ral 1005			CC02.110.35	€ 311,00
Black painted	Beige Ral 1019			CC02.110.39	€ 311,00
Black painted	Black Ral 9005	IP20	105° 2700°K Led 9,1W 1010 lm 111 lm/W 80 CRI 250m/A - on/off	CC02.22L.02	€ 406,00
Black painted	White Ral 9016			CC02.22L.06	€ 406,00
Black painted	Grey Ral 7046			CC02.22L.31	€ 406,00
Black painted	Mustard Ral 1005			CC02.22L.35	€ 406,00
Black painted	Beige Ral 1019			CC02.22L.39	€ 406,00



M CLUB C03 CUP with external canopy

Canopy + Wiring	Reflector		Electrification	Code	Free of TAX
Black painted	Black Ral 9005	IP20	G9 max 1x60W	CC03.110.02	€ 311,00
Black painted	White Ral 9016			CC03.110.06	€ 311,00
Black painted	Grey Ral 7046			CC03.110.31	€ 311,00
Black painted	Mustard Ral 1005			CC03.110.35	€ 311,00
Black painted	Beige Ral 1019			CC03.110.39	€ 311,00
Black painted	Black Ral 9005	IP20	105° 2700°K Led 9,1W 1010 lm 111 lm/W 80 CRI 250m/A - on/off	CC03.22L.02	€ 406,00
Black painted	White Ral 9016			CC03.22L.06	€ 406,00
Black painted	Grey Ral 7046			CC03.22L.31	€ 406,00
Black painted	Mustard Ral 1005			CC03.22L.35	€ 406,00
Black painted	Beige Ral 1019			CC03.22L.39	€ 406,00

3000°K for led version on request
20 working days for the delivering of the Grey, Yellow and Beige colors



e-PAD 15

Structure			Electrification	Code	Free of TAX
Black painted		IP20	R7S 74,9mm max 1x120W	E15.510.02	€ 182,00
White painted				E15.510.06	€ 182,00
Corten painted				E15.510.08	€ 182,00
Black painted	Ud	IP20	105° 2700°K Led 18,1W 2494 lm 138 lm/W 85 CRI 500m/A	E15.52L.02	€ 231,00
White painted				E15.52L.06	€ 231,00
Corten painted				E15.52L.08	€ 231,00
Black painted	Ud	IP20	105° 3000°K Led 18,1W 2611 lm 144 lm/W 85 CRI 500m/A	E15.53L.02	€ 231,00
White painted				E15.53L.06	€ 231,00
Corten painted				E15.53L.08	€ 231,00
Black painted	Ud	IP20	105° 4000°K Led 18,1W 2697 lm 149 lm/W 85 CRI 500m/A	E15.54L.02	€ 231,00
White painted				E15.54L.06	€ 231,00
Corten painted				E15.54L.08	€ 231,00


e-PAD 30

Structure			Electrification	Code	Free of TAX
Black painted		IP20	R7S 117mm max 1x230W	E30.510.02	€ 204,00
White painted				E30.510.06	€ 204,00
Corten painted				E30.510.08	€ 204,00
Black painted	Ud	IP20	105° 2700°K Led 2x18,1W 2x2494 lm 138 lm/W 85 CRI 500m/A	E30.52L.02	€ 332,00
White painted				E30.52L.06	€ 332,00
Corten painted				E30.52L.08	€ 332,00
Black painted	Ud	IP20	105° 3000°K Led 2x18,1W 2x2611 lm 144 lm/W 85 CRI 500m/A	E30.53L.02	€ 332,00
White painted				E30.53L.06	€ 332,00
Corten painted				E30.53L.08	€ 332,00
Black painted	Ud	IP20	105° 4000°K Led 2x18,1W 2x2697 lm 149 lm/W 85 CRI 500m/A	E30.54L.02	€ 332,00
White painted				E30.54L.06	€ 332,00
Corten painted				E30.54L.08	€ 332,00

NEW e-PAD 30 - dimmable DALI - PUSH - 1...10V

Structure			Electrification	Code	Free of TAX
Black painted		IP20	105° 2700°K Led 2x18,1W 2x2494 lm 138 lm/W 85 CRI 500m/A	E30.72L.02	€ 390,00
White painted				E30.72L.06	€ 390,00
Corten painted				E30.72L.08	€ 390,00
Black painted		IP20	105° 3000°K Led 2x18,1W 2x2611 lm 144 lm/W 85 CRI 500m/A	E30.73L.02	€ 390,00
White painted				E30.73L.06	€ 390,00
Corten painted				E30.73L.08	€ 390,00
Black painted		IP20	105° 4000°K Led 2x18,1W 2x2697 lm 149 lm/W 85 CRI 500m/A	E30.74L.02	€ 390,00
White painted				E30.74L.06	€ 390,00
Corten painted				E30.74L.08	€ 390,00

 On request the e-Pad led version can be ordered with dimmable IGBT - TRIAC driver



Code	L	H	P
FILA39	39,0	8,5	9,0
FILA57	57,0	8,5	9,0


Use in horizontal position only

FILA 39 ROS

Structure			Electrification	Code	Free of TAX
Aluminium painted	IP20	R7S 78mm 1x100W		FILA39AL 3	€ 118,00 '16 ▼
Brushed Steel				FILA39AL 4	€ 124,00 '16 ▼
White painted				FILA39AL 6	€ 118,00 '16 ▼
Corten painted				FILA39AL 8	€ 118,00 '16 ▼
Aluminium painted	IP40	G24Q-2 1x18W E electronic ballast		FILA39E1X18 3	€ 118,00 '16 ▼
Brushed Steel				FILA39E1X18 4	€ 124,00 '16 ▼
White painted				FILA39E1X18 6	€ 118,00 '16 ▼
Corten painted				FILA39E1X18 8	€ 118,00 '16 ▼

FILA 57 ROS

Structure			Electrification	Code	Free of TAX
Aluminium painted	IP20	R7S 78mm 1x150W		FILA57AL 3	€ 124,00 '16 ▼
Brushed Steel				FILA57AL 4	€ 129,00 '16 ▼
White painted				FILA57AL 6	€ 124,00 '16 ▼
Corten painted				FILA57AL 8	€ 124,00 '16 ▼
Aluminium painted	IP40	G24Q-3 1x26W E electronic ballast		FILA57E1X26 3	€ 124,00 '16 ▼
Brushed Steel				FILA57E1X26 4	€ 129,00 '16 ▼
White painted				FILA57E1X26 6	€ 124,00 '16 ▼
Corten painted				FILA57E1X26 8	€ 124,00 '16 ▼



Code	L	H	P
FILA78	78,0	8,5	11,0
FILA100	100,0	8,5	11,0


Use in horizontal position only

FILA 78 ROS

Structure			Electrification	Code	Free of TAX
Aluminium painted	IP20	R7S 78mm 2x100W		FILA78AL 3	€ 156,00 '16 ▼
Brushed Steel				FILA78AL 4	€ 166,00 '16 ▼
White painted				FILA78AL 6	€ 156,00 '16 ▼
Corten painted				FILA78AL 8	€ 156,00 '16 ▼
Aluminium painted	IP40	2G11 1x36W E electronic ballast		FILA78E 3	€ 156,00 '16 ▼
Brushed Steel				FILA78E 4	€ 166,00 '16 ▼
White painted				FILA78E 6	€ 156,00 '16 ▼
Corten painted				FILA78E 8	€ 156,00 '16 ▼
Aluminium painted	IP40	2G11 1x36W ED - DALI electronic dimmable EXCEL one4all		FILA78ED 3	€ 225,00 '16 ▼
Brushed Steel				FILA78ED 4	€ 236,00 '16 ▼
White painted				FILA78ED 6	€ 225,00 '16 ▼
Corten painted				FILA78ED 8	€ 225,00 '16 ▼

FILA 100 ROS

Structure			Electrification	Code	Free of TAX
Aluminium painted	IP20	R7S 78mm 3x100W		FILA100AL 3	€ 204,00 '16 ▼
Brushed Steel				FILA100AL 4	€ 213,00 '16 ▼
White painted				FILA100AL 6	€ 204,00 '16 ▼
Corten painted				FILA100AL 8	€ 204,00 '16 ▼
Aluminium painted	IP40	2G11 1x55W E electronic ballast		FILA100E55 3	€ 204,00 '16 ▼
Brushed Steel				FILA100E55 4	€ 213,00 '16 ▼
White painted				FILA100E55 6	€ 204,00 '16 ▼
Corten painted				FILA100E55 8	€ 204,00 '16 ▼
Aluminium painted	IP40	2G11 1x55W ED - DALI electronic dimmable EXCEL one4all		FILA100ED55 3	€ 236,00 '16 ▼
Brushed Steel				FILA100ED55 4	€ 247,00 '16 ▼
White painted				FILA100ED55 6	€ 236,00 '16 ▼
Corten painted				FILA100ED55 8	€ 236,00 '16 ▼



ITA 25 ROS

Structure	Reflector		Electrification	Code	Free of TAX
Brushed Steel	Etched White Glass	IP20	R7S 78mm 1x100W	ITA25AL 4BA	€ 134,00 '16 ▼
Brushed Steel	Extra Clear Glass			ITA25AL 4CT	€ 134,00 '16 ▼
White painted	Etched White Glass			ITA25AL 6BA	€ 134,00 '16 ▼
Brushed Steel	Etched White Glass	IP40	G24Q-2 1x18W E electronic ballast	ITA25E1X18 4BA	€ 134,00 '16 ▼
Brushed Steel	Extra Clear Glass			ITA25E1X18 4CT	€ 134,00 '16 ▼
White painted	Etched White Glass			ITA25E1X18 6BA	€ 134,00 '16 ▼

ITA 36 ROS

Structure	Reflector		Electrification	Code	Free of TAX
Brushed Steel	Etched White Glass	IP20	R7S 78mm 1x150W	ITA36AL 4BA	€ 161,00 '16 ▼
Brushed Steel	Extra Clear Glass			ITA36AL 4CT	€ 161,00 '16 ▼
White painted	Etched White Glass			ITA36AL 6BA	€ 161,00 '16 ▼
Brushed Steel	Etched White Glass	IP40	G24Q-3 1x26W E electronic ballast	ITA36E1X26 4BA	€ 161,00 '16 ▼
Brushed Steel	Extra Clear Glass			ITA36E1X26 4CT	€ 161,00 '16 ▼
White painted	Etched White Glass			ITA36E1X26 6BA	€ 161,00 '16 ▼

ITA 56 ROS

Structure	Reflector		Electrification	Code	Free of TAX
Brushed Steel	Etched White Glass	IP20	R7S 78mm 2x100W	ITA56AL 4BA	€ 204,00 '16 ▼
Brushed Steel	Extra Clear Glass			ITA56AL 4CT	€ 204,00 '16 ▼
White painted	Etched White Glass			ITA56AL 6BA	€ 204,00 '16 ▼
Brushed Steel	Etched White Glass	IP40	2G11 1x36W E electronic ballast	ITA56E1X36 4BA	€ 204,00 '16 ▼
Brushed Steel	Extra Clear Glass			ITA56E1X36 4CT	€ 204,00 '16 ▼
White painted	Etched White Glass			ITA56E1X36 6BA	€ 204,00 '16 ▼
Brushed Steel	Etched White Glass	IP40	2G11 1x36W ED - DALI electronic dimmable EXCEL one4all	ITA56ED1X36 4BA	€ 247,00 '16 ▼
Brushed Steel	Extra Clear Glass			ITA56ED1X36 4CT	€ 247,00 '16 ▼
White painted	Etched White Glass			ITA56ED1X36 6BA	€ 247,00 '16 ▼

ITA 68 ROS

Structure	Reflector		Electrification	Code	Free of TAX
Brushed Steel	Etched White Glass	IP20	R7S 78mm 3x100W	ITA68AL 4BA	€ 214,00 '16 ▼
Brushed Steel	Extra Clear Glass			ITA68AL 4CT	€ 214,00 '16 ▼
White painted	Etched White Glass			ITA68AL 6BA	€ 214,00 '16 ▼
Brushed Steel	Etched White Glass	IP40	2G11 1x55W E electronic ballast	ITA68E1X55 4BA	€ 214,00 '16 ▼
Brushed Steel	Extra Clear Glass			ITA68E1X55 4CT	€ 214,00 '16 ▼
White painted	Etched White Glass			ITA68E1X55 6BA	€ 214,00 '16 ▼
Brushed Steel	Etched White Glass	IP40	2G11 1x55W ED - DALI electronic dimmable EXCEL one4all	ITA68ED1X55 4BA	€ 257,00 '16 ▼
Brushed Steel	Extra Clear Glass			ITA68ED1X55 4CT	€ 257,00 '16 ▼
White painted	Etched White Glass			ITA68ED1X55 6BA	€ 257,00 '16 ▼




ROS

**JEK 1 - P wall**

Structure	Reflector		Electrification	Code	Free of TAX
Brushed Steel	Smeraldo Glass	IP20	G9 max 1x60W	JEK1P 4CS	€ 81,00 '16 ▼
Brushed Steel	Extra Clear Glass	IP20	G9 max 1x60W	JEK1P 4CT	€ 91,00 '16 ▼

**JEK 2 - P wall**

Structure	Reflector		Electrification	Code	Free of TAX
Brushed Steel	Extra Clear Glass	IP20	G9 max 2x60W	JEK2P 4CT	€ 129,00 '16 ▼

**JEK 3 - P wall**

Structure	Reflector		Electrification	Code	Free of TAX
Brushed Steel	Extra Clear Glass	IP20	G9 max 3x60W	JEK3P 4CT	€ 172,00 '16 ▼


**JEK 4 - P wall**

Structure	Reflector		Electrification	Code	Free of TAX
Brushed Steel	Extra Clear Glass	IP20	G9 max 4x60W	JEK4P 4CT	€ 236,00 '16 ▼


JEK 100 - P wall

Structure	Reflector		Electrification	Code	Free of TAX
Brushed Steel	Extra Clear Glass	IP20	G9 max 4x60W	JEK100P 4CT	€ 395,00 '15


ROS

**JEK 1 - P Z wall with back-plate**


Structure	Reflector		Electrification	Code	Free of TAX
Brushed Steel	Smeraldo Glass	IP20	G9 max 1x60W	JEK1P-Z 4CS	€ 91,00 '16 ▼
Brushed Steel	Extra Clear Glass	IP20	G9 max 1x60W	JEK1P-Z 4CT	€ 102,00 '16 ▼

**JEK 2 - P Z wall with back-plate**

Structure	Reflector		Electrification	Code	Free of TAX
Brushed Steel	Extra Clear Glass	IP20	G9 max 2x60W	JEK2P-Z 4CT	€ 145,00 '16 ▼

**JEK 3 - P Z wall with back-plate**

Structure	Reflector		Electrification	Code	Free of TAX
Brushed Steel	Extra Clear Glass	IP20	G9 max 3x60W	JEK3P-Z 4CT	€ 193,00 '16 ▼


**JEK 4 - P Z wall with back-plate**

Structure	Reflector		Electrification	Code	Free of TAX
Brushed Steel	Extra Clear Glass	IP20	G9 max 4x60W	JEK4P-Z 4CT	€ 263,00 '16 ▼

JEK 100 - P Z wall with back-plate


Structure	Reflector		Electrification	Code	Free of TAX
Brushed Steel	Extra Clear Glass	IP20	G9 max 4x60W	JEK100P-Z 4CT	€ 425,00 '15





POP P00 Ø 3,0 Prepare a remote position for the converter because it can't pass through the housing

Structure			Electrification ☉	Code	Free of TAX
White painted		IP40	17° 2700°K Led 6,0W 364 lm 61 lm/W 80 CRI 500m/A	P00.32M.06	€ 125,00 '15
White painted		IP40	17° 3000°K Led 6,0W 390 lm 65 lm/W 80 CRI 500m/A	P00.33M.06	€ 125,00 '11
White painted		IP40	17° 4000°K Led 6,0W 416 lm 69 lm/W 80 CRI 500m/A	P00.34M.06	€ 125,00 '11
White painted		IP54	17° 2700°K Led 6,0W 364 lm 61 lm/W 80 CRI 500m/A	P00.32M9.06	€ 135,00 '16
White painted		IP54	17° 3000°K Led 6,0W 390 lm 65 lm/W 80 CRI 500m/A	P00.33M9.06	€ 135,00 '16
White painted		IP54	17° 4000°K Led 6,0W 416 lm 69 lm/W 80 CRI 500m/A	P00.34M9.06	€ 135,00 '16
	sizes mm: 115x34x19 124x80x22 111x52x22 111x52x22		Converter for Led 500m/A: ON/OFF min. 1 - max. 1 DALI - PUSH - 1...10V min. 1 - max. 7 DALI min. 1 - max. 3 PUSH - 1...10V min. 1 - max. 3 Led warranty only when used together with converter bought from Oty	KIT.500.15 KIT.501.50 KIT.502.20 KIT.503.20	€ 27,00 '15 € 105,00 '15 € 59,00 '15 € 59,00 '15
Housing for plasterboard	●	singular unit housing		Z00.030.01	€ 20,00 '11
Housing for brickwork	●	singular unit housing		M00.030.01	€ 54,00 '11





POP P01 Ø 4,0 only for plasterboard

Structure			Electrification	Code	Free of TAX
Black painted White painted		IP40	12V GU4 max 1x35W ☉ ☉ Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz DALI 12V max. 105VA 240V 50-60 Hz	P01.200.02 P01.200.06 KIT.100.105 KIT.101.105	€ 34,00 '13 € 34,00 '13 € 18,00 '11 € 92,00 '11
Black painted White painted		IP40	22° 2700°K Led 6,0W 364 lm ☉ 61 lm/W 80 CRI 500m/A	P01.22S.02 P01.22S.06	€ 102,00 '15 € 102,00 '15
Black painted White painted		IP40	22° 3000°K Led 6,0W 390 lm ☉ 65 lm/W 80 CRI 500m/A	P01.23S.02 P01.23S.06	€ 102,00 '15 € 102,00 '15
Black painted White painted		IP40	22° 4000°K Led 6,0W 416 lm ☉ 69 lm/W 80 CRI 500m/A	P01.24S.02 P01.24S.06	€ 102,00 '15 € 102,00 '15
Black painted White painted		IP54	22° 2700°K Led 6,0W 364 lm ☉ 61 lm/W 80 CRI 500m/A	P01.22S9.02 P01.22S9.06	€ 135,00 '15 € 135,00 '15
Black painted White painted		IP54	22° 3000°K Led 6,0W 390 lm ☉ 65 lm/W 80 CRI 500m/A	P01.23S9.02 P01.23S9.06	€ 135,00 '15 € 135,00 '15
Black painted White painted		IP54	22° 4000°K Led 6,0W 416 lm ☉ 69 lm/W 80 CRI 500m/A	P01.24S9.02 P01.24S9.06	€ 135,00 '15 € 135,00 '15
	sizes mm: 115x34x19 124x80x22 111x52x22 111x52x22		Converter for Led 500m/A: ON/OFF min. 1 - max. 1 DALI - PUSH - 1...10V min. 1 - max. 7 DALI min. 1 - max. 3 PUSH - 1...10V min. 1 - max. 3 Led warranty only when used together with converter bought from Oty	KIT.500.15 KIT.501.50 KIT.502.20 KIT.503.20	€ 27,00 '15 € 105,00 '15 € 59,00 '15 € 59,00 '15
Housing for plasterboard	●	singular unit housing		Z00.040.01	€ 17,00 '13

Code		Ø	P
P01.200.XX	GU4	4,0	9,1
P01.2XT.XX	IP40 Led	4,0	13,2
P01.2XT9.XX	IP54 Led	4,0	14,0

ATTENTION: the dimensions of the converters could change without any possibility of notification, because of the continuous technological innovation.



POP P01 Ø 5,5 IP40

Structure			Electrification	Code	Free of TAX
Black painted White painted		IP40	230V GU10 max 1x50W	P01.210.02 P01.210.06	€ 46,50 € 46,50
Black painted White painted		IP40	230V GU10 Led	P01.211.02 P01.211.06	€ 46,50 € 46,50
Black painted White painted		IP40	12V GU5.3 1x50W	P01.220.02 P01.220.06	€ 36,00 € 36,00
Black painted White painted		IP44	12V GU5.3 1x35W	P01.2209.02 P01.2209.06	€ 67,00 € 67,00
			Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz DALI 12V max. 105VA 240V 50-60 Hz	KIT.100.105 KIT.101.105	€ 18,00 € 92,00
Black painted White painted		IP40	22° 2700°K Led 11,2W 1115 lm 100 lm/W 85 CRI 350m/A	P01.32S.02 P01.32S.06	€ 120,00 € 120,00
Black painted White painted		IP40	22° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A	P01.33S.02 P01.33S.06	€ 120,00 € 120,00
Black painted White painted		IP40	22° 4000°K Led 11,2W 1229 lm 110 lm/W 85 CRI 350m/A	P01.34S.02 P01.34S.06	€ 120,00 € 120,00
Black painted White painted		IP40	12° 2700°K Led 11,2W 1115 lm 100 lm/W 85 CRI 350m/A	P01.32T.02 P01.32T.06	€ 120,00 € 120,00
Black painted White painted		IP40	12° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A	P01.33T.02 P01.33T.06	€ 120,00 € 120,00
Black painted White painted		IP40	12° 4000°K Led 11,2W 1229 lm 110 lm/W 85 CRI 350m/A	P01.34T.02 P01.34T.06	€ 120,00 € 120,00
	sizes mm: 115x45x28 131x38x29 124x80x22 111x52x22 111x52x22		Converter for Led 350m/A: ON/OFF min. 1 - max. 1 ON/OFF min. 2 - max. 2 DALI - PUSH - 1...10V min. 1 - max. 3 DALI min. 1 - max. 1 PUSH - 1...10V min. 1 - max. 1	KIT.350.1L KIT.350.25 KIT.351.40 KIT.352.15 KIT.353.15	€ 21,00 € 35,00 € 105,00 € 59,00 € 59,00
	sizes mm: 185x59x34 212x46x34		Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 - max. 1 3:00 hours min. 1 - max. 1 Led and Emergency unit, warranty only when used together with converter bought from Oty	KIT.900.01 KIT.900.03	€ 95,00 € 137,00

Code		Ø	P
P01.210.XX	GU10	5,5	12,2
P01.211.XX	GU10 Led	5,5	—
P01.220.XX	GU5.3	5,5	10,0
P01.2209.XX	GU5.3	5,5	11,9
P01.3XX.XX	Led IP40	5,5	13,8
P01.3XX9.XX	Led IP54	5,5	14,6

POP P01 Ø 5,5 IP54


Structure			Electrification	Code	Free of TAX
Black painted White painted		IP54	22° 2700°K Led 11,2W 1115 lm 100 lm/W 85 CRI 350m/A	P01.32S9.02 P01.32S9.06	€ 135,00 € 135,00
Black painted White painted		IP54	22° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A	P01.33S9.02 P01.33S9.06	€ 135,00 € 135,00
Black painted White painted		IP54	22° 4000°K Led 11,2W 1229 lm 110 lm/W 85 CRI 350m/A	P01.34S9.02 P01.34S9.06	€ 135,00 € 135,00
Black painted White painted		IP54	12° 2700°K Led 11,2W 1115 lm 100 lm/W 85 CRI 350m/A	P01.32T9.02 P01.32T9.06	€ 135,00 € 135,00
Black painted White painted		IP54	12° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A	P01.33T9.02 P01.33T9.06	€ 135,00 € 135,00
Black painted White painted		IP54	12° 4000°K Led 11,2W 1229 lm 110 lm/W 85 CRI 350m/A	P01.34T9.02 P01.34T9.06	€ 135,00 € 135,00
	sizes mm: 115x45x28 131x38x29 124x80x22 111x52x22 111x52x22		Converter for Led 350m/A: ON/OFF min. 1 - max. 1 ON/OFF min. 2 - max. 2 DALI - PUSH - 1...10V min. 1 - max. 3 DALI min. 1 - max. 1 PUSH - 1...10V min. 1 - max. 1	KIT.350.1L KIT.350.25 KIT.351.40 KIT.352.15 KIT.353.15	€ 21,00 € 35,00 € 105,00 € 59,00 € 59,00
	sizes mm: 185x59x34 212x46x34		Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 - max. 1 3:00 hours min. 1 - max. 1 Led and Emergency unit, warranty only when used together with converter bought from Oty	KIT.900.01 KIT.900.03	€ 95,00 € 137,00

ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.

- emergency unit works only if the emergency Kit is connected to one converter ONLY.

Housing for POP P01 Ø 5,5 plasterboard and brickwork

			Code	Free of TAX
Housing for plasterboard	● singular unit housing ●● double linear unit housing ●●● triple linear unit housing		Z00.055.01 Z00.055.2L Z00.055.3L	€ 18,00 € 33,00 € 49,00
Housing for brickwork	● Singular unit housing		M00.055.01	€ 90,00




Code	Led	Ø	P	P1
P01.6XX.XX	Led IP40	12,5	13,4	4,0
P01.6XX9.XX	Led IP54	12,5	13,4	4,2

POP P01 Static Ø 12,5 IP40 Led 12,5W - 18,4W - 26,9W

	Electrification	Code	Structure	Free of TAX	
IP40	60° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	P01.62L.02	Black	€ 220,00 '16	
		P01.62L.06	White	€ 220,00 '16	
	60° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	P01.63L.02	Black	€ 220,00 '16	
		P01.63L.06	White	€ 220,00 '16	
	60° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	P01.64L.02	Black	€ 220,00 '16	
		P01.64L.06	White	€ 220,00 '16	
IP40	24° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	P01.62S.02	Black	€ 220,00 '12	
		P01.62S.06	White	€ 220,00 '12	
	24° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	P01.63S.02	Black	€ 220,00 '12	
		P01.63S.06	White	€ 220,00 '12	
	24° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	P01.64S.02	Black	€ 220,00 '12	
		P01.64S.06	White	€ 220,00 '12	
IP40	12° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	P01.62T.02	Black	€ 220,00 '16	
		P01.62T.06	White	€ 220,00 '16	
	12° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	P01.63T.02	Black	€ 220,00 '16	
		P01.63T.06	White	€ 220,00 '16	
	12° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	P01.64T.02	Black	€ 220,00 '16	
		P01.64T.06	White	€ 220,00 '16	
sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22 sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22 sizes mm: 140x45x28 124x80x22 sizes mm: 185x59x34 212x46x34	12,5W	Converter for Led 350m/A:			
		ON/OFF	min. 1 - max. 1 350m/A	KIT.350.1L	€ 21,00 '13
		DALI - PUSH - 1...10V	min. 1 - max. 3 350m/A	KIT.351.40	€ 105,00 '15
		DALI	min. 1 - max. 1 350m/A	KIT.352.15	€ 59,00 '15
		PUSH - 1...10V	min. 1 - max. 1 350m/A	KIT.353.15	€ 59,00 '15
	18,4W	Converter for Led 500m/A:			
		ON/OFF	min. 1 - max. 1 500m/A	KIT.500.1L	€ 21,00 '15
		DALI - PUSH - 1...10V	min. 1 - max. 2 500m/A	KIT.501.50	€ 105,00 '15
		DALI	min. 1 - max. 1 500m/A	KIT.502.20	€ 59,00 '15
		PUSH - 1...10V	min. 1 - max. 1 500m/A	KIT.503.20	€ 59,00 '15
	26,9W	Converter for Led 700m/A:			
		ON/OFF	min. 1 - max. 1 700m/A	KIT.700.1L	€ 24,00 '15
	DALI - PUSH - 1...10V	min. 1 - max. 1 700m/A	KIT.701.50	€ 105,00 '15	
	Emergency unit: (inverter + battery. Driver not included)				
	1:00 hour	min. 1 - max. 3	KIT.900.01	€ 95,00 '15	
	3:00 hours	min. 1 - max. 3	KIT.900.03	€ 137,00 '15	
	Led and Emergency unit, warranty only when used together with converter bought from Oty				

POP P01 Static Ø 12,5 IP54 Led 12,5W - 18,4W - 26,9W

	Electrification	Code	Structure	Free of TAX
IP54	60° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	P01.62L9.02	Black	€ 236,00 '16
		P01.62L9.06	White	€ 236,00 '16
	60° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	P01.63L9.02	Black	€ 236,00 '16
		P01.63L9.06	White	€ 236,00 '16
	60° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	P01.64L9.02	Black	€ 236,00 '16
		P01.64L9.06	White	€ 236,00 '16
IP54	24° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	P01.62S9.02	Black	€ 236,00 '15
		P01.62S9.06	White	€ 236,00 '15
	24° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	P01.63S9.02	Black	€ 236,00 '15
		P01.63S9.06	White	€ 236,00 '15
	24° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	P01.64S9.02	Black	€ 236,00 '15
		P01.64S9.06	White	€ 236,00 '15
IP54	12° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	P01.62T9.02	Black	€ 236,00 '16
		P01.62T9.06	White	€ 236,00 '16
	12° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	P01.63T9.02	Black	€ 236,00 '16
		P01.63T9.06	White	€ 236,00 '16
	12° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	P01.64T9.02	Black	€ 236,00 '16
		P01.64T9.06	White	€ 236,00 '16





Code	Ø	P	P1
P01.530.XX	G53	12,5	13,4

POP P01 Static Ø 12,5

	Electrification	Code	Structure	Free of TAX
IP20	12V G53 1x50W	P01.530.02	Black	€ 118,00 '11
		P01.530.06	White	€ 118,00 '11
	Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz DALI 12V max. 105VA 240V 50-60 Hz	KIT.100.105		€ 18,00 '09
		KIT.101.105		€ 92,00 '11

Housing POP P01 Ø 12,5 for plasterboard and brickwork

	Code	Free of TAX
Housing for plasterboard	● singular unit housing	Z00.125.01 € 38,00 '11
	●● double linear unit housing	Z00.125.2L € 75,00 '11
	●●● triple linear unit housing	Z00.125.3L € 106,00 '11
Housing for brickwork	● Singular unit housing	M00.125.01 € 139,00 '11





POP P01 Dynamic Ø 12,5

	Electrification	Code	Structure	Free of TAX
IP20	60° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	P01D.62L.02 P01D.62L.06	Black White	€ 289,00 '16 € 289,00 '16
	60° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	P01D.63L.02 P01D.63L.06	Black White	€ 289,00 '16 € 289,00 '16
	60° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	P01D.64L.02 P01D.64L.06	Black White	€ 289,00 '16 € 289,00 '16
IP20	24° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	P01D.62S.02 P01D.62S.06	Black White	€ 289,00 '16 € 289,00 '16
	24° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	P01D.63S.02 P01D.63S.06	Black White	€ 289,00 '16 € 289,00 '16
	24° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	P01D.64S.02 P01D.64S.06	Black White	€ 289,00 '16 € 289,00 '16
IP20	12° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	P01D.62T.02 P01D.62T.06	Black White	€ 289,00 '16 € 289,00 '16
	12° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	P01D.63T.02 P01D.63T.06	Black White	€ 289,00 '16 € 289,00 '16
	12° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	P01D.64T.02 P01D.64T.06	Black White	€ 289,00 '16 € 289,00 '16
sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22	12,5W Converter for Led 350m/A: ON/OFF min. 1 - max. 1 350m/A DALI - PUSH - 1...10V min. 1 - max. 3 350m/A DALI min. 1 - max. 1 350m/A PUSH - 1...10V min. 1 - max. 1 350m/A	KIT.350.1L KIT.351.40 KIT.352.15 KIT.353.15		€ 21,00 '13 € 105,00 '15 € 59,00 '15 € 59,00 '15
	sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22	18,4W Converter for Led 500m/A: ON/OFF min. 1 - max. 1 500m/A DALI - PUSH - 1...10V min. 1 - max. 2 500m/A DALI min. 1 - max. 1 500m/A PUSH - 1...10V min. 1 - max. 1 500m/A	KIT.500.1L KIT.501.50 KIT.502.20 KIT.503.20	€ 21,00 '15 € 105,00 '15 € 59,00 '15 € 59,00 '15
sizes mm: 185x59x34 212x46x34	Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 - max. 1 3:00 hours min. 1 - max. 1 Led and Emergency unit, warranty only when used together with converter bought from Oty	KIT.900.01 KIT.900.03		€ 95,00 '15 € 137,00 '15
IP20	12V G53 1x50W	P01D.530.02 P01D.530.06	Black White	€ 182,00 '13 € 182,00 '13
	Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz DALI 12V max. 105VA 240V 50-60 Hz	KIT.100.105 KIT.101.105		€ 18,00 '09 € 92,00 '11
Housing for plasterboard	● singular unit housing ●● double linear unit housing ●●● triple linear unit housing	Z00.125.01 Z00.125.2L Z00.125.3L		€ 38,00 '11 € 75,00 '11 € 106,00 '11
Housing for brickwork	● Singular unit housing	M00.125.01		€ 139,00 '11

ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.


- emergency unit works only if the emergency Kit is connected to one converter ONLY.



POP P02 Ø 5,5

Structure		Electrification	Code	Free of TAX
Black painted White painted	IP40	230V GU10 max 1x50W	P02.210.02 P02.210.06	€ 59,00 '16 € 59,00 '16
Black painted White painted	IP40	230V GU10 Led	P02.211.02 P02.211.06	€ 59,00 '16 € 59,00 '16
Black painted White painted	IP40	12V GU5.3 1x50W Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz DALI 12V max. 105VA 240V 50-60 Hz	P02.220.02 P02.220.06 KIT.100.105 KIT.101.105	€ 49,00 '09 € 49,00 '09 € 18,00 '09 € 92,00 '11
Black painted White painted	IP40	22° 2700°K Led 11,2W 1115 lm 100 lm/W 85 CRI 350m/A	P02.32S.02 P02.32S.06	€ 125,00 '16 ▼ € 125,00 '16 ▼
Black painted White painted	IP40	22° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A	P02.33S.02 P02.33S.06	€ 125,00 '16 ▼ € 125,00 '16 ▼
Black painted White painted	IP40	22° 4000°K Led 11,2W 1229 lm 110 lm/W 85 CRI 350m/A	P02.34S.02 P02.34S.06	€ 125,00 '16 ▼ € 125,00 '16 ▼
Black painted White painted	IP40	12° 2700°K Led 11,2W 1115 lm 100 lm/W 85 CRI 350m/A	P02.32T.02 P02.32T.06	€ 125,00 '16 ▼ € 125,00 '16 ▼
Black painted White painted	IP40	12° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A	P02.33T.02 P02.33T.06	€ 125,00 '16 ▼ € 125,00 '16 ▼
Black painted White painted	IP40	12° 4000°K Led 11,2W 1229 lm 110 lm/W 85 CRI 350m/A	P02.34T.02 P02.34T.06	€ 125,00 '16 ▼ € 125,00 '16 ▼
	sizes mm: 115x45x28 131x38x29 124x80x22 111x52x22 111x52x22	Converter for Led 350m/A: ON/OFF min. 1 - max. 1 ON/OFF min. 2 - max. 2 DALI - PUSH - 1...10V min. 1 - max. 3 DALI min. 1 - max. 1 PUSH - 1...10V min. 1 - max. 1	KIT.350.1L KIT.350.25 KIT.351.40 KIT.352.15 KIT.353.15	€ 21,00 '13 € 35,00 '16 € 105,00 '15 € 59,00 '15 € 59,00 '15
	sizes mm: 185x59x34 212x46x34	Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 - max. 1 3:00 hours min. 1 - max. 1 Led and Emergency unit, warranty only when used together with converter bought from Oty	KIT.900.01 KIT.900.03	€ 95,00 '15 € 137,00 '15
Housing for plasterboard	● singular unit housing ●● double linear unit housing ●●● triple linear unit housing	Z00.055.01 Z00.055.2L Z00.055.3L		€ 18,00 '09 € 33,00 '09 € 49,00 '09
Housing for brickwork	● Singular unit housing	M00.055.01		€ 90,00 '11

POP RING



Code		Ø	P	H
PR1S.210.XX	GU10	7,0	11,5	4,4
PR1S.211.XX	GU10 Led	7,0	—	4,4
PR1S.220.XX	GU5.3	7,0	9,9	4,4
PR1S.3XX.XX	IP40 Led	7,0	13,4	4,4
PR9S.3XX.XX	IP54 Led	7,0	13,4	4,0

ATTENTION:
 - the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.
 - emergency unit works only if the emergency Kit is connected to one converter ONLY.

POP RING Static Ø 7,0

Structure			Electrification	Code	Free of TAX
Black painted White painted		IP40	230V GU10 max 1x50W	PR1S.210.02 PR1S.210.06	€ 69,00 '16 ▼ € 69,00 '16 ▼
Black painted White painted		IP40	230V GU10 Led	PR1S.211.02 PR1S.211.06	€ 69,00 '16 ▼ € 69,00 '16 ▼
Black painted White painted		IP40	12V GU5.3 1x50W Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz DALI 12V max. 105VA 240V 50-60 Hz	PR1S.220.02 PR1S.220.06 KIT.100.105 KIT.101.105	€ 69,00 '13 € 69,00 '13 € 18,00 '09 € 92,00 '11
Black painted White painted		IP40	22° 2700°K Led 11,2W 1115 lm 100 lm/W 85 CRI 350m/A	PR1S.32S.02 PR1S.32S.06	€ 95,00 '16 ▼ € 95,00 '16 ▼
Black painted White painted		IP40	22° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A	PR1S.33S.02 PR1S.33S.06	€ 95,00 '16 ▼ € 95,00 '16 ▼
Black painted White painted		IP40	22° 4000°K Led 11,2W 1229 lm 110 lm/W 85 CRI 350m/A	PR1S.34S.02 PR1S.34S.06	€ 95,00 '16 ▼ € 95,00 '16 ▼
Black painted White painted		IP40	12° 2700°K Led 11,2W 1115 lm 100 lm/W 85 CRI 350m/A	PR1S.32T.02 PR1S.32T.06	€ 95,00 '16 ▼ € 95,00 '16 ▼
Black painted White painted		IP40	12° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A	PR1S.33T.02 PR1S.33T.06	€ 95,00 '16 ▼ € 95,00 '16 ▼
Black painted White painted		IP40	12° 4000°K Led 11,2W 1229 lm 110 lm/W 85 CRI 350m/A	PR1S.34T.02 PR1S.34T.06	€ 95,00 '16 ▼ € 95,00 '16 ▼
Black painted White painted		IP54	22° 2700°K Led 11,2W 1115 lm 100 lm/W 85 CRI 350m/A	PR9S.32S.02 PR9S.32S.06	€ 120,00 '16 ▼ € 120,00 '16 ▼
Black painted White painted		IP54	22° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A	PR9S.33S.02 PR9S.33S.06	€ 120,00 '16 ▼ € 120,00 '16 ▼
Black painted White painted		IP54	22° 4000°K Led 11,2W 1229 lm 110 lm/W 85 CRI 350m/A	PR9S.34S.02 PR9S.34S.06	€ 120,00 '16 ▼ € 120,00 '16 ▼
Black painted White painted		IP54	12° 2700°K Led 11,2W 1115 lm 100 lm/W 85 CRI 350m/A	PR9S.32T.02 PR9S.32T.06	€ 120,00 '16 ▼ € 120,00 '16 ▼
Black painted White painted		IP54	12° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A	PR9S.33T.02 PR9S.33T.06	€ 120,00 '16 ▼ € 120,00 '16 ▼
Black painted White painted		IP54	12° 4000°K Led 11,2W 1229 lm 110 lm/W 85 CRI 350m/A	PR9S.34T.02 PR9S.34T.06	€ 120,00 '16 ▼ € 120,00 '16 ▼
	sizes mm: 115x45x28 131x38x29 124x80x22 111x52x22 111x52x22		Converter for Led 350m/A: ON/OFF min. 1 - max. 1 ON/OFF min. 2 - max. 2 DALI - PUSH - 1...10V min. 1 - max. 3 DALI min. 1 - max. 1 PUSH - 1...10V min. 1 - max. 1	KIT.350.1L KIT.350.25 KIT.351.40 KIT.352.15 KIT.353.15	€ 21,00 '13 € 35,00 '16 € 105,00 '15 € 59,00 '15 € 59,00 '15
	sizes mm: 185x59x34 212x46x34		Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 - max. 1 3:00 hours min. 1 - max. 1 Led and Emergency unit, warranty only when used together with converter bought from Oty	KIT.900.01 KIT.900.03	€ 95,00 '15 € 137,00 '15



POP RING Static Ø 13,1 IP40 Led 12,5W - 18,4W - 26,9W only for plasterboard

	Electrification	Code	Structure	Free of TAX	
IP40	60° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	PR1S.62L.02	Black	€ 185,00	
		PR1S.62L.06	White	€ 185,00	
	60° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	PR1S.63L.02	Black	€ 185,00	
		PR1S.63L.06	White	€ 185,00	
	60° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	PR1S.64L.02	Black	€ 185,00	
		PR1S.64L.06	White	€ 185,00	
IP40	24° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	PR1S.62S.02	Black	€ 185,00	
		PR1S.62S.06	White	€ 185,00	
	24° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	PR1S.63S.02	Black	€ 185,00	
		PR1S.63S.06	White	€ 185,00	
	24° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	PR1S.64S.02	Black	€ 185,00	
		PR1S.64S.06	White	€ 185,00	
IP40	12° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	PR1S.62T.02	Black	€ 185,00	
		PR1S.62T.06	White	€ 185,00	
	12° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	PR1S.63T.02	Black	€ 185,00	
		PR1S.63T.06	White	€ 185,00	
	12° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	PR1S.64T.02	Black	€ 185,00	
		PR1S.64T.06	White	€ 185,00	
sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22 sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22 sizes mm: 140x45x28 124x80x22 sizes mm: 185x59x34 212x46x34	12,5W	Converter for Led 350m/A:			
		ON/OFF	min. 1 - max. 1 350m/A	KIT.350.1L	€ 21,00
		DALI - PUSH - 1...10V	min. 1 - max. 3 350m/A	KIT.351.40	€ 105,00
		DALI	min. 1 - max. 1 350m/A	KIT.352.15	€ 59,00
		PUSH - 1...10V	min. 1 - max. 1 350m/A	KIT.353.15	€ 59,00
	18,4W	Converter for Led 500m/A:			
		ON/OFF	min. 1 - max. 1 500m/A	KIT.500.1L	€ 21,00
		DALI - PUSH - 1...10V	min. 1 - max. 2 500m/A	KIT.501.50	€ 105,00
		DALI	min. 1 - max. 1 500m/A	KIT.502.20	€ 59,00
		PUSH - 1...10V	min. 1 - max. 1 500m/A	KIT.503.20	€ 59,00
	26,9W	Converter for Led 700m/A:			
		ON/OFF	min. 1 - max. 1 700m/A	KIT.700.1L	€ 24,00
	DALI - PUSH - 1...10V	min. 1 - max. 1 700m/A	KIT.701.50	€ 105,00	
Emergency unit: (inverter + battery. Driver not included)					
1:00 hour	min. 1 - max. 1	KIT.900.01	€ 95,00		
3:00 hours	min. 1 - max. 1	KIT.900.03	€ 137,00		
Led and Emergency unit, warranty only when used together with converter bought from Oty					

ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.

- emergency unit works only if the emergency Kit is connected to one converter ONLY.



POP RING Static Ø 13,1 IP54 Led 12,5W - 18,4W - 26,9W only for plasterboard

	Electrification	Code	Structure	Free of TAX	
IP54	60° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	PR9S.62L.02	Black	€ 200,00	
		PR9S.62L.06	White	€ 200,00	
	60° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	PR9S.63L.02	Black	€ 200,00	
		PR9S.63L.06	White	€ 200,00	
	60° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	PR9S.64L.02	Black	€ 200,00	
		PR9S.64L.06	White	€ 200,00	
IP54	24° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	PR9S.62S.02	Black	€ 200,00	
		PR9S.62S.06	White	€ 200,00	
	24° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	PR9S.63S.02	Black	€ 200,00	
		PR9S.63S.06	White	€ 200,00	
	24° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	PR9S.64S.02	Black	€ 200,00	
		PR9S.64S.06	White	€ 200,00	
IP54	12° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	PR9S.62T.02	Black	€ 200,00	
		PR9S.62T.06	White	€ 200,00	
	12° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	PR9S.63T.02	Black	€ 200,00	
		PR9S.63T.06	White	€ 200,00	
	12° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	PR9S.64T.02	Black	€ 200,00	
		PR9S.64T.06	White	€ 200,00	
sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22 sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22 sizes mm: 140x45x28 124x80x22 sizes mm: 185x59x34 212x46x34	12,5W	Converter for Led 350m/A:			
		ON/OFF	min. 1 - max. 1 350m/A	KIT.350.1L	€ 21,00
		DALI - PUSH - 1...10V	min. 1 - max. 3 350m/A	KIT.351.40	€ 105,00
		DALI	min. 1 - max. 1 350m/A	KIT.352.15	€ 59,00
		PUSH - 1...10V	min. 1 - max. 1 350m/A	KIT.353.15	€ 59,00
	18,4W	Converter for Led 500m/A:			
		ON/OFF	min. 1 - max. 1 500m/A	KIT.500.1L	€ 21,00
		DALI - PUSH - 1...10V	min. 1 - max. 2 500m/A	KIT.501.50	€ 105,00
		DALI	min. 1 - max. 1 500m/A	KIT.502.20	€ 59,00
		PUSH - 1...10V	min. 1 - max. 1 500m/A	KIT.503.20	€ 59,00
	26,9W	Converter for Led 700m/A:			
		ON/OFF	min. 1 - max. 1 700m/A	KIT.700.1L	€ 24,00
	DALI - PUSH - 1...10V	min. 1 - max. 1 700m/A	KIT.701.50	€ 105,00	
Emergency unit: (inverter + battery. Driver not included)					
1:00 hour	min. 1 - max. 1	KIT.900.01	€ 95,00		
3:00 hours	min. 1 - max. 1	KIT.900.03	€ 137,00		
Led and Emergency unit, warranty only when used together with converter bought from Oty					

ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.

- emergency unit works only if the emergency Kit is connected to one converter ONLY.





POP RING Dynamic Ø 13,1 Led 12,5W - 18,4W only for plasterboard

	Electrification	Code	Structure	Free of TAX
IP20	60° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	PR1D.52L.02 PR1D.52L.06	Black White	€ 246,00 ¹⁶ € 246,00 ¹⁶
	60° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	PR1D.53L.02 PR1D.53L.06	Black White	€ 246,00 ¹⁶ € 246,00 ¹⁶
	60° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	PR1D.54L.02 PR1D.54L.06	Black White	€ 246,00 ¹⁶ € 246,00 ¹⁶
IP20	24° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	PR1D.52S.02 PR1D.52S.06	Black White	€ 246,00 ¹⁵ € 246,00 ¹⁵
	24° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	PR1D.53S.02 PR1D.53S.06	Black White	€ 246,00 ¹³ € 246,00 ¹³
	24° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	PR1D.54S.02 PR1D.54S.06	Black White	€ 246,00 ¹³ € 246,00 ¹³
IP20	12° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	PR1D.52T.02 PR1D.52T.06	Black White	€ 246,00 ¹⁶ € 246,00 ¹⁶
	12° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	PR1D.53T.02 PR1D.53T.06	Black White	€ 246,00 ¹⁶ € 246,00 ¹⁶
	12° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	PR1D.54T.02 PR1D.54T.06	Black White	€ 246,00 ¹⁶ € 246,00 ¹⁶
sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22 sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22 sizes mm: 185x59x34 212x46x34	12,5W ON/OFF min. 1 - max. 1 350m/A DALI - PUSH - 1...10V min. 1 - max. 3 350m/A DALI min. 1 - max. 1 350m/A PUSH - 1...10V min. 1 - max. 1 350m/A 18,4W ON/OFF min. 1 - max. 1 500m/A DALI - PUSH - 1...10V min. 1 - max. 2 500m/A DALI min. 1 - max. 1 500m/A PUSH - 1...10V min. 1 - max. 1 500m/A Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 - max. 1 3:00 hours min. 1 - max. 1 Led and Emergency unit, warranty only when used together with converter bought from Oty	KIT.350.1L KIT.351.40 KIT.352.15 KIT.353.15 KIT.500.1L KIT.501.50 KIT.502.20 KIT.503.20 KIT.900.01 KIT.900.03		€ 21,00 ¹³ € 105,00 ¹⁵ € 59,00 ¹⁵ € 59,00 ¹⁵ € 21,00 ¹⁵ € 105,00 ¹⁵ € 59,00 ¹⁵ € 59,00 ¹⁵ € 95,00 ¹⁵ € 137,00 ¹⁵

POP RING Dynamic Ø 13,1 only for plasterboard

	Electrification	Code	Structure	Free of TAX
IP20	12V G53 1x50W	PR1D.530.02 PR1D.530.06	Black White	€ 145,00 ¹³ € 145,00 ¹³
	Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz DALI 12V max. 105VA 240V 50-60 Hz	KIT.100.105 KIT.101.105		€ 18,00 ⁰⁹ € 92,00 ¹¹





ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.

- emergency unit works only if the emergency Kit is connected to one converter ONLY.





POP RING Dynamic Ø 13,1 Led 12,3W - 18,1W - 26,2W only for plasterboard

	Electrification	Code	Structure	Free of TAX
IP20	54° 2700°K Led 12,3W 1792 lm 146 lm/W 85 CRI 350m/A Led 18,1W 2494 lm 138 lm/W 85 CRI 500m/A Led 26,2W 3374 lm 129 lm/W 85 CRI 700m/A	PR1D.62M.02 PR1D.62M.06	Black White	€ 246,00 ¹⁵ € 246,00 ¹⁵
	54° 3000°K Led 12,3W 1876 lm 153 lm/W 85 CRI 350m/A Led 18,1W 2611 lm 144 lm/W 85 CRI 500m/A Led 26,2W 3533 lm 135 lm/W 85 CRI 700m/A	PR1D.63M.02 PR1D.63M.06	Black White	€ 246,00 ¹⁵ € 246,00 ¹⁵
	54° 4000°K Led 12,3W 1938 lm 158 lm/W 85 CRI 350m/A Led 18,1W 2697 lm 149 lm/W 85 CRI 500m/A Led 26,2W 3649 lm 139 lm/W 85 CRI 700m/A	PR1D.64M.02 PR1D.64M.06	Black White	€ 246,00 ¹⁵ € 246,00 ¹⁵
IP20	26° 2700°K Led 12,3W 1792 lm 146 lm/W 85 CRI 350m/A Led 18,1W 2494 lm 138 lm/W 85 CRI 500m/A Led 26,2W 3374 lm 129 lm/W 85 CRI 700m/A	PR1D.62S.02 PR1D.62S.06	Black White	€ 246,00 ¹⁵ € 246,00 ¹⁵
	26° 3000°K Led 12,3W 1876 lm 153 lm/W 85 CRI 350m/A Led 18,1W 2611 lm 144 lm/W 85 CRI 500m/A Led 26,2W 3533 lm 135 lm/W 85 CRI 700m/A	PR1D.63S.02 PR1D.63S.06	Black White	€ 246,00 ¹⁵ € 246,00 ¹⁵
	26° 4000°K Led 12,3W 1938 lm 158 lm/W 85 CRI 350m/A Led 18,1W 2697 lm 149 lm/W 85 CRI 500m/A Led 26,2W 3649 lm 139 lm/W 85 CRI 700m/A	PR1D.64S.02 PR1D.64S.06	Black White	€ 246,00 ¹⁵ € 246,00 ¹⁵
IP20	17° 2700°K Led 12,3W 1792 lm 146 lm/W 85 CRI 350m/A Led 18,1W 2494 lm 138 lm/W 85 CRI 500m/A Led 26,2W 3374 lm 129 lm/W 85 CRI 700m/A	PR1D.62T.02 PR1D.62T.06	Black White	€ 246,00 ¹⁵ € 246,00 ¹⁵
	17° 3000°K Led 12,3W 1876 lm 153 lm/W 85 CRI 350m/A Led 18,1W 2611 lm 144 lm/W 85 CRI 500m/A Led 26,2W 3533 lm 135 lm/W 85 CRI 700m/A	PR1D.63T.02 PR1D.63T.06	Black White	€ 246,00 ¹⁵ € 246,00 ¹⁵
	17° 4000°K Led 12,3W 1938 lm 158 lm/W 85 CRI 350m/A Led 18,1W 2697 lm 149 lm/W 85 CRI 500m/A Led 26,2W 3649 lm 139 lm/W 85 CRI 700m/A	PR1D.64T.02 PR1D.64T.06	Black White	€ 246,00 ¹⁵ € 246,00 ¹⁵
sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22 sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22 sizes mm: 140x45x28 124x80x22 sizes mm: 185x59x34 212x46x34	12,3W ON/OFF min. 1 - max. 1 350m/A DALI - PUSH - 1...10V min. 1 - max. 3 350m/A DALI min. 1 - max. 1 350m/A PUSH - 1...10V min. 1 - max. 1 350m/A 18,1W ON/OFF min. 1 - max. 1 500m/A DALI - PUSH - 1...10V min. 1 - max. 2 500m/A DALI min. 1 - max. 1 500m/A PUSH - 1...10V min. 1 - max. 1 500m/A 26,2W ON/OFF min. 1 - max. 1 700m/A DALI - PUSH - 1...10V min. 1 - max. 1 700m/A Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 - max. 1 3:00 hours min. 1 - max. 1 Led and Emergency unit, warranty only when used together with converter bought from Oty	KIT.350.1L KIT.351.40 KIT.352.15 KIT.353.15 KIT.500.1L KIT.501.50 KIT.502.20 KIT.503.20 KIT.700.1L KIT.701.50 KIT.900.01 KIT.900.03		€ 21,00 ¹³ € 105,00 ¹⁵ € 59,00 ¹⁵ € 59,00 ¹⁵ € 21,00 ¹⁵ € 105,00 ¹⁵ € 59,00 ¹⁵ € 59,00 ¹⁵ € 24,00 ¹⁵ € 105,00 ¹⁵ € 95,00 ¹⁵ € 137,00 ¹⁵



ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.



- emergency unit works only if the emergency Kit is connected to one converter ONLY.



POP RING Pull Ø 12,5 Led 12,5W - 18,4W only for plasterboard

	Electrification	Code	Structure	Free of TAX
IP20	60° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	PR1P.52L.02 PR1P.52L.06	Black White	€ 325,00 🗝️'16 ▼ € 325,00 🗝️'16 ▼
	60° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	PR1P.53L.02 PR1P.53L.06	Black White	€ 325,00 🗝️'16 ▼ € 325,00 🗝️'16 ▼
	60° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	PR1P.54L.02 PR1P.54L.06	Black White	€ 325,00 🗝️'16 ▼ € 325,00 🗝️'16 ▼
IP20	24° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	PR1P.52S.02 PR1P.52S.06	Black White	€ 325,00 🗝️'16 ▼ € 325,00 🗝️'16 ▼
	24° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	PR1P.53S.02 PR1P.53S.06	Black White	€ 325,00 🗝️'16 ▼ € 325,00 🗝️'16 ▼
	24° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	PR1P.54S.02 PR1P.54S.06	Black White	€ 325,00 🗝️'16 ▼ € 325,00 🗝️'16 ▼
IP20	12° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	PR1P.52T.02 PR1P.52T.06	Black White	€ 325,00 🗝️'16 ▼ € 325,00 🗝️'16 ▼
	12° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	PR1P.53T.02 PR1P.53T.06	Black White	€ 325,00 🗝️'16 ▼ € 325,00 🗝️'16 ▼
	12° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	PR1P.54T.02 PR1P.54T.06	Black White	€ 325,00 🗝️'16 ▼ € 325,00 🗝️'16 ▼
sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22	12,5W Converter for Led 350m/A : ON/OFF min. 1 - max. 1 350m/A DALI - PUSH - 1...10V min. 1 - max. 3 350m/A DALI min. 1 - max. 1 350m/A PUSH - 1...10V min. 1 - max. 1 350m/A	KIT.350.1L KIT.351.40 KIT.352.15 KIT.353.15		€ 21,00 🗝️'13 € 105,00 🗝️'15 € 59,00 🗝️'15 € 59,00 🗝️'15
	sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22	18,4W Converter for Led 500m/A : ON/OFF min. 1 - max. 1 500m/A DALI - PUSH - 1...10V min. 1 - max. 2 500m/A DALI min. 1 - max. 1 500m/A PUSH - 1...10V min. 1 - max. 1 500m/A	KIT.500.1L KIT.501.50 KIT.502.20 KIT.503.20	
sizes mm: 185x59x34 212x46x34		Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 - max. 1 3:00 hours min. 1 - max. 1	KIT.900.01 KIT.900.03	
	Led and Emergency unit, warranty only when used together with converter bought from Oty			

ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.
- emergency unit works only if the emergency Kit is connected to one converter ONLY.



POP RING Pull Ø 12,5 Led 26,9W only for plasterboard

	Electrification	Code	Structure	Free of TAX
IP20	60° 2700°K Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	PR1P.62L.02 PR1P.62L.06	Black White	€ 325,00 🗝️'16 ▼ € 325,00 🗝️'16 ▼
	60° 3000°K Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	PR1P.63L.02 PR1P.63L.06	Black White	€ 325,00 🗝️'16 ▼ € 325,00 🗝️'16 ▼
	60° 4000°K Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	PR1P.64L.02 PR1P.64L.06	Black White	€ 325,00 🗝️'16 ▼ € 325,00 🗝️'16 ▼
IP20	24° 2700°K Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	PR1P.62S.02 PR1P.62S.06	Black White	€ 325,00 🗝️'16 ▼ € 325,00 🗝️'16 ▼
	24° 3000°K Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	PR1P.63S.02 PR1P.63S.06	Black White	€ 325,00 🗝️'16 ▼ € 325,00 🗝️'16 ▼
	24° 4000°K Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	PR1P.64S.02 PR1P.64S.06	Black White	€ 325,00 🗝️'16 ▼ € 325,00 🗝️'16 ▼
IP20	12° 2700°K Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	PR1P.62T.02 PR1P.62T.06	Black White	€ 325,00 🗝️'16 ▼ € 325,00 🗝️'16 ▼
	12° 3000°K Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	PR1P.63T.02 PR1P.63T.06	Black White	€ 325,00 🗝️'16 ▼ € 325,00 🗝️'16 ▼
	12° 4000°K Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	PR1P.64T.02 PR1P.64T.06	Black White	€ 325,00 🗝️'16 ▼ € 325,00 🗝️'16 ▼
sizes mm: 140x45x28 124x80x22	26,9W Converter for Led 700m/A : ON/OFF min. 1 - max. 1 700m/A DALI - PUSH - 1...10V min. 1 - max. 1 700m/A	KIT.700.1L KIT.701.50		€ 24,00 🗝️'15 € 105,00 🗝️'15
	sizes mm: 185x59x34 212x46x34	Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 - max. 1 3:00 hours min. 1 - max. 1 Led and Emergency unit, warranty only when used together with converter bought from Oty	KIT.900.01 KIT.900.03	€ 95,00 🗝️'15 € 137,00 🗝️'15

POP RING Pull Ø 12,5 only for plasterboard

	Electrification	Code	Structure	Free of TAX
IP20	12V G53 1x50W Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz DALI 12V max. 105VA 240V 50-60 Hz	PR1P.530.02 PR1P.530.06	Black	€ 220,00 🗝️'16 ▼
			White	€ 220,00 🗝️'16 ▼
		KIT.100.105		€ 18,00 🗝️'09
		KIT.101.105		€ 92,00 🗝️'11


ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.
- emergency unit works only if the emergency Kit is connected to one converter ONLY.

POP P03 Ø 6,0 only for plasterboard



Structure			Electrification	Code	Free of TAX	
Black painted White painted	sizes mm: 117x34x21		12V GU4 1x35W	P03.200.02	€ 54,00	
			Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz	P03.200.06	€ 54,00	
			DALI 12V max. 105VA 240V 50-60 Hz	KIT.100.105	€ 18,00	
			Electronic gear for LED 12V: 12V max. 50VA 240V 50-60 Hz	KIT.101.105	€ 92,00	
			Electronic gear for LED 12V: 12V max. 50VA 240V 50-60 Hz	KIT.201.050	€ 32,00	
			IGBT (Dimmable technology)			
Black painted White painted	sizes mm: 115x45x28 131x38x29 124x80x22 111x52x22 111x52x22	IP20	22° 2700°K Led 11,2W 1115 lm	P03.22S.02	€ 113,00	
				100 lm/W 85 CRI 350m/A	P03.22S.06	€ 113,00
Black painted White painted			IP20	22° 3000°K Led 11,2W 1175 lm	P03.23S.02	€ 113,00
			105 lm/W 85 CRI 350m/A	P03.23S.06	€ 113,00	
Black painted White painted	sizes mm: 185x59x34 212x46x34	IP20	22° 4000°K Led 11,2W 1229 lm	P03.24S.02	€ 113,00	
				110 lm/W 85 CRI 350m/A	P03.24S.06	€ 113,00
				Converter for Led 350m/A:		
			ON/OFF min. 1 - max. 1	KIT.350.1L	€ 21,00	
			ON/OFF min. 2 - max. 2	KIT.350.25	€ 35,00	
			DALI - PUSH - 1...10V min. 1 - max. 3	KIT.351.40	€ 105,00	
			DALI min. 1 - max. 1	KIT.352.15	€ 59,00	
			PUSH - 1...10V min. 1 - max. 1	KIT.353.15	€ 59,00	
			Emergency unit: (inverter + battery. Driver not included)			
			1:00 hour min. 1 - max. 1	KIT.900.01	€ 95,00	
			3:00 hours min. 1 - max. 1	KIT.900.03	€ 137,00	
			Led and Emergency unit, warranty only when used together with converter bought from Oty			
Housing for plasterboard		●	Singular unit housing	Z00.060.01	€ 29,00	

POP P03 Ø 8,0 plasterboard and brickwork



Structure			Electrification	Code	Free of TAX	
Black painted White painted	sizes mm: 117x34x21		230V GU10 max 1x50W	P03.210.02	€ 70,00	
					P03.210.06	€ 70,00
Black painted White painted			IP20	230V GU10 Led	P03.211.02	€ 70,00
				P03.211.06	€ 70,00	
Black painted White painted	sizes mm: 117x34x21	IP20	12V GU5.3 1x50W	P03.220.02	€ 60,00	
				Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz	P03.220.06	€ 60,00
				DALI 12V max. 105VA 240V 50-60 Hz	KIT.100.105	€ 18,00
			Electronic gear for LED 12V: 12V max. 50VA 240V 50-60 Hz	KIT.101.105	€ 92,00	
			Electronic gear for LED 12V: 12V max. 50VA 240V 50-60 Hz	KIT.201.050	€ 32,00	
			IGBT (Dimmable technology)			

Code	Ø	P1	P2
P03.210.XX	GU10	8,0	11,6
P03.211.XX	GU10 Led	8,0	—
P03.220.XX	GU5.3	8,0	9,6


POP P03 Ø 8,0 Led 11,2W plasterboard and brickwork



P03.3XM.XX - P03.3XT.XX



P03.3XS.XX




Structure			Electrification	Code	Free of TAX	
Black painted White painted	NEW	IP20	38° 2700°K Led 11,2W 1115 lm	P03.32M.02	€ 135,00	
				100 lm/W 85 CRI 350m/A	P03.32M.06	€ 135,00
Black painted White painted			IP20	38° 3000°K Led 11,2W 1175 lm	P03.33M.02	€ 135,00
			105 lm/W 85 CRI 350m/A	P03.33M.06	€ 135,00	
Black painted White painted	IP20	IP20	38° 4000°K Led 11,2W 1229 lm	P03.34M.02	€ 135,00	
				110 lm/W 85 CRI 350m/A	P03.34M.06	€ 135,00
Black painted White painted			IP20	22° 2700°K Led 11,2W 1115 lm	P03.32S.02	€ 135,00
			100 lm/W 85 CRI 350m/A	P03.32S.06	€ 135,00	
Black painted White painted	IP20	IP20	22° 3000°K Led 11,2W 1175 lm	P03.33S.02	€ 135,00	
				105 lm/W 85 CRI 350m/A	P03.33S.06	€ 135,00
Black painted White painted			IP20	22° 4000°K Led 11,2W 1229 lm	P03.34S.02	€ 135,00
			110 lm/W 85 CRI 350m/A	P03.34S.06	€ 135,00	
Black painted White painted	IP20	IP20	10° 2700°K Led 11,2W 1115 lm	P03.32T.02	€ 135,00	
				100 lm/W 85 CRI 350m/A	P03.32T.06	€ 135,00
Black painted White painted			IP20	10° 3000°K Led 11,2W 1175 lm	P03.33T.02	€ 135,00
			105 lm/W 85 CRI 350m/A	P03.33T.06	€ 135,00	
Black painted White painted	IP20	IP20	10° 4000°K Led 11,2W 1229 lm	P03.34T.02	€ 135,00	
				110 lm/W 85 CRI 350m/A	P03.34T.06	€ 135,00
				Converter for Led 350m/A:		
			ON/OFF min. 1 - max. 1	KIT.350.1L	€ 21,00	
			ON/OFF min. 2 - max. 2	KIT.350.25	€ 35,00	
			DALI - PUSH - 1...10V min. 1 - max. 3	KIT.351.40	€ 105,00	
			DALI min. 1 - max. 1	KIT.352.15	€ 59,00	
			PUSH - 1...10V min. 1 - max. 1	KIT.353.15	€ 59,00	
			Emergency unit: (inverter + battery. Driver not included)			
			1:00 hour min. 1 - max. 1	KIT.900.01	€ 95,00	
			3:00 hours min. 1 - max. 1	KIT.900.03	€ 137,00	
			Led and Emergency unit, warranty only when used together with converter bought from Oty			
Housing for plasterboard		●	singular unit housing	Z00.080.01	€ 33,00	
		●	double linear unit housing	Z00.080.2L	€ 61,00	
		●	triple linear unit housing	Z00.080.3L	€ 89,00	
		●	Logo Oty Ø8,0+Ø17,0	Z00.080.170	€ 94,00	
Housing for brickwork		●	Singular unit housing	M00.080.01	€ 96,00	

Code	Ø	P1	P2
P03.3XM.XX	350m/A led	8,0	9,8
P03.3XS.XX	350m/A led	8,0	11,5
P03.3XT.XX	350m/A led	8,0	9,8

ATTENTION:

- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.
- emergency unit works only if the emergency Kit is connected to one converter ONLY.





POP P03 Ø 17,0 for plasterboard and brickwork

	Electrification	Code	Structure	Free of TAX
IP20	12V G53 1x50W Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz DALI 12V max. 105VA 240V 50-60 Hz	P03.530.02	Black	€ 164,00 '11
		P03.530.06	White	€ 164,00 '11
		KIT.100.105		€ 18,00 '09
		KIT.101.105		€ 92,00 '11

POP P03 Static Ø 17,0 Led 26,2W for plasterboard and brickwork

	Electrification	Code	Structure	Free of TAX
IP40	80° 2700°K Led 26,2W 3374 lm 129 lm/W 85 CRI 700m/A 80° 3000°K Led 26,2W 3533 lm 135 lm/W 85 CRI 700m/A 80° 4000°K Led 26,2W 3649 lm 139 lm/W 85 CRI 700m/A	P03S.62L.02	Black	€ 241,00 '15
		P03S.62L.06	White	€ 241,00 '15
		P03S.63L.02	Black	€ 241,00 '15
		P03S.63L.06	White	€ 241,00 '15
		P03S.64L.02	Black	€ 241,00 '15
		P03S.64L.06	White	€ 241,00 '15
sizes mm: 140x45x28 124x80x22	Converter for Led 700m/A: 26,2W ON/OFF min. 1 -max. 1 700m/A DALI - PUSH - 1...10V min. 1 -max. 1 700m/A	KIT.700.1L KIT.701.50		€ 24,00 '15 € 105,00 '15





POP P03 Wall Wash Ø 17,0 Led 26,2W for plasterboard and brickwork

	Electrification	Code	Structure	Free of TAX
IP40	2700°K Led 26,2W 3374 lm 129 lm/W 85 CRI 700m/A 3000°K Led 26,2W 3533 lm 135 lm/W 85 CRI 700m/A 4000°K Led 26,2W 3649 lm 139 lm/W 85 CRI 700m/A	P03S.62W.02	Black	€ 225,00 '15
		P03S.62W.06	White	€ 225,00 '15
		P03S.63W.02	Black	€ 225,00 '15
		P03S.63W.06	White	€ 225,00 '15
		P03S.64W.02	Black	€ 225,00 '15
		P03S.64W.06	White	€ 225,00 '15
sizes mm: 140x45x28 124x80x22	Converter for Led 700m/A: 26,2W ON/OFF min. 1 -max. 1 700m/A DALI - PUSH - 1...10V min. 1 -max. 1 700m/A	KIT.700.1L KIT.701.50		€ 24,00 '15 € 105,00 '15

Housing POP P03 Ø 17,0 for plasterboard and brickwork

	Code	Free of TAX
Housing for plasterboard	● singular unit housing	Z00.170.01 € 57,00 '11
	●● double linear unit housing	Z00.170.2L € 111,00 '11
	●●● triple linear unit housing	Z00.170.3L € 161,00 '09
	●● Logo Oty Ø 8,0+Ø17,0 housing	Z00.080.170 € 94,00 '09
	●●● Logo Oty Ø 12,0+Ø17,0 housing	Z00.120.170 € 103,00 '09
Housing for brickwork	● singular unit housing	M00.170.01 € 148,00 '11




ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.

- emergency unit works only if the emergency Kit is connected to one converter ONLY.

POP P03 Ø 17,0 Led 12,5W - 18,4W - 26,9W for plasterboard and brickwork

	Electrification	Code	Structure	Free of TAX
IP20	60° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A 60° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A 60° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	P03.62L.02	Black	€ 273,00 '16
		P03.62L.06	White	€ 273,00 '16
		P03.63L.02	Black	€ 273,00 '16
		P03.63L.06	White	€ 273,00 '16
		P03.64L.02	Black	€ 273,00 '16
		P03.64L.06	White	€ 273,00 '16
IP20	24° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A 24° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A 24° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	P03.62S.02	Black	€ 273,00 '15
		P03.62S.06	White	€ 273,00 '15
		P03.63S.02	Black	€ 273,00 '15
		P03.63S.06	White	€ 273,00 '15
		P03.64S.02	Black	€ 273,00 '15
		P03.64S.06	White	€ 273,00 '15
IP20	12° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A 12° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A 12° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	P03.62T.02	Black	€ 273,00 '16
		P03.62T.06	White	€ 273,00 '16
		P03.63T.02	Black	€ 273,00 '16
		P03.63T.06	White	€ 273,00 '16
		P03.64T.02	Black	€ 273,00 '16
		P03.64T.06	White	€ 273,00 '16
sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22	Converter for Led 350m/A: 12,5W ON/OFF min. 1 -max. 1 350m/A DALI - PUSH - 1...10V min. 1 -max. 3 350m/A DALI min. 1 -max. 1 350m/A PUSH - 1...10V min. 1 -max. 1 350m/A	KIT.350.1L KIT.351.40 KIT.352.15 KIT.353.15		€ 21,00 '13 € 105,00 '15 € 59,00 '15 € 59,00 '15
sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22	Converter for Led 500m/A: 18,4W ON/OFF min. 1 -max. 1 500m/A DALI - PUSH - 1...10V min. 1 -max. 2 500m/A DALI min. 1 -max. 1 500m/A PUSH - 1...10V min. 1 -max. 1 500m/A	KIT.500.1L KIT.501.50 KIT.502.20 KIT.503.20		€ 21,00 '15 € 105,00 '15 € 59,00 '15 € 59,00 '15
sizes mm: 140x45x28 124x80x22	Converter for Led 700m/A: 26,9W ON/OFF min. 1 -max. 1 700m/A DALI - PUSH - 1...10V min. 1 -max. 1 700m/A	KIT.700.1L KIT.701.50		€ 24,00 '15 € 105,00 '15
sizes mm: 185x59x34 212x46x34	Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 -max. 1 3:00 hours min. 1 -max. 1	KIT.900.01 KIT.900.03		€ 95,00 '15 € 137,00 '15
	Led and Emergency unit, warranty only when used together with converter bought from Oty			



POP P03 Look x1 Ø 17,0 Led 1x13,4W only for plasterboard



Structure	Electrification ☺	Code	Free of TAX
Black painted	IP40 37° 2700°K Led 13,4W 1650 lm	PL31.22M.02	€ 193,00 🔒 '15
White painted	123 lm/W 85 CRI 350m/A	PL31.22M.06	€ 193,00 🔒 '15
Black painted	IP40 37° 3000°K Led 13,4W 1727 lm	PL31.23M.02	€ 193,00 🔒 '15
White painted	129 lm/W 85 CRI 350m/A	PL31.23M.06	€ 193,00 🔒 '15
Black painted	IP40 37° 4000°K Led 13,4W 1786 lm	PL31.24M.02	€ 193,00 🔒 '15
White painted	133 lm/W 85 CRI 350m/A	PL31.24M.06	€ 193,00 🔒 '15
sizes mm:	Converter for Led 350m/A:		
115x45x28	ON/OFF NEEDS N° 1 KIT.350.1L	KIT.350.1L	€ 21,00 🔒 '15
124x79x22	DALI NEEDS N° 1 KIT.352.15	KIT.352.15	€ 59,00 🔒 '15
111x52x23	PUSH - 1...10V NEEDS N° 1 KIT.353.15	KIT.353.15	€ 59,00 🔒 '15
Housing for plasterboard	● singular unit housing	K00.170.01	€ 64,00 🔒 '15

POP P03 Look x2 Ø 17,0 Led 2x13,4W only for plasterboard

Black painted	IP40 37° 2700°K Led 2x13,4W 2x1650 lm	PL32.22M.02	€ 289,00 🔒 '15
White painted	123 lm/W 85 CRI 350m/A	PL32.22M.06	€ 289,00 🔒 '15
Black painted	IP40 37° 3000°K Led 2x13,4W 2x1727 lm	PL32.23M.02	€ 289,00 🔒 '15
White painted	129 lm/W 85 CRI 350m/A	PL32.23M.06	€ 289,00 🔒 '15
Black painted	IP40 37° 4000°K Led 2x13,4W 2x1786 lm	PL32.24M.02	€ 289,00 🔒 '15
White painted	133 lm/W 85 CRI 350m/A	PL32.24M.06	€ 289,00 🔒 '15
sizes mm:	Converter for Led 350m/A:		
115x45x28	ON/OFF NEEDS N° 2 KIT.350.1L	KIT.350.1L	€ 21,00 🔒 '15
124x80x22	DALI - PUSH - 1...10V NEEDS N° 1 KIT.351.40	KIT.351.40	€ 105,00 🔒 '15
Housing for plasterboard	● singular unit housing	K00.170.01	€ 64,00 🔒 '15

POP P03 Look x3 Ø 17,0 Led 3x13,4W only for plasterboard


Black painted	IP40 37° 2700°K Led 3x13,4W 3x1650 lm	PL33.22M.02	€ 386,00 🔒 '15
White painted	123 lm/W 85 CRI 350m/A	PL33.22M.06	€ 386,00 🔒 '15
Black painted	IP40 37° 3000°K Led 3x13,4W 3x1727 lm	PL33.23M.02	€ 386,00 🔒 '15
White painted	129 lm/W 85 CRI 350m/A	PL33.23M.06	€ 386,00 🔒 '15
Black painted	IP40 37° 4000°K Led 3x13,4W 3x1786 lm	PL33.24M.02	€ 386,00 🔒 '15
White painted	133 lm/W 85 CRI 350m/A	PL33.24M.06	€ 386,00 🔒 '15
sizes mm:	Converter for Led 350m/A:		
115x45x28	ON/OFF NEEDS N° 3 KIT.350.1L	KIT.350.1L	€ 21,00 🔒 '15
124x80x22	DALI - PUSH - 1...10V NEEDS N° 1 KIT.351.40	KIT.351.40	€ 105,00 🔒 '15
Housing for plasterboard	● singular unit housing	K00.170.01	€ 64,00 🔒 '15



ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification.



- LED warranty only when used together with converter bought from Oty Srl

- emergency unit works only if the emergency Kit is connected to one converter ONLY.



sizes mm:	Emergency unit: (inverter + battery. Driver not included)		
185x59x34	1:00 hour min. 1 - max. 1	KIT.900.01	€ 95,00 🔒 '15
212x46x34	3:00 hours min. 1 - max. 1	KIT.900.03	€ 137,00 🔒 '15

POP P03 Look Ø 17,0 Led 12,5W - 18,4W - 26,9W




	Electrification ☉	Code	Structure	Free of TAX
IP20	24° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	PL3.62S.02	Black	€ 268,00 🗝️ '16
		PL3.62S.06	White	€ 268,00 🗝️ '16
	24° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	PL3.63S.02	Black	€ 268,00 🗝️ '16
		PL3.63S.06	White	€ 268,00 🗝️ '16
	24° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	PL3.64S.02	Black	€ 268,00 🗝️ '16
		PL3.64S.06	White	€ 268,00 🗝️ '16
IP20	12° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	PL3.62T.02	Black	€ 268,00 🗝️ '16
		PL3.62T.06	White	€ 268,00 🗝️ '16
	12° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	PL3.63T.02	Black	€ 268,00 🗝️ '16
		PL3.63T.06	White	€ 268,00 🗝️ '16
	12° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	PL3.64T.02	Black	€ 268,00 🗝️ '16
		PL3.64T.06	White	€ 268,00 🗝️ '16
sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22	12,5W Converter for Led 350m/A: ON/OFF min. 1 -max. 1 350m/A DALI - PUSH - 1...10V min. 1 -max. 3 350m/A DALI min. 1 -max. 1 350m/A PUSH - 1...10V min. 1 -max. 1 350m/A	KIT.350.1L		€ 21,00 🗝️ '13
sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22		KIT.351.40		€ 105,00 🗝️ '15
18,4W Converter for Led 500m/A: ON/OFF min. 1 -max. 1 500m/A DALI - PUSH - 1...10V min. 1 -max. 2 500m/A DALI min. 1 -max. 1 500m/A PUSH - 1...10V min. 1 -max. 1 500m/A		KIT.352.15		€ 59,00 🗝️ '15
		KIT.353.15		€ 59,00 🗝️ '15
26,9W Converter for Led 700m/A: ON/OFF min. 1 -max. 1 700m/A DALI - PUSH - 1...10V min. 1 -max. 1 700m/A	KIT.500.1L		€ 21,00 🗝️ '15	
	KIT.501.50		€ 105,00 🗝️ '15	
sizes mm: 140x45x28 124x80x22	KIT.502.20		€ 59,00 🗝️ '15	
	KIT.503.20		€ 59,00 🗝️ '15	
sizes mm: 185x59x34 212x46x34	Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 -max. 1 3:00 hours min. 1 -max. 1	KIT.700.1L		€ 24,00 🗝️ '15
		KIT.701.50		€ 105,00 🗝️ '15
Housing for plasterboard	● singular unit housing	K00.170.01		€ 64,00 🗝️ '15
Housing for brickwork	● singular unit housing	M00.170.01		€ 148,00 🗝️ '15

ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.


- LED warranty only when used together with converter bought from Oty Srl

- emergency unit works only if the emergency Kit is connected to one converter ONLY.



POP P04 Ø 8,0




Structure		Electrification ☑	Code	Free of TAX
Black painted White painted	IP40	25° 2700°K Led 13,4W 1650 lm 123 lm/W 85 CRI 350m/A	P04.22S.02	€ 118,00 ☑'15
			P04.22S.06	€ 118,00 ☑'15
Black painted White painted		IP40	25° 3000°K Led 13,4W 1727 lm 129 lm/W 85 CRI 350m/A	P04.23S.02
	P04.23S.06			€ 118,00 ☑'15
Black painted White painted	IP40	25° 4000°K Led 13,4W 1786 lm 133 lm/W 85 CRI 350m/A	P04.24S.02	€ 118,00 ☑'15
			P04.24S.06	€ 118,00 ☑'15
	sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22	Converter for Led 350m/A: ON/OFF min. 1 - max. 1 DALI - PUSH - 1...10V min. 1 - max. 3 DALI min. 1 - max. 1 PUSH - 1...10V min. 1 - max. 1	KIT.350.1L	€ 21,00 ☑'13
			KIT.351.40	€ 105,00 ☑'15
			KIT.352.15	€ 59,00 ☑'15
			KIT.353.15	€ 59,00 ☑'15
	sizes mm: 185x59x34 212x46x34	Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 - max. 1 3:00 hours min. 1 - max. 1 Led and Emergency unit, warranty only when used together with converter bought from Oty	KIT.900.01	€ 95,00 ☑'15
			KIT.900.03	€ 137,00 ☑'15
Housing for plasterboard		● singular unit housing ●● double linear unit housing ●●● triple linear unit housing ●●● Logo Oty Ø 8,0+Ø17,0 housing	Z00.080.01 Z00.080.2L Z00.080.3L Z00.080.170	€ 33,00 ☑'09 € 61,00 ☑'09 € 89,00 ☑'09 € 94,00 ☑'09
Housing for brickwork		● Singular unit housing	M00.080.01	€ 96,00 ☑'11




ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.
- LED warranty only when used together with converter bought from Oty Srl.
- emergency unit works only if the emergency Kit is connected to one converter ONLY.

POP P04 Ø 12,0

Structure		Electrification ☑	Code	Free of TAX
Black painted White painted	IP20	230V GU10 max 1x50W	P04.210.02	€ 98,00 ☑'11
			P04.210.06	€ 98,00 ☑'11
Black painted White painted	IP20	12V GU5.3 1x50W Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz DALI 12V max. 105VA 240V 50-60 Hz	P04.220.02	€ 90,00 ☑'11
			P04.220.06	€ 90,00 ☑'11
			KIT.100.105	€ 18,00 ☑'09
			KIT.101.105	€ 92,00 ☑'11
Black painted White painted	NEW IP20	38° 2700°K Led 11,2W 1115 lm 100 lm/W 85 CRI 350m/A	P04.32M.02	€ 185,00 ☑'16 ▼
			P04.32M.06	€ 185,00 ☑'16 ▼
Black painted White painted	NEW IP20	38° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A	P04.33M.02	€ 185,00 ☑'16 ▼
			P04.33M.06	€ 185,00 ☑'16 ▼
Black painted White painted	IP20	38° 4000°K Led 11,2W 1229 lm 110 lm/W 85 CRI 350m/A	P04.34M.02	€ 185,00 ☑'16 ▼
			P04.34M.06	€ 185,00 ☑'16 ▼
Black painted White painted	IP20	22° 2700°K Led 11,2W 1115 lm 100 lm/W 85 CRI 350m/A	P04.32S.02	€ 185,00 ☑'16 ▼
			P04.32S.06	€ 185,00 ☑'16 ▼
Black painted White painted	IP20	22° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A	P04.33S.02	€ 185,00 ☑'16 ▼
			P04.33S.06	€ 185,00 ☑'16 ▼
Black painted White painted	IP20	22° 4000°K Led 11,2W 1229 lm 110 lm/W 85 CRI 350m/A	P04.34S.02	€ 185,00 ☑'16 ▼
			P04.34S.06	€ 185,00 ☑'16 ▼
Black painted White painted	IP20	12° 2700°K Led 11,2W 1115 lm 100 lm/W 85 CRI 350m/A	P04.32T.02	€ 185,00 ☑'16 ▼
			P04.32T.06	€ 185,00 ☑'16 ▼
Black painted White painted	IP20	12° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A	P04.33T.02	€ 185,00 ☑'16 ▼
			P04.33T.06	€ 185,00 ☑'16 ▼
Black painted White painted	IP20	12° 4000°K Led 11,2W 1229 lm 110 lm/W 85 CRI 350m/A	P04.34T.02	€ 185,00 ☑'16 ▼
			P04.34T.06	€ 185,00 ☑'16 ▼
	sizes mm: 115x45x28 131x38x29 124x80x22 111x52x22 111x52x22	Converter for Led 350m/A: ON/OFF min. 1 - max. 1 ON/OFF min. 2 - max. 2 DALI - PUSH - 1...10V min. 1 - max. 3 DALI min. 1 - max. 1 PUSH - 1...10V min. 1 - max. 1	KIT.350.1L	€ 21,00 ☑'13
			KIT.350.25	€ 35,00 ☑'16
			KIT.351.40	€ 105,00 ☑'15
			KIT.352.15	€ 59,00 ☑'15
			KIT.353.15	€ 59,00 ☑'15
	sizes mm: 185x59x34 212x46x34	Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 - max. 1 3:00 hours min. 1 - max. 1 Led and Emergency unit, warranty only when used together with converter bought from Oty	KIT.900.01	€ 95,00 ☑'15
			KIT.900.03	€ 137,00 ☑'15
Housing for plasterboard		● singular unit housing ●● double linear unit housing ●●● triple linear unit housing ●●● Logo Oty Ø 12,0+Ø17,0 housing	Z00.120.01 Z00.120.2L Z00.120.3L Z00.120.170	€ 46,00 ☑'11 € 88,00 ☑'11 € 125,00 ☑'11 € 103,00 ☑'09
Housing for brickwork		● Singular unit housing	M00.120.01	€ 111,00 ☑'11




POP P04A Magic 250 Ø 3,0 only for plasterboard



Structure			Electrification ☑	Code	Free of TAX
Black painted White painted		IP40	35° 2700°K Led 13,4W 1650 lm 123 lm/W 85 CRI 350m/A	P04A.22M.02 P04A.22M.06	€ 225,00 ☰ ¹⁵ € 225,00 ☰ ¹⁵
Black painted White painted		IP40	35° 3000°K Led 13,4W 1727 lm 129 lm/W 85 CRI 350m/A	P04A.23M.02 P04A.23M.06	€ 225,00 ☰ ¹⁵ € 225,00 ☰ ¹⁵
Black painted White painted		IP40	35° 4000°K Led 13,4W 1786 lm 133 lm/W 85 CRI 350m/A	P04A.24M.02 P04A.24M.06	€ 225,00 ☰ ¹⁵ € 225,00 ☰ ¹⁵
	sizes mm: 115x45x28 131x38x29 124x80x22 111x52x22 111x52x22		Converter for Led 350m/A: ON/OFF min. 1 - max. 1 ON/OFF min. 2 - max. 2 DALI - PUSH - 1...10V min. 1 - max. 3 DALI min. 1 - max. 1 PUSH - 1...10V min. 1 - max. 1	KIT.350.1L KIT.350.25 KIT.351.40 KIT.352.15 KIT.353.15	€ 21,00 ☰ ¹³ € 35,00 ☰ ¹⁶ € 105,00 ☰ ¹⁵ € 59,00 ☰ ¹⁵ € 59,00 ☰ ¹⁵
	sizes mm: 185x59x34 212x46x34		Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 - max. 1 3:00 hours min. 1 - max. 1	KIT.900.01 KIT.900.03	€ 95,00 ☰ ¹⁵ € 137,00 ☰ ¹⁵
Housing for plasterboard		●	Singular unit housing	W00.085.01	€ 107,00 ☰ ¹⁵




POP P04B Magic 400 Ø 3,0 only for plasterboard



Structure			Electrification ☑	Code	Free of TAX
Black painted White painted		IP40	35° 2700°K Led 13,4W 1650 lm 123 lm/W 85 CRI 350m/A	P04B.22M.02 P04B.22M.06	€ 231,00 ☰ ¹⁵ € 231,00 ☰ ¹⁵
Black painted White painted		IP40	35° 3000°K Led 13,4W 1727 lm 129 lm/W 85 CRI 350m/A	P04B.23M.02 P04B.23M.06	€ 231,00 ☰ ¹⁵ € 231,00 ☰ ¹⁵
Black painted White painted		IP40	35° 4000°K Led 13,4W 1786 lm 133 lm/W 85 CRI 350m/A	P04B.24M.02 P04B.24M.06	€ 231,00 ☰ ¹⁵ € 231,00 ☰ ¹⁵
	sizes mm: 115x45x28 131x38x29 124x80x22 111x52x22 111x52x22		Converter for Led 350m/A: ON/OFF min. 1 - max. 1 ON/OFF min. 2 - max. 2 DALI - PUSH - 1...10V min. 1 - max. 3 DALI min. 1 - max. 1 PUSH - 1...10V min. 1 - max. 1	KIT.350.1L KIT.350.25 KIT.351.40 KIT.352.15 KIT.353.15	€ 21,00 ☰ ¹³ € 35,00 ☰ ¹⁶ € 105,00 ☰ ¹⁵ € 59,00 ☰ ¹⁵ € 59,00 ☰ ¹⁵
	sizes mm: 185x59x34 212x46x34		Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 - max. 1 3:00 hours min. 1 - max. 1	KIT.900.01 KIT.900.03	€ 95,00 ☰ ¹⁵ € 137,00 ☰ ¹⁵
Housing for plasterboard		●	Singular unit housing	W00.085.01	€ 107,00 ☰ ¹⁵

POP P04C Magic 1200 Ø 3,0 only for plasterboard


Structure		Electrification ©	Code	Free of TAX
Black painted	IP40	35° 2700°K Led 13,4W 1650 lm 123 lm/W 85 CRI 350m/A	P04C.22M.02	€ 386,00
White painted			P04C.22M.06	€ 386,00
Black painted	IP40	35° 3000°K Led 13,4W 1727 lm 129 lm/W 85 CRI 350m/A	P04C.23M.02	€ 386,00
White painted			P04C.23M.06	€ 386,00
Black painted	IP40	35° 4000°K Led 13,4W 1786 lm 133 lm/W 85 CRI 350m/A	P04C.24M.02	€ 386,00
White painted			P04C.24M.06	€ 386,00
	sizes mm:	Converter for Led 350m/A:		
	115x45x28	ON/OFF min. 1 -max. 1	KIT.350.1L	€ 21,00
	131x38x29	ON/OFF min. 2 -max. 2	KIT.350.25	€ 35,00
	124x80x22	DALI - PUSH - 1...10V min. 1 -max. 3	KIT.351.40	€ 105,00
	111x52x22	DALI min. 1 -max. 1	KIT.352.15	€ 59,00
	111x52x22	PUSH - 1...10V min. 1 -max. 1	KIT.353.15	€ 59,00
	sizes mm:	Emergency unit: (inverter + battery. Driver not included)		
	185x59x34	1:00 hour min. 1 -max. 1	KIT.900.01	€ 95,00
	212x46x34	3:00 hours min. 1 -max. 1	KIT.900.03	€ 137,00
Housing for plasterboard	●	Singular unit housing	W00.125.01	€ 134,00



ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.

- LED warranty only when used together with converter bought from Oty Srl


- emergency unit works only if the emergency Kit is connected to one converter ONLY.




NEW POP P04K Magic 1200 Ø 3,0 ceiling

























Structure		Electrification ©	Code	Free of TAX
Black painted	IP40	35° 2700°K Led 13,4W 1650 lm 123 lm/W 85 CRI 350m/A	P04K.22M.02	€ 550,00
White painted			P04K.22M.06	€ 550,00
Black painted	IP40	35° 3000°K Led 13,4W 1727 lm 129 lm/W 85 CRI 350m/A	P04K.23M.02	€ 550,00
White painted			P04K.23M.06	€ 550,00
Black painted	IP40	35° 4000°K Led 13,4W 1786 lm 133 lm/W 85 CRI 350m/A	P04K.24M.02	€ 550,00
White painted			P04K.24M.06	€ 550,00

Item dimmable on request DALI - PUSH - 1...10V - IGBT TRIAC




POP P05 Ø 6,7 only for brickwork 



Structure			Electrification	Code	Free of TAX
Black painted White painted		IP20	12V GU4 1x35W 	P05.200.02 P05.200.06	€ 49,00  € 49,00 
	sizes mm: 117x34x21		Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz DALI 12V max. 105VA 240V 50-60 Hz	KIT.100.105 KIT.101.105	€ 18,00  € 92,00 
			Electronic gear for LED 12V: 12V max. 50VA 240V 50-60 Hz <i>Dimmable by IGBT technology</i>	KIT.201.050	€ 32,00 
Black painted White painted		IP20	22° 2700°K Led 11,2W 1115 lm  100 lm/W 85 CRI 350m/A	P05.22S.02 P05.22S.06	€ 97,00  € 97,00 
Black painted White painted		IP20	22° 3000°K Led 11,2W 1175 lm  105 lm/W 85 CRI 350m/A	P05.23S.02 P05.23S.06	€ 97,00  € 97,00 
Black painted White painted		IP20	22° 4000°K Led 11,2W 1229 lm  110 lm/W 85 CRI 350m/A	P05.24S.02 P05.24S.06	€ 97,00  € 97,00 
	sizes mm: 115x45x28 131x38x29 124x80x22 111x52x22 111x52x22		Converter for Led 350m/A: ON/OFF min. 1 -max. 1 ON/OFF min. 2 -max. 2 DALI - PUSH - 1...10V min. 1 -max. 3 DALI min. 1 -max. 1 PUSH - 1...10V min. 1 -max. 1	KIT.350.1L KIT.350.25 KIT.351.40 KIT.352.15 KIT.353.15	€ 21,00  € 35,00  € 105,00  € 59,00  € 59,00 
	sizes mm: 185x59x34 212x46x34		Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 -max. 1 3:00 hours min. 1 -max. 1 Led and Emergency unit, warranty only when used together with converter bought from Oty	KIT.900.01 KIT.900.03	€ 95,00  € 137,00 
Housing for brickwork		●	Singular unit housing	M00.067.01	€ 10,00 


Code		Ø	P1	P2
P05.200.XX	GU4	6,7	8,5	2,5
P05.201.XX	GU4 Led	6,7	—	2,5
P05.2XS.XX	350m/A Led	6,7	12,2	3,7




















































ATTENTION:


- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.
- LED warranty only when used together with converter bought from Oty Srl.
- emergency unit works only if the emergency Kit is connected to one converter ONLY.

POP P05 Ø 8,2 only for brickwork 




























Structure			Electrification	Code	Free of TAX
Black painted White painted		IP20	230V GU10 max 1x50W 	P05.210.02 P05.210.06	€ 59,00  € 59,00 
Black painted White painted		IP20	230V GU10 Led 	P05.211.02 P05.211.06	€ 59,00  € 59,00 
Black painted White painted		IP20	12V GU5.3 1x50W 	P05.220.02 P05.220.06	€ 58,00  € 58,00 
	sizes mm: 117x34x21		Electronic gear for 12V:: 12V max. 105VA 240V 50-60 Hz DALI 12V max. 105VA 240V 50-60 Hz Electronic gear for LED 12V: 12V max. 50VA 240V 50-60 Hz <i>Dimmable by IGBT technology</i>	KIT.100.105 KIT.101.105 KIT.201.050	€ 18,00  € 92,00  € 32,00 
Black painted White painted		IP20	38° 2700°K Led 11,2W 1115 lm  100 lm/W 85 CRI 350m/A	P05.32M.02 P05.32M.06	€ 107,00  € 107,00 
Black painted White painted		IP20	38° 3000°K Led 11,2W 1175 lm  105 lm/W 85 CRI 350m/A	P05.33M.02 P05.33M.06	€ 107,00  € 107,00 
Black painted White painted		IP20	38° 4000°K Led 11,2W 1229 lm  110 lm/W 85 CRI 350m/A	P05.34M.02 P05.34M.06	€ 107,00  € 107,00 
Black painted White painted		IP20	22° 2700°K Led 11,2W 1115 lm  100 lm/W 85 CRI 350m/A	P05.32S.02 P05.32S.06	€ 107,00  € 107,00 
Black painted White painted		IP20	22° 3000°K Led 11,2W 1175 lm  105 lm/W 85 CRI 350m/A	P05.33S.02 P05.33S.06	€ 107,00  € 107,00 
Black painted White painted		IP20	22° 4000°K Led 11,2W 1229 lm  110 lm/W 85 CRI 350m/A	P05.34S.02 P05.34S.06	€ 107,00  € 107,00 
Black painted White painted		IP20	10° 2700°K Led 11,2W 1115 lm  100 lm/W 85 CRI 350m/A	P05.32T.02 P05.32T.06	€ 107,00  € 107,00 
Black painted White painted		IP20	10° 3000°K Led 11,2W 1175 lm  105 lm/W 85 CRI 350m/A	P05.33T.02 P05.33T.06	€ 107,00  € 107,00 
Black painted White painted		IP20	10° 4000°K Led 11,2W 1229 lm  110 lm/W 85 CRI 350m/A	P05.34T.02 P05.34T.06	€ 107,00  € 107,00 
	sizes mm: 115x45x28 131x38x29 124x80x22 111x52x22 111x52x22		Converter for Led 350m/A: ON/OFF min. 1 -max. 1 ON/OFF min. 2 -max. 2 DALI - PUSH - 1...10V min. 1 -max. 3 DALI min. 1 -max. 1 PUSH - 1...10V min. 1 -max. 1	KIT.350.1L KIT.350.25 KIT.351.40 KIT.352.15 KIT.353.15	€ 21,00  € 35,00  € 105,00  € 59,00  € 59,00 
	sizes mm: 185x59x34 212x46x34		Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 -max. 1 3:00 hours min. 1 -max. 1	KIT.900.01 KIT.900.03	€ 95,00  € 137,00 
Housing for brickwork		●	Singular unit housing	M00.082.01	€ 10,00 

Code		Ø	P1	P2
P05.210.XX	GU10	8,2	11,3	2,5
P05.211.XX	GU10 Led	8,2	—	2,5
P05.220.XX	GU5.3	8,2	9,6	2,5
P05.3XM.XX	350m/A led	8,2	9,6	0,5
P05.3XS.XX	350m/A led	8,2	11,3	2,5
P05.3XT.XX	350m/A led	8,2	9,6	0,5



POP P05 Ø 6,7 only for plasterboard 




Structure			Electrification	Code	Free of TAX
Black painted White painted		IP20	12V GU4 1x35W  	PW05.200.02 PW05.200.06	€ 53,00  € 53,00 
	sizes mm: 117x34x21		Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz DALI 12V max. 105VA 240V 50-60 Hz	KIT.100.105 KIT.101.105	€ 18,00  € 92,00 
			Electronic gear for LED 12V: 12V max. 50VA 240V 50-60 Hz <i>Dimmable by IGBT technology</i>	KIT.201.050	€ 32,00 
Black painted White painted		IP20	22° 2700°K Led 11,2W 1115 lm  100 lm/W 85 CRI 350m/A	PW05.22S.02 PW05.22S.06	€ 107,00  € 107,00 
Black painted White painted		IP20	22° 3000°K Led 11,2W 1175 lm  105 lm/W 85 CRI 350m/A	PW05.23S.02 PW05.23S.06	€ 107,00  € 107,00 
Black painted White painted		IP20	22° 4000°K Led 11,2W 1229 lm  110 lm/W 85 CRI 350m/A	PW05.24S.02 PW05.24S.06	€ 107,00  € 107,00 
	sizes mm: 115x45x28 131x38x29 124x80x22 111x52x22 111x52x22		Converter for Led 350m/A: ON/OFF min. 1 - max. 1 ON/OFF min. 2 - max. 2 DALI - PUSH - 1...10V min. 1 - max. 3 DALI min. 1 - max. 1 PUSH - 1...10V min. 1 - max. 1	KIT.350.1L KIT.350.25 KIT.351.40 KIT.352.15 KIT.353.15	€ 21,00  € 35,00  € 105,00  € 59,00  € 59,00 
	sizes mm: 185x59x34 212x46x34		Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 - max. 1 3:00 hours min. 1 - max. 1 <i>Led and Emergency unit, warranty only when used together with converter bought from Oty</i>	KIT.900.01 KIT.900.03	€ 95,00  € 137,00 

Code		Ø	P1	P2
PW05.200.XX	GU4	6,7	8,5	2,5
PW05.201.XX	GU4 Led	6,7	—	2,5
PW05.2XS.XX	350M/A Led	6,7	12,2	3,7


















































ATTENTION:

- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.
- LED warranty only when used together with converter bought from Oty Srl.
- emergency unit works only if the emergency Kit is connected to one converter ONLY.

POP P05 Ø 8,2 only for plasterboard 



Code		Ø	P1	P2
PW05.210.XX	GU10	8,2	11,3	2,5
PW05.211.XX	GU10 Led	8,2	—	2,5
PW05.220.XX	GU5.3	8,2	9,6	2,5
PW05.3XM.XX	350m/A led	8,2	9,6	0,5
PW05.3XS.XX	350m/A led	8,2	11,3	2,5
PW05.3XT.XX	350m/A led	8,2	9,6	0,5


Structure			Electrification	Code	Free of TAX
Black painted White painted		IP20	230V GU10 max 1x50W 	PW05.210.02 PW05.210.06	€ 65,00  € 65,00 
Black painted White painted		IP20	230V GU10 Led 	PW05.211.02 PW05.211.06	€ 65,00  € 65,00 
Black painted White painted		IP20	12V GU5.3 1x50W  	PW05.220.02 PW05.220.06	€ 64,00  € 64,00 
	sizes mm: 117x34x21		Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz DALI 12V max. 105VA 240V 50-60 Hz Electronic gear for LED 12V: 12V max. 50VA 240V 50-60 Hz <i>Dimmable by IGBT technology</i>	KIT.100.105 KIT.101.105 KIT.201.050	€ 18,00  € 92,00  € 32,00 
Black painted White painted		IP20	38° 2700°K Led 11,2W 1115 lm  100 lm/W 85 CRI 350m/A	PW05.32M.02 PW05.32M.06	€ 117,00  € 117,00 
Black painted White painted		IP20	38° 3000°K Led 11,2W 1175 lm  105 lm/W 85 CRI 350m/A	PW05.33M.02 PW05.33M.06	€ 117,00  € 117,00 
Black painted White painted		IP20	38° 4000°K Led 11,2W 1229 lm  110 lm/W 85 CRI 350m/A	PW05.34M.02 PW05.34M.06	€ 117,00  € 117,00 
Black painted White painted		IP20	22° 2700°K Led 11,2W 1115 lm  100 lm/W 85 CRI 350m/A	PW05.32S.02 PW05.32S.06	€ 117,00  € 117,00 
Black painted White painted		IP20	22° 3000°K Led 11,2W 1175 lm  105 lm/W 85 CRI 350m/A	PW05.33S.02 PW05.33S.06	€ 117,00  € 117,00 
Black painted White painted		IP20	22° 4000°K Led 11,2W 1229 lm  110 lm/W 85 CRI 350m/A	PW05.34S.02 PW05.34S.06	€ 117,00  € 117,00 
Black painted White painted		IP20	10° 2700°K Led 11,2W 1115 lm  100 lm/W 85 CRI 350m/A	PW05.32T.02 PW05.32T.06	€ 117,00  € 117,00 
Black painted White painted		IP20	10° 3000°K Led 11,2W 1175 lm  105 lm/W 85 CRI 350m/A	PW05.33T.02 PW05.33T.06	€ 117,00  € 117,00 
Black painted White painted		IP20	10° 4000°K Led 11,2W 1229 lm  110 lm/W 85 CRI 350m/A	PW05.34T.02 PW05.34T.06	€ 117,00  € 117,00 
	sizes mm: 115x45x28 131x38x29 124x80x22 111x52x22 111x52x22		Converter for Led 350m/A: ON/OFF min. 1 - max. 1 ON/OFF min. 2 - max. 2 DALI - PUSH - 1...10V min. 1 - max. 3 DALI min. 1 - max. 1 PUSH - 1...10V min. 1 - max. 1	KIT.350.1L KIT.350.25 KIT.351.40 KIT.352.15 KIT.353.15	€ 21,00  € 35,00  € 105,00  € 59,00  € 59,00 
	sizes mm: 185x59x34 212x46x34		Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 - max. 1 3:00 hours min. 1 - max. 1	KIT.900.01 KIT.900.03	€ 95,00  € 137,00 

POP P06 Ø 6,0




POP P06 Ø 12,0 Bi-color





NEW POP P06 Ø 6,0 ARC recessed canopy for plasterboard or wood ceiling


Wiring	Structure		Electrification	Code	Free of TAX
Black Black	Black Ral 9005 White Ral 9016	IP20	230V GU10 max 1x50W	P06A.210.02 P06A.210.06	€ 220,00 '16 € 220,00 '16
Black Black	Black Ral 9005 White Ral 9016	IP20	22° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A On demand dimmable IGBT - TRIAC	P06A.33S.02 P06A.33S.06	€ 310,00 '13 € 310,00 '13



NEW POP P06 Ø 12,0 ARC recessed canopy for plasterboard or wood ceiling

Wiring	Structure		Electrification ©	Code	Free of TAX
Black Black	Black Ral 9005 White Ral 9016	IP54	24° 2700°K Led 18,1W 2494 lm 138 lm/W 85 CRI 500m/A	P06A.52S.02 P06A.52S.06	€ 480,00 '15 € 480,00 '15
Black Black	Black Ral 9005 White Ral 9016	IP54	24° 3000°K Led 18,1W 2611 lm 144 lm/W 85 CRI 500m/A	P06A.53S.02 P06A.53S.06	€ 480,00 '15 € 480,00 '15
Black Black	Black Ral 9005 White Ral 9016	IP54	24° 4000°K Led 18,1W 2697 lm 149 lm/W 85 CRI 500m/A	P06A.54S.02 P06A.54S.06	€ 480,00 '15 € 480,00 '15

On demand dimmable DALI - PUSH - 1...10V - IGBT TRIAC




NEW POP P06 Ø 12,0 Bi-color ARC recessed canopy for plasterboard or wood ceiling

delivering from 30/04/2016


Wiring	Structure		Electrification ©	Code	Free of TAX
Black Black	Black/Brass White/Brass	IP20	24° 2700°K Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	P06A.52S.2B P06A.52S.6B	€ 540,00 '16 € 540,00 '16
Black Black	Black/Brass White/Brass	IP20	24° 3000°K Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	P06A.53S.2B P06A.53S.6B	€ 540,00 '16 € 540,00 '16
Black Black	Black/Brass White/Brass	IP20	24° 4000°K Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	P06A.54S.2B P06A.54S.6B	€ 540,00 '16 € 540,00 '16

On demand dimmable DALI - PUSH - 1...10V - IGBT TRIAC



POP P06 Ø 6,0 CUP with external canopy


Wiring	Structure		Electrification	Code	Free of TAX
Black Black	Black Ral 9005 White Ral 9016	IP20	230V GU10 max 1x50W	P06.210.02 P06.210.06	€ 220,00 '16 € 220,00 '16
Black Black	Black Ral 9005 White Ral 9016	IP20	22° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A On demand dimmable IGBT - TRIAC	P06.33S.02 P06.33S.06	€ 310,00 '13 € 310,00 '13



POP P06 Ø 12,0 CUP with external canopy

Wiring	Structure		Electrification ©	Code	Free of TAX
Black Black	Black Ral 9005 White Ral 9016	IP40	24° 2700°K Led 18,1W 2494 lm 138 lm/W 85 CRI 500m/A	P06.52S.02 P06.52S.06	€ 480,00 '15 € 480,00 '15
Black Black	Black Ral 9005 White Ral 9016	IP40	24° 3000°K Led 18,1W 2611 lm 144 lm/W 85 CRI 500m/A	P06.53S.02 P06.53S.06	€ 480,00 '15 € 480,00 '15
Black Black	Black Ral 9005 White Ral 9016	IP40	24° 4000°K Led 18,1W 2697 lm 149 lm/W 85 CRI 500m/A	P06.54S.02 P06.54S.06	€ 480,00 '15 € 480,00 '15

On demand dimmable DALI - PUSH - 1...10V - IGBT TRIAC




NEW POP P06 Ø 12,0 Bi-color CUP with external canopy

delivering from 30/04/2016

Wiring	Structure		Electrification ©	Code	Free of TAX
Black Black	Black/Brass White/Brass	IP20	24° 2700°K Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	P06.52S.2B P06.52S.6B	€ 540,00 '16 € 540,00 '16
Black Black	Black/Brass White/Brass	IP20	24° 3000°K Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	P06.53S.2B P06.53S.6B	€ 540,00 '16 € 540,00 '16
Black Black	Black/Brass White/Brass	IP20	24° 4000°K Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	P06.54S.2B P06.54S.6B	€ 540,00 '16 € 540,00 '16


On demand dimmable DALI - PUSH - 1...10V - IGBT TRIAC



POP P07 Ø 6,0

Structure	Electrification	Code	Free of TAX
Black Ral 9005 White Ral 9016	IP20 230V GU10 max 1x50W	P07.210.02 P07.210.06	€ 94,00 🔒 '09 € 94,00 🔒 '09
Black Ral 9005 White Ral 9016	IP20 22° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A <i>On demand dimmable IGBT - TRIAC</i>	P07.33S.02 P07.33S.06	€ 214,00 🔒 '16 ▼ € 214,00 🔒 '16 ▼

POP P07 Ø 12,0 IP54




Structure	Electrification	Code	Free of TAX
Black Ral 9005 White Ral 9016	IP54 24° 2700°K Led 18,1W 2494 lm 138 lm/W 85 CRI 500m/A	P07.52S.02 P07.52S.06	€ 375,00 🔒 '16 € 375,00 🔒 '16
Black Ral 9005 White Ral 9016	IP54 24° 3000°K Led 18,1W 2611 lm 144 lm/W 85 CRI 500m/A	P07.53S.02 P07.53S.06	€ 375,00 🔒 '16 € 375,00 🔒 '16
Black Ral 9005 White Ral 9016	IP54 24° 4000°K Led 18,1W 2697 lm 149 lm/W 85 CRI 500m/A	P07.54S.02 P07.54S.06	€ 375,00 🔒 '16 € 375,00 🔒 '16

On demand dimmable DALI - PUSH - 1...10V - IGBT TRIAC

POP P07 Ø 12,0 Bi-color




delivering from 30/04/2016



Structure	Electrification	Code	Free of TAX
Black/Brass White/Brass	IP20 24° 2700°K Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	P07.52S.2B P07.52S.6B	€ 423,00 🔒 '16 € 423,00 🔒 '16
Black/Brass White/Brass	IP20 24° 3000°K Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	P07.53S.2B P07.53S.6B	€ 423,00 🔒 '16 € 423,00 🔒 '16
Black/Brass White/Brass	IP20 24° 4000°K Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	P07.54S.2B P07.54S.6B	€ 423,00 🔒 '16 € 423,00 🔒 '16

On demand dimmable DALI - PUSH - 1...10V - IGBT TRIAC

POP P07 Dynamic Ø 12,5 Led 18,4W



Structure	Electrification	Code	Free of TAX
Black painted White painted	IP20 60° 2700°K Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	P07D.52L.02 P07D.52L.06	€ 385,00 🔒 '16 € 385,00 🔒 '16
Black painted White painted	IP20 60° 3000°K Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	P07D.53L.02 P07D.53L.06	€ 385,00 🔒 '16 € 385,00 🔒 '16
Black painted White painted	IP20 60° 4000°K Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	P07D.54L.02 P07D.54L.06	€ 385,00 🔒 '16 € 385,00 🔒 '16
Black painted White painted	IP20 24° 2700°K Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	P07D.52S.02 P07D.52S.06	€ 385,00 🔒 '16 € 385,00 🔒 '16
Black painted White painted	IP20 24° 3000°K Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	P07D.53S.02 P07D.53S.06	€ 385,00 🔒 '16 € 385,00 🔒 '16
Black painted White painted	IP20 24° 4000°K Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	P07D.54S.02 P07D.54S.06	€ 385,00 🔒 '16 € 385,00 🔒 '16
Black painted White painted	IP20 12° 2700°K Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	P07D.52T.02 P07D.52T.06	€ 385,00 🔒 '16 € 385,00 🔒 '16
Black painted White painted	IP20 12° 3000°K Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	P07D.53T.02 P07D.53T.06	€ 385,00 🔒 '16 € 385,00 🔒 '16
Black painted White painted	IP20 12° 4000°K Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	P07D.54T.02 P07D.54T.06	€ 385,00 🔒 '16 € 385,00 🔒 '16


On demand dimmable DALI - PUSH - 1...10V - IGBT TRIAC

POP P07 Pull h. 16,0 Ø 12,5 Led 18,4W



Structure		Electrification ☺	Code	Free of TAX
Black painted White painted		60° 2700°K Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	P07P.52L.02 P07P.52L.06	€ 426,00 🗝️'16 € 426,00 🗝️'16
Black painted White painted	IP20	60° 3000°K Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	P07P.53L.02 P07P.53L.06	€ 426,00 🗝️'16 € 426,00 🗝️'16
Black painted White painted		60° 4000°K Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	P07P.54L.02 P07P.54L.06	€ 426,00 🗝️'16 € 426,00 🗝️'16
Black painted White painted		24° 2700°K Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	P07P.52S.02 P07P.52S.06	€ 426,00 🗝️'16 € 426,00 🗝️'16
Black painted White painted	IP20	24° 3000°K Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	P07P.53S.02 P07P.53S.06	€ 426,00 🗝️'16 € 426,00 🗝️'16
Black painted White painted		24° 4000°K Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	P07P.54S.02 P07P.54S.06	€ 426,00 🗝️'16 € 426,00 🗝️'16
Black painted White painted		12° 2700°K Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	P07P.52T.02 P07P.52T.06	€ 426,00 🗝️'16 € 426,00 🗝️'16
Black painted White painted	IP20	12° 3000°K Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	P07P.53T.02 P07P.53T.06	€ 426,00 🗝️'16 € 426,00 🗝️'16
Black painted White painted		12° 4000°K Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	P07P.54T.02 P07P.54T.06	€ 426,00 🗝️'16 € 426,00 🗝️'16

On demand dimmable DALI - PUSH - 1...10V - IGBT TRIAC




POP P07 Pull h. 21,0 Ø 12,5 Led 26,9W



Structure		Electrification ☺	Code	Free of TAX
Black painted White painted		60° 2700°K Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	P07P.62L.02 P07P.62L.06	€ 426,00 🗝️'16 € 426,00 🗝️'16
Black painted White painted	IP20	60° 3000°K Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	P07P.63L.02 P07P.63L.06	€ 426,00 🗝️'16 € 426,00 🗝️'16
Black painted White painted		60° 4000°K Led 26,9W 2969 lm 110 lm/W 85 CRI 700m/A	P07P.64L.02 P07P.64L.06	€ 426,00 🗝️'16 € 426,00 🗝️'16
Black painted White painted		24° 2700°K Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	P07P.62S.02 P07P.62S.06	€ 426,00 🗝️'15 € 426,00 🗝️'15
Black painted White painted	IP20	24° 3000°K Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	P07P.63S.02 P07P.63S.06	€ 426,00 🗝️'13 € 426,00 🗝️'13
Black painted White painted		24° 4000°K Led 26,9W 2969 lm 110 lm/W 85 CRI 700m/A	P07P.64S.02 P07P.64S.06	€ 426,00 🗝️'13 € 426,00 🗝️'13
Black painted White painted		12° 2700°K Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	P07P.62T.02 P07P.62T.06	€ 426,00 🗝️'16 € 426,00 🗝️'16
Black painted White painted	IP20	12° 3000°K Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	P07P.63T.02 P07P.63T.06	€ 426,00 🗝️'16 € 426,00 🗝️'16
Black painted White painted		12° 4000°K Led 26,9W 2969 lm 110 lm/W 85 CRI 700m/A	P07P.64T.02 P07P.64T.06	€ 426,00 🗝️'16 € 426,00 🗝️'16


On demand dimmable DALI - PUSH - 1...10V



POP P07 Pull h. 21 Ø 12,5

Structure		Electrification ☺	Code	Free of TAX
Black painted White painted	IP20	12V G53 1x50W	P07P.530.02 P07P.530.06	€ 307,00 🗝️'13 € 307,00 🗝️'13

POP P10





The versions P10.33S.XX and P10.34S.XX of article POP10 find their proper use only in the ceiling to obtain wall-washed effects.

Structure		Electrification	Code	Free of TAX
Matt black painted White painted	IP20	230V GU10 max 1x50W	P10.210.02 P10.210.06	€ 64,00 🔒 '10 € 64,00 🔒 '10
Matt black painted White painted	IP20	230V GU10 Led	P10.211.02 P10.211.06	€ 64,00 🔒 '11 € 64,00 🔒 '11
Matt black painted White painted	IP20	12V GU5.3 1x50W	P10.220.02 P10.220.06	€ 59,00 🔒 '10 € 59,00 🔒 '10
		Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz DALI 12V max. 105VA 240V 50-60 Hz	KIT.100.105 KIT.101.105	€ 18,00 🔒 '09 € 92,00 🔒 '11
Matt black painted White painted	IP20	ONLY in the wall as a marker 3000°K 25° Led 7W 455 lm 65 lm/W >82 CRI 12V	P10.235.02 P10.235.06	€ 113,00 🔒 '15 € 113,00 🔒 '15
	sizes mm: 117x34x21	Electronic gear for 12V Led: 12V max. 50VA 240V 50-60 Hz Dimmable by IGBT technology)	KIT.201.050	€ 32,00 🔒 '15
Matt black painted White painted	IP20	ONLY in the plasterboard ceiling 24° 2700°K Led 11,2W 1115 lm 100 lm/W 85 CRI 350m/A	P10.32S.02 P10.32S.06	€ 120,00 🔒 '16 ▼ € 120,00 🔒 '16 ▼
Matt black painted White painted	IP20	24° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A	P10.33S.02 P10.33S.06	€ 120,00 🔒 '16 ▼ € 120,00 🔒 '16 ▼
Matt black painted White painted	IP20	24° 4000°K Led 11,2W 1229 lm 110 lm/W 85 CRI 350m/A	P10.34S.02 P10.34S.06	€ 120,00 🔒 '16 ▼ € 120,00 🔒 '16 ▼
	sizes mm: 115x45x28 131x38x29 124x80x22 111x52x22 111x52x22	Converter for Led 350m/A: ON/OFF min. 1 -max. 1 ON/OFF min. 2 -max. 2 DALI - PUSH - 1...10V min. 1 -max. 3 DALI min. 1 -max. 1 PUSH - 1...10V min. 1 -max. 1	KIT.350.1L KIT.350.25 KIT.351.40 KIT.352.15 KIT.353.15	€ 21,00 🔒 '13 € 35,00 🔒 '16 € 105,00 🔒 '15 € 59,00 🔒 '15 € 59,00 🔒 '15
	sizes mm: 185x59x34 212x46x34	Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 -max. 1 3:00 hours min. 1 -max. 1 <i>Led and Emergency unit, warranty only when used together with converter bought from Oty</i>	KIT.900.01 KIT.900.03	€ 95,00 🔒 '15 € 137,00 🔒 '15
Housing for plasterboard	●	singular unit housing	Z00.070.01	€ 52,00 🔒 '10
Housing for brickwork	●	singular unit housing	M00.070.01	€ 91,00 🔒 '11

Code		Ø	P
P10.210.XX	GU10	5,5x7,7	9,2
P10.210.XX	GU10 Led	5,5x7,7	—
P10.220.XX	GU5.3	5,5x7,7	8,4
P10.235.XX	12V led 7W	5,5x7,7	8,4
P10.3XX.XX	350m/A led	5,5x7,7	12,6

POP P11 only for plasterboard



Code		Ø	P
P11.200.XX	GU4	4,4x17,2	7,1
P11.3XM.XX	Led	4,4x17,2	7,1




ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.
- LED warranty only when used together with converter bought from Oty Srl
- emergency unit works only if the emergency Kit is connected to one converter ONLY.

Structure		Electrification	Code	Free of TAX
Matt black painted White painted	IP20	12V GU4 1x35W	P11.200.02 P11.200.06	€ 75,00 🔒 '11 € 75,00 🔒 '11
		Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz DALI 12V max. 105VA 240V 50-60 Hz	KIT.100.105 KIT.101.105	€ 18,00 🔒 '11 € 92,00 🔒 '11
Matt black painted White painted	IP20	3000°K 25° Led 2,4W 137 lm 57 lm/W 80 CRI 700m/A	P11.33M.02 P11.33M.06	€ 118,00 🔒 '11 € 118,00 🔒 '11
Matt black painted White painted	IP20	4000°K 25° Led 2,4W 160 lm 67 lm/W 80 CRI 700m/A	P11.34M.02 P11.34M.06	€ 118,00 🔒 '11 € 118,00 🔒 '11
	sizes mm: 68x30x22 115x34x19 166x46x34 124x80x22	Converter for Led 700m/A: ON/OFF min. 1 -max. 1 ON/OFF min. 1 -max. 3 ON/OFF min. 1 -max. 9 DALI - PUSH - 1...10V min. 1 -max. 14 <i>Led and Emergency unit, warranty only when used together with converter bought from Oty</i>	KIT.700.035 KIT.700.12 KIT.700.32 KIT.701.50	€ 20,00 🔒 '11 € 27,00 🔒 '13 € 51,00 🔒 '13 € 105,00 🔒 '13
Housing for plasterboard	●	singular unit housing	Z00.043.01	€ 100,00 🔒 '11



POP P12 Ø 3,0 Led only for plasterboard

Structure			Electrification ☑	Code	Free of TAX
Matt black painted White painted		IP20	35° 2700°K Led 13,4W 1650 lm 123 lm/W 85 CRI 350m/A	P12.22M.02 P12.22M.06	€ 236,00 📄 '15 € 236,00 📄 '15
Matt black painted White painted		IP20	35° 3000°K Led 13,4W 1727 lm 129 lm/W 85 CRI 350m/A	P12.23M.02 P12.23M.06	€ 236,00 📄 '15 € 236,00 📄 '15
Matt black painted White painted		IP20	35° 4000°K Led 13,4W 1786 lm 133 lm/W 85 CRI 350m/A	P12.24M.02 P12.24M.06	€ 236,00 📄 '15 € 236,00 📄 '15
	sizes mm:		Converter for Led 350m/A:		
	115x45x28		ON/OFF min. 1 -max. 1	KIT.350.1L	€ 21,00 📄 '13
	131x38x29		ON/OFF min. 2 -max. 2	KIT.350.25	€ 35,00 📄 '16
	124x80x22		DALI - PUSH - 1...10V min. 1 -max. 3	KIT.351.40	€ 105,00 📄 '15
	111x52x22		DALI min. 1 -max. 1	KIT.352.15	€ 59,00 📄 '15
	111x52x22		PUSH - 1...10V min. 1 -max. 1	KIT.353.15	€ 59,00 📄 '15
	sizes mm:		Emergency unit: (inverter + battery. Driver not included)		
	185x59x34		1:00 hour min. 1 -max. 1	KIT.900.01	€ 95,00 📄 '15
	212x46x34		3:00 hours min. 1 -max. 1	KIT.900.03	€ 137,00 📄 '15
			Led and Emergency unit, warranty only when used together with converter bought from Oty		
Housing for plasterboard		●	singular unit housing	Z00.080.01	€ 33,00 📄 '09






ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.

- emergency unit works only if the emergency Kit is connected to one converter **ONLY**.

POP P12/L Ø 3,0 Led only for plasterboard



Structure			Electrification ☑	Code	Free of TAX
Matt black painted White painted		IP20	35° 2700°K Led 13,4W 1650 lm 123 lm/W 85 CRI 350m/A	P12L.22M.02 P12L.22M.06	€ 386,00 📄 '15 € 386,00 📄 '15
Matt black painted White painted		IP20	35° 3000°K Led 13,4W 1727 lm 129 lm/W 85 CRI 350m/A	P12L.23M.02 P12L.23M.06	€ 386,00 📄 '15 € 386,00 📄 '15
Matt black painted White painted		IP20	35° 4000°K Led 13,4W 1786 lm 133 lm/W 85 CRI 350m/A	P12L.24M.02 P12L.24M.06	€ 386,00 📄 '15 € 386,00 📄 '15
	sizes mm:		Converter for Led 350m/A:		
	115x45x28		ON/OFF min. 1 -max. 1	KIT.350.1L	€ 21,00 📄 '13
	131x38x29		ON/OFF min. 2 -max. 2	KIT.350.25	€ 35,00 📄 '16
	124x80x22		DALI - PUSH - 1...10V min. 1 -max. 3	KIT.351.40	€ 105,00 📄 '15
	111x52x22		DALI min. 1 -max. 1	KIT.352.15	€ 59,00 📄 '15
	111x52x22		PUSH - 1...10V min. 1 -max. 1	KIT.353.15	€ 59,00 📄 '15
	sizes mm:		Emergency unit: (inverter + battery. Driver not included)		
	185x59x34		1:00 hour min. 1 -max. 1	KIT.900.01	€ 95,00 📄 '15
	212x46x34		3:00 hours min. 1 -max. 1	KIT.900.03	€ 137,00 📄 '15
			Led and Emergency unit, warranty only when used together with converter bought from Oty		
Housing for plasterboard		●	singular unit housing	W00.125.01	€ 134,00 📄 '15



NEW POP P12/K Ø 3,0 Led ceiling

Structure		Electrification ©	Code	Free of TAX
Matt black painted White painted	IP20	35° 2700°K Led 13,4W 1650 lm 123 lm/W 85 CRI 350m/A	P12K.22M.02 P12K.22M.06	€ 541,00 '16 € 541,00 '16
Matt black painted White painted	IP20	35° 3000°K Led 13,4W 1727 lm 129 lm/W 85 CRI 350m/A	P12K.23M.02 P12K.23M.06	€ 541,00 '16 € 541,00 '16
Matt black painted White painted	IP20	35° 4000°K Led 13,4W 1786 lm 133 lm/W 85 CRI 350m/A	P12K.24M.02 P12K.24M.06	€ 541,00 '16 € 541,00 '16

On demand dimmable DALI - PUSH - 1...10V - IGBT TRIAC



ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.
- LED warranty only when used together with converter bought from Oty Srl
- emergency unit works only if the emergency Kit is connected to one converter ONLY.

Code		Ø	P
P12.210.XX	GU10	7,0	5,0
P12.220.XX	GU5.3	7,0	5,0
P12.3XM.XX	350m/A led	7,0	0,5
P12.3XS.XX	350m/A led	7,0	5,0
P12.3XT.XX	350m/A led	7,0	0,5


POP P12 Ø 7,0

Structure		Electrification	Code	Free of TAX
Matt black painted White painted	IP20	230V GU10 max 1x50W	P12.210.02 P12.210.06	€ 198,00 '11 € 198,00 '11
Matt black painted White painted	IP20	12V GU5.3 1x50W Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz DALI 12V max. 105VA 240V 50-60 Hz	P12.220.02 P12.220.06 KIT.100.105 KIT.101.105	€ 193,00 '11 € 193,00 '11 € 18,00 '09 € 92,00 '11
Matt black painted White painted	IP20	38° 2700°K Led 11,2W 1115 lm 100 lm/W 85 CRI 350m/A	P12.32M.02 P12.32M.06	€ 246,00 '16 € 246,00 '16
Matt black painted White painted	NEW IP20	38° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A	P12.33M.02 P12.33M.06	€ 246,00 '16 € 246,00 '16
Matt black painted White painted	IP20	38° 4000°K Led 11,2W 1229 lm 110 lm/W 85 CRI 350m/A	P12.34M.02 P12.34M.06	€ 246,00 '16 € 246,00 '16
Matt black painted White painted	IP20	22° 2700°K Led 11,2W 1115 lm 100 lm/W 85 CRI 350m/A	P12.32S.02 P12.32S.06	€ 246,00 '15 € 246,00 '15
Matt black painted White painted	IP20	22° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A	P12.33S.02 P12.33S.06	€ 246,00 '13 € 246,00 '13
Matt black painted White painted	IP20	22° 4000°K Led 11,2W 1229 lm 110 lm/W 85 CRI 350m/A	P12.34S.02 P12.34S.06	€ 246,00 '13 € 246,00 '13
Matt black painted White painted	IP20	10° 2700°K Led 11,2W 1115 lm 100 lm/W 85 CRI 350m/A	P12.32T.02 P12.32T.06	€ 246,00 '16 € 246,00 '16
Matt black painted White painted	IP20	10° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A	P12.33T.02 P12.33T.06	€ 246,00 '16 € 246,00 '16
Matt black painted White painted	IP20	10° 4000°K Led 11,2W 1229 lm 110 lm/W 85 CRI 350m/A	P12.34T.02 P12.34T.06	€ 246,00 '16 € 246,00 '16
	sizes mm: 115x45x28 131x38x29 124x80x22 111x52x22 111x52x22	Converter for Led 350m/A: ON/OFF min. 1 - max. 1 ON/OFF min. 2 - max. 2 DALI - PUSH - 1...10V min. 1 - max. 3 DALI min. 1 - max. 1 PUSH - 1...10V min. 1 - max. 1	KIT.350.1L KIT.350.25 KIT.351.40 KIT.352.15 KIT.353.15	€ 21,00 '13 € 35,00 '16 € 105,00 '15 € 59,00 '15 € 59,00 '15
	sizes mm: 185x59x34 212x46x34	Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 - max. 1 3:00 hours min. 1 - max. 1	KIT.900.01 KIT.900.03	€ 95,00 '15 € 137,00 '15
		Led and Emergency unit, warranty only when used together with converter bought from Oty		
Housing for plasterboard	● singular unit housing ●● double linear unit housing ●●● triple linear unit housing ●●● Logo Oty Ø 12,0+Ø17,0 housing		Z00.120.01 Z00.120.2L Z00.120.3L Z00.120.170	€ 46,00 '11 € 88,00 '11 € 125,00 '11 € 103,00 '09
Housing for brickwork	● singular unit housing		M00.120.01	€ 111,00 '11



POP P12 Ø 12,5


	Electrification	Code	Structure	Free of TAX
IP20	12V G53 1x50W	P12.530.02	Black	€ 193,00 🗝️ '16 ▼
	Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz	P12.530.06	White	€ 193,00 🗝️ '16 ▼
sizes mm: 117x34x21	DALI 12V max. 105VA 240V 50-60 Hz	KIT.100.105		€ 18,00 🗝️ '09
	Electronic gear for 12V G53 Led bulb: 12V max. 50VA 240V 50-60 Hz	KIT.101.105		€ 92,00 🗝️ '11
	Dimmable by IGBT technology	KIT.201.050		€ 32,00 🗝️ '15



Housing for POP P12 Ø 12,5 plasterboard and brickwork

	Code	Free of TAX
Housing for plasterboard	● singular unit housing	Z00.120.01 € 46,00 🗝️ '11
	●● double linear unit housing	Z00.120.2L € 88,00 🗝️ '11
	●●● triple linear unit housing	Z00.120.3L € 125,00 🗝️ '11
	●●● Logo Oty Ø 12,0+Ø17,0 housing	Z00.120.170 € 103,00 🗝️ '09
Housing for brickwork	● singular unit housing	M00.120.01 € 111,00 🗝️ '11

POP P12 Ø 12,5 Led 12,5W - 18,4W - 26,9W



	Electrification	Code	Structure	Free of TAX
IP20	60° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	P12.62L.02 P12.62L.06	Black White	€ 311,00 🗝️ '16 € 311,00 🗝️ '16
	60° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	P12.63L.02 P12.63L.06	Black White	€ 311,00 🗝️ '16 € 311,00 🗝️ '16
	60° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	P12.64L.02 P12.64L.06	Black White	€ 311,00 🗝️ '16 € 311,00 🗝️ '16
IP20	24° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	P12.62S.02 P12.62S.06	Black White	€ 311,00 🗝️ '15 € 311,00 🗝️ '15
	24° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	P12.63S.02 P12.63S.06	Black White	€ 311,00 🗝️ '15 € 311,00 🗝️ '15
	24° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	P12.64S.02 P12.64S.06	Black White	€ 311,00 🗝️ '15 € 311,00 🗝️ '15
IP20	12° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	P12.62T.02 P12.62T.06	Black White	€ 311,00 🗝️ '16 € 311,00 🗝️ '16
	12° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	P12.63T.02 P12.63T.06	Black White	€ 311,00 🗝️ '16 € 311,00 🗝️ '16
	12° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A Led 26,9W 2963 lm 110 lm/W 85 CRI 700m/A	P12.64T.02 P12.64T.06	Black White	€ 311,00 🗝️ '16 € 311,00 🗝️ '16
sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22	12,5W Converter for Led 350m/A: ON/OFF min. 1 - max. 1 350m/A DALI - PUSH - 1...10V min. 1 - max. 3 350m/A DALI min. 1 - max. 1 350m/A PUSH - 1...10V min. 1 - max. 1 350m/A	KIT.350.1L KIT.351.40 KIT.352.15 KIT.353.15		€ 21,00 🗝️ '13 € 105,00 🗝️ '15 € 59,00 🗝️ '15 € 59,00 🗝️ '15
sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22	18,4W Converter for Led 500m/A: ON/OFF min. 1 - max. 1 500m/A DALI - PUSH - 1...10V min. 1 - max. 2 500m/A DALI min. 1 - max. 1 500m/A PUSH - 1...10V min. 1 - max. 1 500m/A	KIT.500.1L KIT.501.50 KIT.502.20 KIT.503.20		€ 21,00 🗝️ '15 € 105,00 🗝️ '15 € 59,00 🗝️ '15 € 59,00 🗝️ '15
sizes mm: 140x45x28 124x80x22	26,9W Converter for Led 700m/A: ON/OFF min. 1 - max. 1 700m/A DALI - PUSH - 1...10V min. 1 - max. 1 700m/A	KIT.700.1L KIT.701.50		€ 24,00 🗝️ '15 € 105,00 🗝️ '15
sizes mm: 185x59x34 212x46x34	Emergency unit: (inverter + battery. Driver not included) 1:00 hour min. 1 - max. 1 3:00 hours min. 1 - max. 1	KIT.900.01 KIT.900.03		€ 95,00 🗝️ '15 € 137,00 🗝️ '15


ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.
- LED warranty only when used together with converter bought from Oty Srl
- emergency unit works only if the emergency Kit is connected to one converter ONLY.

POP P13 Ø 7,0 wall - ceiling




Structure			Electrification	Code	Free of TAX
Matt black painted White painted		IP20	230V GU10 max 1x50W	P13.210.02 P13.210.06	€ 255,00 '11 € 255,00 '16
Matt black painted White painted		IP20	12V GU5.3 1x50W	P13.220.02 P13.220.06	€ 273,00 '11 € 273,00 '16
Matt black painted White painted		IP20	38° 2700°K Led 11,2W 1115 lm 100 lm/W 85 CRI 350m/A	P13.32M.02 P13.32M.06	€ 354,00 '16 € 354,00 '16
Matt black painted White painted	NEW	IP20	38° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A	P13.33M.02 P13.33M.06	€ 354,00 '16 € 354,00 '16
Matt black painted White painted		IP20	38° 4000°K Led 11,2W 1229 lm 110 lm/W 85 CRI 350m/A	P13.34M.02 P13.34M.06	€ 354,00 '16 € 354,00 '16
Matt black painted White painted		IP20	22° 2700°K Led 11,2W 1115 lm 100 lm/W 85 CRI 350m/A	P13.32S.02 P13.32S.06	€ 354,00 '16 € 354,00 '16
Matt black painted White painted		IP20	22° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A	P13.33S.02 P13.33S.06	€ 354,00 '16 € 354,00 '16
Matt black painted White painted		IP20	22° 4000°K Led 11,2W 1229 lm 110 lm/W 85 CRI 350m/A	P13.34S.02 P13.34S.06	€ 354,00 '16 € 354,00 '16
Matt black painted White painted		IP20	10° 2700°K Led 11,2W 1115 lm 100 lm/W 85 CRI 350m/A	P13.32T.02 P13.32T.06	€ 354,00 '16 € 354,00 '16
Matt black painted White painted		IP20	10° 3000°K Led 11,2W 1175 lm 105 lm/W 85 CRI 350m/A	P13.33T.02 P13.33T.06	€ 354,00 '16 € 354,00 '16
Matt black painted White painted		IP20	10° 4000°K Led 11,2W 1229 lm 110 lm/W 85 CRI 350m/A	P13.34T.02 P13.34T.06	€ 354,00 '16 € 354,00 '16

On demand dimmable DALI - PUSH - 1...10V - IGBT TRIAC



Code		Ø	P
P13.210.XX	GU10	7,0	5,0
P13.220.XX	GU5.3	7,0	5,0
P13.3XM.XX	350m/A led	7,0	0,5
P13.3XS.XX	350m/A led	7,0	5,0
P13.3XT.XX	350m/A led	7,0	0,5





Matt black painted White painted	Installation kit on beams and horizontal surfaces	KIT.P136.02 KIT.P136.06	€ 24,00 '15 € 24,00 '16
-------------------------------------	------------------------------------------------------	------------------------------------------	----------------------------

POP P13 Ø 12,5 wall - ceiling Led 12,5W



Structure			Electrification	Code	Free of TAX
Matt black painted White painted			60° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A	P13.42L.02 P13.42L.06	€ 418,00 '16 € 418,00 '16
Matt black painted White painted		IP20	60° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A	P13.43L.02 P13.43L.06	€ 418,00 '16 € 418,00 '16
Matt black painted White painted			60° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A	P13.44L.02 P13.44L.06	€ 418,00 '16 € 418,00 '16
Matt black painted White painted			24° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A	P13.42S.02 P13.42S.06	€ 418,00 '15 € 418,00 '15
Matt black painted White painted		IP20	24° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A	P13.43S.02 P13.43S.06	€ 418,00 '15 € 418,00 '15
Matt black painted White painted			24° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A	P13.44S.02 P13.44S.06	€ 418,00 '15 € 418,00 '15
Matt black painted White painted			12° 2700°K Led 12,5W 1477 lm 119 lm/W 85 CRI 350m/A	P13.42T.02 P13.42T.06	€ 418,00 '16 € 418,00 '16
Matt black painted White painted		IP20	12° 3000°K Led 12,5W 1565 lm 126 lm/W 85 CRI 350m/A	P13.43T.02 P13.43T.06	€ 418,00 '16 € 418,00 '16
Matt black painted White painted			12° 4000°K Led 12,5W 1635 lm 131 lm/W 85 CRI 350m/A	P13.44T.02 P13.44T.06	€ 418,00 '16 € 418,00 '16


On demand dimmable DALI - PUSH - 1...10V - IGBT TRIAC



POP P13 Ø 12,5 wall - ceiling



Structure				Code	Free of TAX
Matt black painted White painted		IP20	12V G53 1x50W	P13.530.02 P13.530.06	€ 289,00 '11 € 289,00 '16

Matt black painted White painted	Installation kit on beams and horizontal surfaces	KIT.P136.02 KIT.P136.06	€ 24,00 '15 € 24,00 '16
-------------------------------------	------------------------------------------------------	------------------------------------------	----------------------------



NEW




POP P13 Ø 12,5 wall - ceiling Led 18,4W



Structure		Electrification ☉	Code	Free of TAX
Matt black painted		60° 2700°K Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	P13.52L.02	€ 418,00 ☰'16
White painted			P13.52L.06	€ 418,00 ☰'16
Matt black painted	IP20	60° 3000°K Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	P13.53L.02	€ 418,00 ☰'16
White painted			P13.53L.06	€ 418,00 ☰'16
Matt black painted		60° 4000°K Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	P13.54L.02	€ 418,00 ☰'16
White painted			P13.54L.06	€ 418,00 ☰'16
Matt black painted	IP20	24° 2700°K Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	P13.52S.02	€ 418,00 ☰'16
White painted			P13.52S.06	€ 418,00 ☰'16
Matt black painted	IP20	24° 3000°K Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	P13.53S.02	€ 418,00 ☰'16
White painted			P13.53S.06	€ 418,00 ☰'16
Matt black painted		24° 4000°K Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	P13.54S.02	€ 418,00 ☰'16
White painted			P13.54S.06	€ 418,00 ☰'16
Matt black painted	IP20	12° 2700°K Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	P13.52T.02	€ 418,00 ☰'16
White painted			P13.52T.06	€ 418,00 ☰'16
Matt black painted	IP20	12° 3000°K Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	P13.53T.02	€ 418,00 ☰'16
White painted			P13.53T.06	€ 418,00 ☰'16
Matt black painted		12° 4000°K Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	P13.54T.02	€ 418,00 ☰'16
White painted			P13.54T.06	€ 418,00 ☰'16

On demand dimmable DALI - PUSH - 1...10V - IGBT TRIAC



Matt black painted	Installation kit on beams and horizontal surfaces	KIT.P136.02	€ 24,00 ☰'15
White painted		KIT.P136.06	€ 24,00 ☰'15



POP P13 Ø 12,5 wall - ceiling Led 26,9W

Structure		Electrification ☉	Code	Free of TAX
Matt black painted		60° 2700°K Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	P13.62L.02	€ 418,00 ☰'16
White painted			P13.62L.06	€ 418,00 ☰'16
Matt black painted	IP20	60° 3000°K Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	P13.63L.02	€ 418,00 ☰'16
White painted			P13.63L.06	€ 418,00 ☰'16
Matt black painted		60° 4000°K Led 26,9W 2969 lm 110 lm/W 85 CRI 700m/A	P13.64L.02	€ 418,00 ☰'16
White painted			P13.64L.06	€ 418,00 ☰'16
Matt black painted	IP20	24° 2700°K Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	P13.62S.02	€ 418,00 ☰'15
White painted			P13.62S.06	€ 418,00 ☰'15
Matt black painted	IP20	24° 3000°K Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	P13.63S.02	€ 418,00 ☰'15
White painted			P13.63S.06	€ 418,00 ☰'15
Matt black painted		24° 4000°K Led 26,9W 2969 lm 110 lm/W 85 CRI 700m/A	P13.64S.02	€ 418,00 ☰'15
White painted			P13.64S.06	€ 418,00 ☰'15
Matt black painted	IP20	12° 2700°K Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	P13.62T.02	€ 418,00 ☰'16
White painted			P13.62T.06	€ 418,00 ☰'16
Matt black painted	IP20	12° 3000°K Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	P13.63T.02	€ 418,00 ☰'16
White painted			P13.63T.06	€ 418,00 ☰'16
Matt black painted		12° 4000°K Led 26,9W 2969 lm 110 lm/W 85 CRI 700m/A	P13.64T.02	€ 418,00 ☰'16
White painted			P13.64T.06	€ 418,00 ☰'16

On demand dimmable DALI - PUSH - 1...10V






Matt black painted	Installation kit on beams and horizontal surfaces	KIT.P136.02	€ 24,00 ☰'15
White painted		KIT.P136.06	€ 24,00 ☰'15

POP P14 Ø 3,0 for 230 voltage 3 circuit track Eutrac **Led 13,4W**



Structure			Electrification ©	Code	Free of TAX
Black painted		IP20	35° 2700°K Led 13,4W 1650 lm	P14.22M.02	€ 332,00 🔒 '15
White painted			123 lm/W 85 CRI 350m/A	P14.22M.06	€ 332,00 🔒 '15
Black painted		IP20	35° 3000°K Led 13,4W 1727 lm	P14.23M.02	€ 332,00 🔒 '15
White painted			129 lm/W 85 CRI 350m/A	P14.23M.06	€ 332,00 🔒 '15
Black painted		IP20	35° 4000°K Led 13,4W 1786 lm	P14.24M.02	€ 332,00 🔒 '15
White painted			133 lm/W 85 CRI 350m/A	P14.24M.06	€ 332,00 🔒 '15

Dimmable IGBT TRIAC




POP P14 Ø 7,0 for 230 voltage 3 circuit track Eutrac **Led 11,2W**



Structure			Electrification ©	Code	Free of TAX
Black painted		IP20	38° 2700°K Led 11,2W 1115 lm	P14.32M.02	€ 375,00 🔒 '16 ▼
White painted			100 lm/W 85 CRI 350m/A	P14.32M.06	€ 375,00 🔒 '16 ▼
Black painted	NEW	IP20	38° 3000°K Led 11,2W 1175 lm	P14.33M.02	€ 375,00 🔒 '16 ▼
White painted			105 lm/W 85 CRI 350m/A	P14.33M.06	€ 375,00 🔒 '16 ▼
Black painted		IP20	38° 4000°K Led 11,2W 1229 lm	P14.34M.02	€ 375,00 🔒 '16 ▼
White painted			110 lm/W 85 CRI 350m/A	P14.34M.06	€ 375,00 🔒 '16 ▼
Black painted		IP20	22° 2700°K Led 11,2W 1115 lm	P14.32S.02	€ 375,00 🔒 '16 ▼
White painted			100 lm/W 85 CRI 350m/A	P14.32S.06	€ 375,00 🔒 '16 ▼
Black painted		IP20	22° 3000°K Led 11,2W 1175 lm	P14.33S.02	€ 375,00 🔒 '16 ▼
White painted			105 lm/W 85 CRI 350m/A	P14.33S.06	€ 375,00 🔒 '16 ▼
Black painted		IP20	22° 4000°K Led 11,2W 1229 lm	P14.34S.02	€ 375,00 🔒 '16 ▼
White painted			110 lm/W 85 CRI 350m/A	P14.34S.06	€ 375,00 🔒 '16 ▼
Black painted		IP20	10° 2700°K Led 11,2W 1115 lm	P14.32T.02	€ 375,00 🔒 '16 ▼
White painted			100 lm/W 85 CRI 350m/A	P14.32T.06	€ 375,00 🔒 '16 ▼
Black painted		IP20	10° 3000°K Led 11,2W 1175 lm	P14.33T.02	€ 375,00 🔒 '16 ▼
White painted			105 lm/W 85 CRI 350m/A	P14.33T.06	€ 375,00 🔒 '16 ▼
Black painted		IP20	10° 4000°K Led 11,2W 1229 lm	P14.34T.02	€ 375,00 🔒 '16 ▼
White painted			110 lm/W 85 CRI 350m/A	P14.34T.06	€ 375,00 🔒 '16 ▼

On demand dimmable DALI - PUSH - 1...10V - IGBT TRIAC



Code		Ø	P
P14.220.XX	GU5.3	7,0	5,0
P14.3XM.XX	350m/A led	7,0	0,5
P14.3XS.XX	350m/A led	7,0	5,0
P14.3XT.XX	350m/A led	7,0	0,5

POP P14 Ø 7,0 for 230 voltage 3 circuit track Eutrac


Structure			Electrification	Code	Free of TAX
Black painted		IP20	12V GU5.3 1x50W	P14.220.02	€ 315,00 🔒 '13
White painted				P14.220.06	€ 315,00 🔒 '13

NEW**POP P14 Ø 12,5** for 230 voltage 3 circuit track Eutrac **Led 18,4W**


Structure			Electrification ©	Code	Free of TAX
Black painted			60° 2700°K Led 18,4W 2020 lm	P14.52L.02	€ 458,00 🗝️'16
White painted			110 lm/W 85 CRI 500m/A	P14.52L.06	€ 458,00 🗝️'16
Black painted		IP20	60° 3000°K Led 18,4W 2140 lm	P14.53L.02	€ 458,00 🗝️'16
White painted			116 lm/W 85 CRI 500m/A	P14.53L.06	€ 458,00 🗝️'16
Black painted			60° 4000°K Led 18,4W 2236 lm	P14.54L.02	€ 458,00 🗝️'16
White painted			121 lm/W 85 CRI 500m/A	P14.54L.06	€ 458,00 🗝️'16
Black painted			24° 2700°K Led 18,4W 2020 lm	P14.52S.02	€ 458,00 🗝️'16
White painted			110 lm/W 85 CRI 500m/A	P14.52S.06	€ 458,00 🗝️'16
Black painted		IP20	24° 3000°K Led 18,4W 2140 lm	P14.53S.02	€ 458,00 🗝️'16
White painted			116 lm/W 85 CRI 500m/A	P14.53S.06	€ 458,00 🗝️'16
Black painted			24° 4000°K Led 18,4W 2236 lm	P14.54S.02	€ 458,00 🗝️'16
White painted			121 lm/W 85 CRI 500m/A	P14.54S.06	€ 458,00 🗝️'16
Black painted			12° 2700°K Led 18,4W 2020 lm	P14.52T.02	€ 458,00 🗝️'16
White painted			110 lm/W 85 CRI 500m/A	P14.52T.06	€ 458,00 🗝️'16
Black painted		IP20	12° 3000°K Led 18,4W 2140 lm	P14.53T.02	€ 458,00 🗝️'16
White painted			116 lm/W 85 CRI 500m/A	P14.53T.06	€ 458,00 🗝️'16
Black painted			12° 4000°K Led 18,4W 2236 lm	P14.54T.02	€ 458,00 🗝️'16
White painted			121 lm/W 85 CRI 500m/A	P14.54T.06	€ 458,00 🗝️'16

*On demand dimmable DALI - PUSH - 1...10V - IGBT TRIAC***POP P14 Ø 12,5** for 230 voltage 3 circuit track Eutrac

Structure			Electrification	Code	Free of TAX
Black painted		IP20	12V G53 1x50W	P14.530.02	€ 327,00 🗝️'12
White painted				P14.530.06	€ 327,00 🗝️'12

**Ud****POP P14 Ø 12,5** for 230 voltage 3 circuit track Eutrac **Led 26,9W**


Structure			Electrification ©	Code	Free of TAX
Black painted			60° 2700°K Led 26,9W 2683 lm	P14.62L.02	€ 458,00 🗝️'16
White painted			100 lm/W 85 CRI 700m/A	P14.62L.06	€ 458,00 🗝️'16
Black painted		IP20	60° 3000°K Led 26,9W 2842 lm	P14.63L.02	€ 458,00 🗝️'16
White painted			106 lm/W 85 CRI 700m/A	P14.63L.06	€ 458,00 🗝️'16
Black painted			60° 4000°K Led 26,9W 2969 lm	P14.64L.02	€ 458,00 🗝️'16
White painted			110 lm/W 85 CRI 700m/A	P14.64L.06	€ 458,00 🗝️'16
Black painted			24° 2700°K Led 26,9W 2683 lm	P14.62S.02	€ 458,00 🗝️'15
White painted			100 lm/W 85 CRI 700m/A	P14.62S.06	€ 458,00 🗝️'15
Black painted		IP20	24° 3000°K Led 26,9W 2842 lm	P14.63S.02	€ 458,00 🗝️'15
White painted			106 lm/W 85 CRI 700m/A	P14.63S.06	€ 458,00 🗝️'15
Black painted			24° 4000°K Led 26,9W 2969 lm	P14.64S.02	€ 458,00 🗝️'15
White painted			110 lm/W 85 CRI 700m/A	P14.64S.06	€ 458,00 🗝️'15
Black painted			12° 2700°K Led 26,9W 2683 lm	P14.62T.02	€ 458,00 🗝️'16
White painted			100 lm/W 85 CRI 700m/A	P14.62T.06	€ 458,00 🗝️'16
Black painted		IP20	12° 3000°K Led 26,9W 2842 lm	P14.63T.02	€ 458,00 🗝️'16
White painted			106 lm/W 85 CRI 700m/A	P14.63T.06	€ 458,00 🗝️'16
Black painted			12° 4000°K Led 26,9W 2969 lm	P14.64T.02	€ 458,00 🗝️'16
White painted			110 lm/W 85 CRI 700m/A	P14.64T.06	€ 458,00 🗝️'16

On demand dimmable DALI - PUSH - 1...10V

POP P15 Ø 3,0 for 24V track Eutrac **Led 13,4W** Dimmable on demand



Structure			Electrification Ⓢ	Code	Free of TAX
Black painted		IP20	35° 2700°K Led 13,4W 1650 lm	P15.22M.02	€ 230,00 🔒 '16 ▼
White painted			123 lm/W 85 CRI 24V 350m/A	P15.22M.06	€ 230,00 🔒 '16 ▼
Black painted		IP20	35° 3000°K Led 13,4W 1727 lm	P15.23M.02	€ 230,00 🔒 '16 ▼
White painted			129 lm/W 85 CRI 24V 350m/A	P15.23M.06	€ 230,00 🔒 '16 ▼
Black painted		IP20	35° 4000°K Led 13,4W 1786 lm	P15.24M.02	€ 230,00 🔒 '16 ▼
White painted			133 lm/W 85 CRI 24V 350m/A	P15.24M.06	€ 230,00 🔒 '16 ▼
sizes mm:			Electronic gear 24V series DIN:		
40x126x114	120W	ON/OFF	0 ~ 5A	KIT.024.120	€ 83,00 🔒 '15
126x126x100	240W	ON/OFF	0 ~ 10A	KIT.024.240	€ 170,00 🔒 '15
227x126x100	480W	ON/OFF	0 ~ 20A	KIT.024.480	€ 303,00 🔒 '15




POP P15 Ø 7,0 for 24V track Eutrac **Led 11,2W** Dimmable on demand



Structure			Electrification Ⓢ	Code	Free of TAX
Black painted		IP20	38° 2700°K Led 11,2W 1115 lm	P15.32M.02	€ 285,00 🔒 '16 ▼
White painted			100 lm/W 85 CRI 24V 350m/A	P15.32M.06	€ 285,00 🔒 '16 ▼
Black painted	NEW	IP20	38° 3000°K Led 11,2W 1175 lm	P15.33M.02	€ 285,00 🔒 '16 ▼
White painted			105 lm/W 85 CRI 24V 350m/A	P15.33M.06	€ 285,00 🔒 '16 ▼
Black painted		IP20	38° 4000°K Led 11,2W 1229 lm	P15.34M.02	€ 285,00 🔒 '16 ▼
White painted			110 lm/W 85 CRI 24V 350m/A	P15.34M.06	€ 285,00 🔒 '16 ▼
Black painted		IP20	22° 2700°K Led 11,2W 1115 lm	P15.32S.02	€ 285,00 🔒 '16 ▼
White painted			100 lm/W 85 CRI 24V 350m/A	P15.32S.06	€ 285,00 🔒 '16 ▼
Black painted		IP20	22° 3000°K Led 11,2W 1175 lm	P15.33S.02	€ 285,00 🔒 '16 ▼
White painted			105 lm/W 85 CRI 24V 350m/A	P15.33S.06	€ 285,00 🔒 '16 ▼
Black painted		IP20	22° 4000°K Led 11,2W 1229 lm	P15.34S.02	€ 285,00 🔒 '16 ▼
White painted			110 lm/W 85 CRI 24V 350m/A	P15.34S.06	€ 285,00 🔒 '16 ▼
Black painted		IP20	10° 2700°K Led 11,2W 1115 lm	P15.32T.02	€ 285,00 🔒 '16 ▼
White painted			100 lm/W 85 CRI 24V 350m/A	P15.32T.06	€ 285,00 🔒 '16 ▼
Black painted		IP20	10° 3000°K Led 11,2W 1175 lm	P15.33T.02	€ 285,00 🔒 '16 ▼
White painted			105 lm/W 85 CRI 24V 350m/A	P15.33T.06	€ 285,00 🔒 '16 ▼
Black painted		IP20	10° 4000°K Led 11,2W 1229 lm	P15.34T.02	€ 285,00 🔒 '16 ▼
White painted			110 lm/W 85 CRI 24V 350m/A	P15.34T.06	€ 285,00 🔒 '16 ▼
sizes mm:			Electronic gear 24V series DIN:		
40x126x114	120W	ON/OFF	0 ~ 5A	KIT.024.120	€ 83,00 🔒 '15
126x126x100	240W	ON/OFF	0 ~ 10A	KIT.024.240	€ 170,00 🔒 '15
227x126x100	480W	ON/OFF	0 ~ 20A	KIT.024.480	€ 303,00 🔒 '15

Code		Ø	P
P15.3XM.XX	350m/A led	7,0	0,5
P15.3XS.XX	350m/A led	7,0	5,0
P15.3XT.XX	350m/A led	7,0	0,5




NEW

POP P15 Ø 12,5 for 24V track Eutrac **Led 18,4W** Dimmable on demand




Structure		Electrification Ⓢ	Code	Free of TAX
Black painted White painted	IP20	60° 2700°K Led 18,4W 2020 lm 110 lm/W 85 CRI 24V 500m/A	P15.52L.02	€ 350,00 🔒 '16 ▼
			P15.52L.06	€ 350,00 🔒 '16 ▼
Black painted White painted	IP20	60° 3000°K Led 18,4W 2140 lm 116 lm/W 85 CRI 24V 500m/A	P15.53L.02	€ 350,00 🔒 '16 ▼
			P15.53L.06	€ 350,00 🔒 '16 ▼
Black painted White painted	IP20	60° 4000°K Led 18,4W 2236 lm 121 lm/W 85 CRI 24V 500m/A	P15.54L.02	€ 350,00 🔒 '16 ▼
			P15.54L.06	€ 350,00 🔒 '16 ▼
Black painted White painted	IP20	24° 2700°K Led 18,4W 2020 lm 110 lm/W 85 CRI 24V 500m/A	P15.52S.02	€ 350,00 🔒 '16 ▼
			P15.52S.06	€ 350,00 🔒 '16 ▼
Black painted White painted	IP20	24° 3000°K Led 18,4W 2140 lm 116 lm/W 85 CRI 24V 500m/A	P15.53S.02	€ 350,00 🔒 '16 ▼
			P15.53S.06	€ 350,00 🔒 '16 ▼
Black painted White painted	IP20	24° 4000°K Led 18,4W 2236 lm 121 lm/W 85 CRI 24V 500m/A	P15.54S.02	€ 350,00 🔒 '16 ▼
			P15.54S.06	€ 350,00 🔒 '16 ▼
Black painted White painted	IP20	12° 2700°K Led 18,4W 2020 lm 110 lm/W 85 CRI 24V 500m/A	P15.52T.02	€ 350,00 🔒 '16 ▼
			P15.52T.06	€ 350,00 🔒 '16 ▼
Black painted White painted	IP20	12° 3000°K Led 18,4W 2140 lm 116 lm/W 85 CRI 24V 500m/A	P15.53T.02	€ 350,00 🔒 '16 ▼
			P15.53T.06	€ 350,00 🔒 '16 ▼
Black painted White painted	IP20	12° 4000°K Led 18,4W 2236 lm 121 lm/W 85 CRI 24V 500m/A	P15.54T.02	€ 350,00 🔒 '16 ▼
			P15.54T.06	€ 350,00 🔒 '16 ▼
sizes mm:		Electronic gear 24V series DIN:		
40x126x114		120W ON/OFF 0 ~ 5A	KIT.024.120	€ 83,00 🔒 '15
126x126x100		240W ON/OFF 0 ~ 10A	KIT.024.240	€ 170,00 🔒 '15
227x126x100		480W ON/OFF 0 ~ 20A	KIT.024.480	€ 303,00 🔒 '15



POP P15 Ø 12,5 for 24V track Eutrac **Led 26,9W** Dimmable on demand



Structure		Electrification Ⓢ	Code	Free of TAX
Black painted White painted	IP20	60° 2700°K Led 26,9W 2683 lm 100 lm/W 85 CRI 24V 700m/A	P15.62L.02	€ 350,00 🔒 '16 ▼
			P15.62L.06	€ 350,00 🔒 '16 ▼
Black painted White painted	IP20	60° 3000°K Led 26,9W 2842 lm 106 lm/W 85 CRI 24V 700m/A	P15.63L.02	€ 350,00 🔒 '16 ▼
			P15.63L.06	€ 350,00 🔒 '16 ▼
Black painted White painted	IP20	60° 4000°K Led 26,9W 2969 lm 110 lm/W 85 CRI 24V 700m/A	P15.64L.02	€ 350,00 🔒 '16 ▼
			P15.64L.06	€ 350,00 🔒 '16 ▼
Black painted White painted	IP20	24° 2700°K Led 26,9W 2683 lm 100 lm/W 85 CRI 24V 700m/A	P15.62S.02	€ 350,00 🔒 '16 ▼
			P15.62S.06	€ 350,00 🔒 '16 ▼
Black painted White painted	IP20	24° 3000°K Led 26,9W 2842 lm 106 lm/W 85 CRI 24V 700m/A	P15.63S.02	€ 350,00 🔒 '16 ▼
			P15.63S.06	€ 350,00 🔒 '16 ▼
Black painted White painted	IP20	24° 4000°K Led 26,9W 2969 lm 110 lm/W 85 CRI 24V 700m/A	P15.64S.02	€ 350,00 🔒 '16 ▼
			P15.64S.06	€ 350,00 🔒 '16 ▼
Black painted White painted	IP20	12° 2700°K Led 26,9W 2683 lm 100 lm/W 85 CRI 24V 700m/A	P15.62T.02	€ 350,00 🔒 '16 ▼
			P15.62T.06	€ 350,00 🔒 '16 ▼
Black painted White painted	IP20	12° 3000°K Led 26,9W 2842 lm 106 lm/W 85 CRI 24V 700m/A	P15.63T.02	€ 350,00 🔒 '16 ▼
			P15.63T.06	€ 350,00 🔒 '16 ▼
Black painted White painted	IP20	12° 4000°K Led 26,9W 2969 lm 110 lm/W 85 CRI 24V 700m/A	P15.64T.02	€ 350,00 🔒 '16 ▼
			P15.64T.06	€ 350,00 🔒 '16 ▼
sizes mm:		Electronic gear 24V series DIN:		
40x126x114		120W ON/OFF 0 ~ 5A	KIT.024.120	€ 83,00 🔒 '15
126x126x100		240W ON/OFF 0 ~ 10A	KIT.024.240	€ 170,00 🔒 '15
227x126x100		480W ON/OFF 0 ~ 20A	KIT.024.480	€ 303,00 🔒 '15







NEW

POP P16 Pull h. 15,7 Ø 12,5 for 230 voltage 3 circuit track Eutrac **Led 18,4W**



Structure		Electrification ☉	Code	Free of TAX
Black painted		60° 2700°K Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	P16P.52L.02	€ 415,00 🔒 '16
White painted			P16P.52L.06	€ 415,00 🔒 '16
Black painted	IP20	60° 3000°K Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	P16P.53L.02	€ 415,00 🔒 '16
White painted			P16P.53L.06	€ 415,00 🔒 '16
Black painted		60° 4000°K Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	P16P.54L.02	€ 415,00 🔒 '16
White painted			P16P.54L.06	€ 415,00 🔒 '16
Black painted		24° 2700°K Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	P16P.52S.02	€ 415,00 🔒 '16
White painted			P16P.52S.06	€ 415,00 🔒 '16
Black painted	IP20	24° 3000°K Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	P16P.53S.02	€ 415,00 🔒 '16
White painted			P16P.53S.06	€ 415,00 🔒 '16
Black painted		24° 4000°K Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	P16P.54S.02	€ 415,00 🔒 '16
White painted			P16P.54S.06	€ 415,00 🔒 '16
Black painted		12° 2700°K Led 18,4W 2020 lm 110 lm/W 85 CRI 500m/A	P16P.52T.02	€ 415,00 🔒 '16
White painted			P16P.52T.06	€ 415,00 🔒 '16
Black painted	IP20	12° 3000°K Led 18,4W 2140 lm 116 lm/W 85 CRI 500m/A	P16P.53T.02	€ 415,00 🔒 '16
White painted			P16P.53T.06	€ 415,00 🔒 '16
Black painted		12° 4000°K Led 18,4W 2236 lm 121 lm/W 85 CRI 500m/A	P16P.54T.02	€ 415,00 🔒 '16
White painted			P16P.54T.06	€ 415,00 🔒 '16

On demand dimmable DALI - PUSH - 1...10V - IGBT TRIAC



POP P16 Pull h. 21,0 Ø 12,5 for 230 voltage 3 circuit track Eutrac **Led 26,9W**

Structure		Electrification ☉	Code	Free of TAX
Black painted		60° 2700°K Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	P16P.62L.02	€ 430,00 🔒 '16 ▼
White painted			P16P.62L.06	€ 430,00 🔒 '16 ▼
Black painted	IP20	60° 3000°K Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	P16P.63L.02	€ 430,00 🔒 '16 ▼
White painted			P16P.63L.06	€ 430,00 🔒 '16 ▼
Black painted		60° 4000°K Led 26,9W 2969 lm 110 lm/W 85 CRI 700m/A	P16P.64L.02	€ 430,00 🔒 '16 ▼
White painted			P16P.64L.06	€ 430,00 🔒 '16 ▼
Black painted		24° 2700°K Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	P16P.62S.02	€ 430,00 🔒 '16 ▼
White painted			P16P.62S.06	€ 430,00 🔒 '16 ▼
Black painted	IP20	24° 3000°K Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	P16P.63S.02	€ 430,00 🔒 '16 ▼
White painted			P16P.63S.06	€ 430,00 🔒 '16 ▼
Black painted		24° 4000°K Led 26,9W 2969 lm 110 lm/W 85 CRI 700m/A	P16P.64S.02	€ 430,00 🔒 '16 ▼
White painted			P16P.64S.06	€ 430,00 🔒 '16 ▼
Black painted		12° 2700°K Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	P16P.62T.02	€ 430,00 🔒 '16 ▼
White painted			P16P.62T.06	€ 430,00 🔒 '16 ▼
Black painted	IP20	12° 3000°K Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	P16P.63T.02	€ 430,00 🔒 '16 ▼
White painted			P16P.63T.06	€ 430,00 🔒 '16 ▼
Black painted		12° 4000°K Led 26,9W 2969 lm 110 lm/W 85 CRI 700m/A	P16P.64T.02	€ 430,00 🔒 '16 ▼
White painted			P16P.64T.06	€ 430,00 🔒 '16 ▼

On demand dimmable DALI - PUSH - 1...10V


POP P16 Pull h. 21,0 Ø 12,5 for 230 voltage 3 circuit track Eutrac

Structure		Electrification	Code	Free of TAX
Black painted	IP20	12V G53 1x50W	P16P.530.02	€ 323,00 🔒 '13
White painted			P16P.530.06	€ 323,00 🔒 '13


POP P25 recessed *only for plasterboard*



Structure		Electrification ☺	Code	Free of TAX
Black painted	IP20	35° 2700°K Led 13,4W 1650 lm 123 lm/W 85 CRI 350m/A	P25.22M.02	€ 161,00 🔒 '16 ▼
White painted			P25.22M.06	€ 161,00 🔒 '16 ▼
Black painted	IP20	35° 3000°K Led 13,4W 1727 lm 129 lm/W 85 CRI 350m/A	P25.23M.02	€ 161,00 🔒 '16 ▼
White painted			P25.23M.06	€ 161,00 🔒 '16 ▼
Black painted	IP20	35° 4000°K Led 13,4W 1786 lm 133 lm/W 85 CRI 350m/A	P25.24M.02	€ 161,00 🔒 '16 ▼
White painted			P25.24M.06	€ 161,00 🔒 '16 ▼
sizes mm:		Converter for Led 350m/A:		
	115x45x27	ON/OFF	KIT.350.1L	€ 21,00 🔒 '13
	124x80x22	DALI - PUSH - 1...10V	KIT.351.40	€ 105,00 🔒 '15
	111x52x22	DALI	KIT.352.15	€ 59,00 🔒 '15
	111x52x22	PUSH - 1...10V	KIT.353.15	€ 59,00 🔒 '15
sizes mm:		Emergency unit: (inverter + battery. Driver not included)		
	185x59x34	1:00 hour	KIT.900.01	€ 95,00 🔒 '15
	212x46x34	3:00 hours	KIT.900.03	€ 137,00 🔒 '15



Hole for plasterboard: Ø cm. 13,2



ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.


- LED warranty only when used together with converter bought from Oty Srl

- emergency unit works only if the emergency Kit is connected to one converter ONLY.


POP P26 recessed *only for plasterboard*



Structure		Electrification ☺	Code	Free of TAX
Black painted	IP20	35° 2700°K Led 13,4W 1650 lm 123 lm/W 85 CRI 350m/A	P26.22M.02	€ 167,00 🔒 '15
White painted			P26.22M.06	€ 167,00 🔒 '15
Black painted	IP20	35° 3000°K Led 13,4W 1727 lm 129 lm/W 85 CRI 350m/A	P26.23M.02	€ 167,00 🔒 '15
White painted			P26.23M.06	€ 167,00 🔒 '15
Black painted	IP20	35° 4000°K Led 13,4W 1786 lm 133 lm/W 85 CRI 350m/A	P26.24M.02	€ 167,00 🔒 '15
White painted			P26.24M.06	€ 167,00 🔒 '15
sizes mm:		Converter for Led 350m/A:		
	115x45x27	ON/OFF	KIT.350.1L	€ 21,00 🔒 '13
	124x80x22	DALI - PUSH - 1...10V	KIT.351.40	€ 105,00 🔒 '15
	111x52x22	DALI	KIT.352.15	€ 59,00 🔒 '15
	111x52x22	PUSH - 1...10V	KIT.353.15	€ 59,00 🔒 '15
sizes mm:		Emergency unit: (inverter + battery. Driver not included)		
	185x59x34	1:00 hour	KIT.900.01	€ 95,00 🔒 '15
	212x46x34	3:00 hours	KIT.900.03	€ 137,00 🔒 '15



Hole for plasterboard: Ø cm. 8,0



ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.



- LED warranty only when used together with converter bought from Oty Srl

- emergency unit works only if the emergency Kit is connected to one converter ONLY.

POP P30S Sun Static Led 18,1W

Structure			Electrification ©	Code	Free of TAX
Black painted White painted			80° 2700°K Led 18,1W 2494 lm 138 lm/W 85 CRI 500m/A	P30S.62L.02 P30S.62L.06	€ 332,00 🗝️ '16 ▼ € 332,00 🗝️ '16 ▼
Black painted White painted	LOHD	IP40	80° 3000°K Led 18,1W 2611 lm 144 lm/W 85 CRI 500m/A	P30S.63L.02 P30S.63L.06	€ 332,00 🗝️ '16 ▼ € 332,00 🗝️ '16 ▼
Black painted White painted			80° 4000°K Led 18,1W 2697 lm 149 lm/W 85 CRI 500m/A	P30S.64L.02 P30S.64L.06	€ 332,00 🗝️ '16 ▼ € 332,00 🗝️ '16 ▼



On demand dimmable DALI - PUSH - 1...10V - IGBT TRIAC



POP P30P Sun Pull Led 12,3W

Structure			Electrification ©	Code	Free of TAX
Black painted White painted			80° 2700°K Led 12,3W 1792 lm 146 lm/W 85 CRI 350m/A	P30P.42L.02 P30P.42L.06	€ 461,00 🗝️ '15 € 461,00 🗝️ '15
Black painted White painted	LOHD	IP20	80° 3000°K Led 12,3W 1876 lm 153 lm/W 85 CRI 350m/A	P30P.43L.02 P30P.43L.06	€ 461,00 🗝️ '15 € 461,00 🗝️ '15
Black painted White painted			80° 4000°K Led 12,3W 1938 lm 158 lm/W 85 CRI 350m/A	P30P.44L.02 P30P.44L.06	€ 461,00 🗝️ '15 € 461,00 🗝️ '15
Black painted White painted			32° 2700°K Led 12,3W 1792 lm 146 lm/W 85 CRI 350m/A	P30P.52M.02 P30P.52M.06	€ 461,00 🗝️ '15 € 461,00 🗝️ '15
Black painted White painted	LOCS	IP20	32° 3000°K Led 12,3W 1876 lm 153 lm/W 85 CRI 350m/A	P30P.53M.02 P30P.53M.06	€ 461,00 🗝️ '15 € 461,00 🗝️ '15
Black painted White painted			32° 4000°K Led 12,3W 1938 lm 158 lm/W 85 CRI 350m/A	P30P.54M.02 P30P.54M.06	€ 461,00 🗝️ '15 € 461,00 🗝️ '15
Black painted White painted			24° 2700°K Led 12,3W 1792 lm 146 lm/W 85 CRI 350m/A	P30P.52S.02 P30P.52S.06	€ 461,00 🗝️ '15 € 461,00 🗝️ '15
Black painted White painted	LOCS	IP20	24° 3000°K Led 12,3W 1876 lm 153 lm/W 85 CRI 350m/A	P30P.53S.02 P30P.53S.06	€ 461,00 🗝️ '15 € 461,00 🗝️ '15
Black painted White painted			24° 4000°K Led 12,3W 1938 lm 158 lm/W 85 CRI 350m/A	P30P.54S.02 P30P.54S.06	€ 461,00 🗝️ '15 € 461,00 🗝️ '15


On demand dimmable DALI - PUSH - 1...10V - IGBT TRIAC







NEW POP PA32 Host ARC ON/OFF recessed canopy for plasterboard or wood ceiling

Wire	Structure		Electrification Ⓛ	Code	Free of TAX
Black	Black/Brass	IP20	2700°K Led 7W 800 lm 114 lm/W 80 CRI 220V÷240V	PA32.12L.2B	€ 412,00 🔒 '16



NEW POP PC32 Host CUP ON/OFF with external canopy

Wire	Structure		Electrification Ⓛ	Code	Free of TAX
Black	Black/Brass	IP20	2700°K Led 7W 800 lm 114 lm/W 80 CRI 220V÷240V	PC32.12L.2B	€ 412,00 🔒 '16



NEW POP P33 Host ON/OFF ceiling

delivering from 30/04/2016

Structure		Electrification Ⓛ	Code	Free of TAX
Black/Brass	IP20	2700°K Led 7W 800 lm 114 lm/W 80 CRI 220V÷240V	P33.12L.2B	€ 321,00 🔒 '16






NEW POP P40 Chandelier Ø 180cm Prepare a remote position for the two 24V gears

Structure		Electrification ①	Code	Free of TAX
Matt black painted White painted	IP20	35° 2700°K Led 24x13,4W 24x1650 lm 123 lm/W 85 CRI 24V	P40R.22M.02 P40R.22M.06	€ 6.500,00 ¹⁶ € 6.500,00 ¹⁶
Matt black painted White painted	IP20	35° 3000°K Led 24x13,4W 24x1727 lm 129 lm/W 85 CRI 24V	P40R.23M.02 P40R.23M.06	€ 6.500,00 ¹⁶ € 6.500,00 ¹⁶
N.B. Dimmable option (DALI - Push -1 ... 10V) need n. 2 KIT.024.DIM for the installation.			KIT.024.DIM	€ 91,00 ¹⁶



Time delivering: 30 working days



NEW POP P40 Chandelier 250x95cm Prepare a remote position for the two 24V gears

Structure		Electrification ①	Code	Free of TAX
Matt black painted White painted	IP20	35° 2700°K Led 24x13,4W 24x1650 lm 123 lm/W 85 CRI 24V	P40B.22M.02 P40B.22M.06	€ 6.550,00 ¹⁶ € 6.550,00 ¹⁶
Matt black painted White painted	IP20	35° 3000°K Led 24x13,4W 24x1727 lm 129 lm/W 85 CRI 24V	P40B.23M.02 P40B.23M.06	€ 6.550,00 ¹⁶ € 6.550,00 ¹⁶
N.B. Dimmable option (DALI - Push -1 ... 10V) need n. 2 KIT.024.DIM for the installation.			KIT.024.DIM	€ 91,00 ¹⁶


Time delivering: 30 working days





NEW POP P40 Chandelier 400x240cm Prepare a remote position for the two 24V gears

Structure		Electrification ①	Code	Free of TAX
Matt black painted White painted	IP20	35° 2700°K Led 24x13,4W 24x1650 lm 123 lm/W 85 CRI 24V	P40A.22M.02 P40A.22M.06	€ 7.800,00 ¹⁶ € 7.800,00 ¹⁶
Matt black painted White painted	IP20	35° 3000°K Led 24x13,4W 24x1727 lm 129 lm/W 85 CRI 24V	P40A.23M.02 P40A.23M.06	€ 7.800,00 ¹⁶ € 7.800,00 ¹⁶
N.B. Dimmable option (DALI - Push -1 ... 10V) need n. 2 KIT.024.DIM for the installation.			KIT.024.DIM	€ 91,00 ¹⁶

Time delivering: 30 working days





M POP P120 ARC recessed canopy for plasterboard or wood ceiling


Code		A	B	C
PA1.4XL.XX	Led	124,0	108,4	119,0
PA2.4XL.XX	Led	196,0	180,4	191,0

Attention: prepare a remote position for the converter because it can't pass through the hole

Structure			Electrification ①	Code	Free of TAX
Matt black painted		IP20	44° 3000°K Led 25,9W 2350 lm	PA1.43L.02	€ 707,00 🔒 '16
White painted			91 lm/W 85 CRI 24V	PA1.43L.06	€ 707,00 🔒 '16
N.B. Dimmable option (DALI - Push -1 ... 10V) need n. 1 KIT.024.DIM for the installation.				KIT.024.DIM	€ 91,00 🔒 '16


M POP P200 ARC recessed canopy for plasterboard or wood ceiling

Structure			Electrification ①	Code	Free of TAX
Matt black painted		IP20	44° 3000°K Led 43,2W 3915 lm	PA2.43L.02	€ 1.016,00 🔒 '16
White painted			91 lm/W 85 CRI 24V	PA2.43L.06	€ 1.016,00 🔒 '16
N.B. Dimmable option (DALI - Push -1 ... 10V) need n. 1 KIT.024.DIM for the installation.				KIT.024.DIM	€ 91,00 🔒 '16




M POP P120 CUP with external canopy

Structure			Electrification ①	Code	Free of TAX
Matt black painted		IP20	44° 3000°K Led 25,9W 2350 lm	PC1.43L.02	€ 733,00 🔒 '11
White painted			91 lm/W 85 CRI 24V	PC1.43L.06	€ 733,00 🔒 '11



M POP P200 CUP with external canopy Item dimmable on request

Structure			Electrification ①	Code	Free of TAX
Matt black painted		IP20	44° 3000°K Led 43,2W 3915 lm	PC2.43L.02	€ 1.050,00 🔒 '11
White painted			91 lm/W 85 CRI 24V	PC2.43L.06	€ 1.050,00 🔒 '11



Code		A	B
P122.4XL.XX	Led	240	227
P202.4XL.XX	Led	384	371

POP P122 Brooklyn ARC *recessed canopy for plasterboard ceiling*

Structure		Electrification ⓘ	Code	Free of TAX
Matt black painted		IP20 44° 3000°K Led 2x25,9W 2x2350 lm 91 lm/W 85 CRI 24V	P122.43L.02	€ 1.391,00 🔒 '11
White painted			P122.43L.06	€ 1.391,00 🔒 '11
Housing for plasterboard	●	N.B. l'art. P122 -Brooklyn- needs 2 housings for the installation	Z00.120.01	€ 46,00 🔒 '11
Housing for brickwork	●		M00.120.01	€ 111,00 🔒 '11
N.B. Dimmable option (DALI - Push -1 ... 10V) need n. 2 KIT.024.DIM for the installation.			KIT.024.DIM	€ 91,00 🔒 '16


POP P202 Brooklyn ARC *recessed canopy for plasterboard ceiling*

Structure		Electrification ⓘ	Code	Free of TAX
Matt black painted		IP20 44° 3000°K Led 2x43,2W 2x3915 lm 91 lm/W 85 CRI 24V	P202.43L.02	€ 2.023,00 🔒 '11
White painted			P202.43L.06	€ 2.023,00 🔒 '11
Housing for plasterboard	●	N.B. art. P202 - Brooklyn- needs 2 housings for the installation	Z00.120.01	€ 46,00 🔒 '11
Housing for brickwork	●		M00.120.01	€ 111,00 🔒 '11
N.B. Dimmable option (DALI - Push -1 ... 10V) need n. 2 KIT.024.DIM for the installation.			KIT.024.DIM	€ 91,00 🔒 '16





100 Oty light




Code		A	B	C
P123.4XL.XX	Led	240	219,8	4,1
P203.4XL.XX	Led	384	363,8	4,7

POP P123 Brooklyn CUP ON/OFF *with external canopy*

Structure		Electrification ①	Code	Free of TAX
Matt black painted		IP20	44° 3000°K Led 2x25,9W 2x2350 lm	P123.43L.02
White painted			91 lm/W 85 CRI 24V	P123.43L.06
				€ 1.600,00
				€ 1.600,00

POP P203 Brooklyn CUP *with external canopy* Item dimmable on request

Structure		Electrification ①	Code	Free of TAX
Matt black painted		IP20	44° 3000°K Led 2x43,2W 2x3915 lm	P203.43L.02
White painted			91 lm/W 85 CRI 24V	P203.43L.06
				€ 2.200,00
				€ 2.200,00



NEW POP P207 Up


Structure		Electrification ⓘ	Code	Free of TAX
Matt black painted	IP20	44° 3000°K Led 58,3W 5285 lm 91 lm/W 85 CRI 24V	P207.A3L.02 P207.A3L.06	€ 1.150,00 🗝️ '16 € 1.150,00 🗝️ '16
White painted				
		<i>wired for switch controlled socket CEI 3-23</i>		
Matt black painted	IP20	44° 3000°K Led 58,3W 5285 lm 91 lm/W 85 CRI 24V	P207.B3L.02 P207.B3L.06	€ 1.150,00 🗝️ '16 € 1.150,00 🗝️ '16
White painted				
		<i>ON-OFF switch on power supply cable</i>		

Time delivering: 15 working days



NEW SKY Line *only for plasterboard Item dimmable on request*


Structure	Reflector		Electrification ①	Code	Free of TAX
Open/Open Open/Closed Closed/Closed	White Methacrylate White Methacrylate White Methacrylate	IP40	80° 3000°K Led 11,4W 949 lm 83 lm/W 85 CRI 24V	S06.63L.AA S06.63L.AC S06.63L.CC	€ 300,00 € 300,00 € 300,00
Open/Open Open/Closed Closed/Closed	White Methacrylate White Methacrylate White Methacrylate	IP40	80° 3000°K Led 17,4W 1449 lm 83 lm/W 85 CRI 24V	S09.63L.AA S09.63L.AC S09.63L.CC	€ 380,00 € 380,00 € 380,00
Open/Open Open/Closed Closed/Closed	White Methacrylate White Methacrylate White Methacrylate	IP40	80° 3000°K Led 23,4W 1948 lm 83 lm/W 85 CRI 24V	S12.63L.AA S12.63L.AC S12.63L.CC	€ 461,00 € 461,00 € 461,00
Open/Open Open/Closed Closed/Closed	White Methacrylate White Methacrylate White Methacrylate	IP40	80° 3000°K Led 29,4W 2448 lm 83 lm/W 85 CRI 24V	S15.63L.AA S15.63L.AC S15.63L.CC	€ 525,00 € 525,00 € 525,00



Code	L cm.
S06.6XL.XX	60,0
S09.6XL.XX	90,0
S12.6XL.XX	120,0
S15.6XL.XX	150,0

ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.

- LED warranty only when used together with converter bought from Oty Srl



Acrylic

C Closed/Closed

A Open/Open

A Open/Closed

Example of Sky line composition:
Possibility of linear composition for maximum 4 elements.



NEW SKY Line *only for housing - brickwork Item dimmable on request*

Structure	Reflector		Electrification ①	Code	Free of TAX
Open/Open Open/Closed Closed/Closed	White Methacrylate White Methacrylate White Methacrylate	IP40	80° 3000°K Led 11,4W 949 lm 83 lm/W 85 CRI 24V	S06.63L.AAZ S06.63L.ACZ S06.63L.CCZ	€ 300,00 € 300,00 € 300,00
Open/Open Open/Closed Closed/Closed	White Methacrylate White Methacrylate White Methacrylate	IP40	80° 3000°K Led 17,4W 1449 lm 83 lm/W 85 CRI 24V	S09.63L.AAZ S09.63L.ACZ S09.63L.CCZ	€ 380,00 € 380,00 € 380,00
Open/Open Open/Closed Closed/Closed	White Methacrylate White Methacrylate White Methacrylate	IP40	80° 3000°K Led 23,4W 1948 lm 83 lm/W 85 CRI 24V	S12.63L.AAZ S12.63L.ACZ S12.63L.CCZ	€ 461,00 € 461,00 € 461,00
Open/Open Open/Closed Closed/Closed	White Methacrylate White Methacrylate White Methacrylate	IP40	80° 3000°K Led 29,4W 2448 lm 83 lm/W 85 CRI 24V	S15.63L.AAZ S15.63L.ACZ S15.63L.CCZ	€ 525,00 € 525,00 € 525,00


SKY Line housing *only for brickwork*

	H	L	P	Code	Free of TAX
Housing for Sky Line 60	4,0	60,0	6,5	L60-Z	€ 54,00
Housing for Sky Line 90	4,0	90,0	6,5	L90-Z	€ 59,00
Housing for Sky Line 120	4,0	120,0	6,5	L120-Z	€ 64,00
Housing for Sky Line 150	4,0	150,0	6,5	L150-Z	€ 68,00



SKY Walk 5 *for plasterboard and brickwork*

Structure	Reflector		Electrification ②	Code	Free of TAX
	White Methacrylate White Methacrylate	IP40	Led 1,2W 350mA 3000°K Led 1,2W 350mA 6500°K	SKW5L30 SKW5L65	€ 59,00 € 59,00
	sizes mm: 68x35x22 68x35x22 115x34x19 124x79x22		Converter for Led 350m/A: ON/OFF min. 1 - max. 3 ON/OFF min. 1 - max. 6 ON/OFF min. 1 - max. 12 DALI - PUSH - 1...10V min. 1 - max. 20	KIT.350.04 KIT.350.08 KIT.350.15 KIT.351.25	€ 17,00 € 20,00 € 27,00 € 105,00
			ATTENTION: - the dimensions of the converters could change without any possibility of notification, because of the continuous technological innovation. - Led warranty only when used together with converter bought from Oty		
			Housing for brickwork Sky Walk 5	W5-Z	€ 7,00



Code	L1	L2	L3	P
Sky W5	5,0	5,0	Ø 3,7	4,5




ROS Led 1,2W 350mA 6500°K




TIM T01

Structure	Electrification	Code	Free of TAX
Matt black painted	IP20 230V GU10 max 1x50	T01.210.02	€ 113,00
Brushed steel		T01.210.04	€ 123,00
White painted		T01.210.06	€ 113,00
Corten painted		T01.210.08	€ 123,00
Polished steel		T01.210.09	€ 139,00
Matt black painted	IP20 70° 3000°K Led 13W 1010 lm 78 lm/W 85 CRI 220V±240V <i>Dimmable by IGBT technology</i>	T01.33S.02	€ 209,00
White painted		T01.33S.06	€ 209,00




▲ T01.210.XX




▲ T01.33S.XX

TIM T13


Structure	Electrification	Code	Free of TAX
Matt black painted	IP20 230V GU10 max 3x50W	T13.210.02	€ 171,00
Brushed steel		T13.210.04	€ 216,00
White painted		T13.210.06	€ 171,00
Corten painted		T13.210.08	€ 185,00
Polished steel		T13.210.09	€ 236,00
Matt black painted	IP20 70° 3000°K Led 13W 1010 lm 78 lm/W 85 CRI 220V±240V <i>Dimmable by IGBT technology</i>	T13.33S.02	€ 257,00
White painted		T13.33S.06	€ 257,00



▲ T13.210.XX






▲ T13.33S.XX






TIM T02 Led 26,9W On demand dimmable DALI - PUSH - 1...10V

Electrification	Code	Structure	Free of TAX
IP20 60° 2700°K Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	T02.62L.02	Matt black painted	€ 354,00
	T02.62L.03	Aluminium painted	€ 354,00
	T02.62L.04	Brushed steel	€ 386,00
	T02.62L.06	White painted	€ 354,00
	T02.62L.09	Polished steel	€ 407,00
IP20 60° 3000°K Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	T02.63L.02	Matt black painted	€ 354,00
	T02.63L.03	Aluminium painted	€ 354,00
	T02.63L.04	Brushed steel	€ 386,00
	T02.63L.06	White painted	€ 354,00
	T02.63L.09	Polished steel	€ 407,00
IP20 60° 4000°K Led 26,9W 2969 lm 110 lm/W 85 CRI 700m/A	T02.64L.02	Matt black painted	€ 354,00
	T02.64L.03	Aluminium painted	€ 354,00
	T02.64L.04	Brushed steel	€ 386,00
	T02.64L.06	White painted	€ 354,00
	T02.64L.09	Polished steel	€ 407,00
IP20 24° 2700°K Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	T02.62S.02	Matt black painted	€ 354,00
	T02.62S.03	Aluminium painted	€ 354,00
	T02.62S.04	Brushed steel	€ 386,00
	T02.62S.06	White painted	€ 354,00
	T02.62S.09	Polished steel	€ 407,00
IP20 24° 3000°K Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	T02.63S.02	Matt black painted	€ 354,00
	T02.63S.03	Aluminium painted	€ 354,00
	T02.63S.04	Brushed steel	€ 386,00
	T02.63S.06	White painted	€ 354,00
	T02.63S.09	Polished steel	€ 407,00
IP20 24° 4000°K Led 26,9W 2969 lm 110 lm/W 85 CRI 700m/A	T02.64S.02	Matt black painted	€ 354,00
	T02.64S.03	Aluminium painted	€ 354,00
	T02.64S.04	Brushed steel	€ 386,00
	T02.64S.06	White painted	€ 354,00
	T02.64S.09	Polished steel	€ 407,00
IP20 12° 2700°K Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	T02.62T.02	Matt black painted	€ 354,00
	T02.62T.03	Aluminium painted	€ 354,00
	T02.62T.04	Brushed steel	€ 386,00
	T02.62T.06	White painted	€ 354,00
	T02.62T.09	Polished steel	€ 407,00
IP20 12° 3000°K Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	T02.63T.02	Matt black painted	€ 354,00
	T02.63T.03	Aluminium painted	€ 354,00
	T02.63T.04	Brushed steel	€ 386,00
	T02.63T.06	White painted	€ 354,00
	T02.63T.09	Polished steel	€ 407,00
IP20 12° 4000°K Led 26,9W 2969 lm 110 lm/W 85 CRI 700m/A	T02.64T.02	Matt black painted	€ 354,00
	T02.64T.03	Aluminium painted	€ 354,00
	T02.64T.04	Brushed steel	€ 386,00
	T02.64T.06	White painted	€ 354,00
	T02.64T.09	Polished steel	€ 407,00
IP20 12V G53 1x50W max	T02.53S.02	Matt black painted	€ 230,00
	T02.53S.03	Aluminium painted	€ 230,00
	T02.53S.04	Brushed steel	€ 260,00
	T02.53S.06	White painted	€ 230,00
	T02.53S.09	Polished steel	€ 285,00



ROS Aluminium painted - Brushed steel
Polished steel



TIM T03 Led **26,9W** On demand dimmable DALI - PUSH - 1...10V



ROS Aluminium painted - Brushed steel
Polished steel


	Electrification ©	Code	Structure	Free of TAX
IP20	60° 2700°K Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	T03.62L.02	Matt black painted	€ 343,00
		T03.62L.03	Aluminium painted	€ 343,00
		T03.62L.04	Brushed steel	€ 364,00
		T03.62L.06	White painted	€ 343,00
		T03.62L.09	Polished steel	€ 396,00
IP20	60° 3000°K Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	T03.63L.02	Matt black painted	€ 343,00
		T03.63L.03	Aluminium painted	€ 343,00
		T03.63L.04	Brushed steel	€ 364,00
		T03.63L.06	White painted	€ 343,00
		T03.63L.09	Polished steel	€ 396,00
IP20	60° 4000°K Led 26,9W 2969 lm 110 lm/W 85 CRI 700m/A	T03.64L.02	Matt black painted	€ 343,00
		T03.64L.03	Aluminium painted	€ 343,00
		T03.64L.04	Brushed steel	€ 364,00
		T03.64L.06	White painted	€ 343,00
		T03.64L.09	Polished steel	€ 396,00
IP20	24° 2700°K Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	T03.62S.02	Matt black painted	€ 343,00
		T03.62S.03	Aluminium painted	€ 343,00
		T03.62S.04	Brushed steel	€ 364,00
		T03.62S.06	White painted	€ 343,00
		T03.62S.09	Polished steel	€ 396,00
IP20	24° 3000°K Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	T03.63S.02	Matt black painted	€ 343,00
		T03.63S.03	Aluminium painted	€ 343,00
		T03.63S.04	Brushed steel	€ 364,00
		T03.63S.06	White painted	€ 343,00
		T03.63S.09	Polished steel	€ 396,00
IP20	24° 4000°K Led 26,9W 2969 lm 110 lm/W 85 CRI 700m/A	T03.64S.02	Matt black painted	€ 343,00
		T03.64S.03	Aluminium painted	€ 343,00
		T03.64S.04	Brushed steel	€ 364,00
		T03.64S.06	White painted	€ 343,00
		T03.64S.09	Polished steel	€ 396,00
IP20	12° 2700°K Led 26,9W 2683 lm 100 lm/W 85 CRI 700m/A	T03.62T.02	Matt black painted	€ 343,00
		T03.62T.03	Aluminium painted	€ 343,00
		T03.62T.04	Brushed steel	€ 364,00
		T03.62T.06	White painted	€ 343,00
		T03.62T.09	Polished steel	€ 396,00
IP20	12° 3000°K Led 26,9W 2842 lm 106 lm/W 85 CRI 700m/A	T03.63T.02	Matt black painted	€ 343,00
		T03.63T.03	Aluminium painted	€ 343,00
		T03.63T.04	Brushed steel	€ 364,00
		T03.63T.06	White painted	€ 343,00
		T03.63T.09	Polished steel	€ 396,00
IP20	12° 4000°K Led 26,9W 2969 lm 110 lm/W 85 CRI 700m/A	T03.64T.02	Matt black painted	€ 343,00
		T03.64T.03	Aluminium painted	€ 343,00
		T03.64T.04	Brushed steel	€ 364,00
		T03.64T.06	White painted	€ 343,00
		T03.64T.09	Polished steel	€ 396,00
IP20	12V G53 1x50W max	T03.535.02	Matt black painted	€ 225,00
		T03.535.03	Aluminium painted	€ 225,00
		T03.535.04	Brushed steel	€ 255,00
		T03.535.06	White painted	€ 225,00
		T03.535.09	Polished steel	€ 280,00

TIM T22 Led **26,9W** On demand dimmable DALI - PUSH - 1...10V



ROS Aluminium painted - Brushed steel
Polished steel



	Electrification ©	Code	Structure	Free of TAX
IP20	60° 2700°K Led 2x26,9W 2x2683 lm 100 lm/W 85 CRI 700m/A	T22.62L.02	Matt black painted	€ 610,00
		T22.62L.03	Aluminium painted	€ 610,00
		T22.62L.04	Brushed steel	€ 653,00
		T22.62L.06	White painted	€ 610,00
		T22.62L.09	Polished steel	€ 728,00
IP20	60° 3000°K Led 2x26,9W 2x2842 lm 106 lm/W 85 CRI 700m/A	T22.63L.02	Matt black painted	€ 610,00
		T22.63L.03	Aluminium painted	€ 610,00
		T22.63L.04	Brushed steel	€ 653,00
		T22.63L.06	White painted	€ 610,00
		T22.63L.09	Polished steel	€ 728,00
IP20	60° 4000°K Led 2x26,9W 2x2969 lm 110 lm/W 85 CRI 700m/A	T22.64L.02	Matt black painted	€ 610,00
		T22.64L.03	Aluminium painted	€ 610,00
		T22.64L.04	Brushed steel	€ 653,00
		T22.64L.06	White painted	€ 610,00
		T22.64L.09	Polished steel	€ 728,00
IP20	24° 2700°K Led 2x26,9W 2x2683 lm 100 lm/W 85 CRI 700m/A	T22.62S.02	Matt black painted	€ 610,00
		T22.62S.03	Aluminium painted	€ 610,00
		T22.62S.04	Brushed steel	€ 653,00
		T22.62S.06	White painted	€ 610,00
		T22.62S.09	Polished steel	€ 728,00
IP20	24° 3000°K Led 2x26,9W 2x2842 lm 106 lm/W 85 CRI 700m/A	T22.63S.02	Matt black painted	€ 610,00
		T22.63S.03	Aluminium painted	€ 610,00
		T22.63S.04	Brushed steel	€ 653,00
		T22.63S.06	White painted	€ 610,00
		T22.63S.09	Polished steel	€ 728,00
IP20	24° 4000°K Led 2x26,9W 2x2969 lm 110 lm/W 85 CRI 700m/A	T22.64S.02	Matt black painted	€ 610,00
		T22.64S.03	Aluminium painted	€ 610,00
		T22.64S.04	Brushed steel	€ 653,00
		T22.64S.06	White painted	€ 610,00
		T22.64S.09	Polished steel	€ 728,00
IP20	12° 2700°K Led 2x26,9W 2x2683 lm 100 lm/W 85 CRI 700m/A	T22.62T.02	Matt black painted	€ 610,00
		T22.62T.03	Aluminium painted	€ 610,00
		T22.62T.04	Brushed steel	€ 653,00
		T22.62T.06	White painted	€ 610,00
		T22.62T.09	Polished steel	€ 728,00
IP20	12° 3000°K Led 2x26,9W 2x2842 lm 106 lm/W 85 CRI 700m/A	T22.63T.02	Matt black painted	€ 610,00
		T22.63T.03	Aluminium painted	€ 610,00
		T22.63T.04	Brushed steel	€ 653,00
		T22.63T.06	White painted	€ 610,00
		T22.63T.09	Polished steel	€ 728,00
IP20	12° 4000°K Led 2x26,9W 2x2969 lm 110 lm/W 85 CRI 700m/A	T22.64T.02	Matt black painted	€ 610,00
		T22.64T.03	Aluminium painted	€ 610,00
		T22.64T.04	Brushed steel	€ 653,00
		T22.64T.06	White painted	€ 610,00
		T22.64T.09	Polished steel	€ 728,00
IP20	12V G53 2x50W max	T22.535.02	Matt black painted	€ 375,00
		T22.535.03	Aluminium painted	€ 375,00
		T22.535.04	Brushed steel	€ 448,00
		T22.535.06	White painted	€ 375,00
		T22.535.09	Polished steel	€ 518,00



ROS Aluminium painted - Brushed steel
Polished steel

TIM T32 Led 26,9W On demand dimmable DALI - PUSH - 1...10V

	Electrification ©	Code	Structure	Free of TAX		
IP20	60° 2700°K Led 2x26,9W 2x2683 lm 100 lm/W 85 CRI 700m/A	T32.62L.02	Matt black painted	€ 600,00 '16		
		T32.62L.03	Aluminium painted	€ 600,00 '16		
		T32.62L.04	Brushed steel	€ 610,00 '16		
		T32.62L.06	White painted	€ 600,00 '16		
		T32.62L.09	Polished steel	€ 632,00 '16		
		T32.63L.02	Matt black painted	€ 600,00 '16		
		T32.63L.03	Aluminium painted	€ 600,00 '16		
		T32.63L.04	Brushed steel	€ 610,00 '16		
		T32.63L.06	White painted	€ 600,00 '16		
IP20	60° 3000°K Led 2x26,9W 2x2842 lm 106 lm/W 85 CRI 700m/A	T32.63L.09	Polished steel	€ 632,00 '16		
		T32.64L.02	Matt black painted	€ 600,00 '16		
		T32.64L.03	Aluminium painted	€ 600,00 '16		
		T32.64L.04	Brushed steel	€ 610,00 '16		
		T32.64L.06	White painted	€ 600,00 '16		
		T32.64L.09	Polished steel	€ 632,00 '16		
		IP20	60° 4000°K Led 2x26,9W 2x2969 lm 110 lm/W 85 CRI 700m/A	T32.62S.02	Matt black painted	€ 600,00 '12
				T32.62S.03	Aluminium painted	€ 600,00 '12
				T32.62S.04	Brushed steel	€ 610,00 '15
T32.62S.06	White painted			€ 600,00 '12		
T32.62S.09	Polished steel			€ 632,00 '12		
T32.63S.02	Matt black painted			€ 600,00 '12		
T32.63S.03	Aluminium painted			€ 600,00 '12		
T32.63S.04	Brushed steel			€ 610,00 '15		
T32.63S.06	White painted			€ 600,00 '12		
IP20	24° 3000°K Led 2x26,9W 2x2842 lm 106 lm/W 85 CRI 700m/A	T32.63S.09	Polished steel	€ 632,00 '12		
		T32.64S.02	Matt black painted	€ 600,00 '12		
		T32.64S.03	Aluminium painted	€ 600,00 '12		
		T32.64S.04	Brushed steel	€ 610,00 '15		
		T32.64S.06	White painted	€ 600,00 '12		
		T32.64S.09	Polished steel	€ 632,00 '12		
		IP20	24° 4000°K Led 2x26,9W 2x2969 lm 110 lm/W 85 CRI 700m/A	T32.62T.02	Matt black painted	€ 600,00 '16
				T32.62T.03	Aluminium painted	€ 600,00 '16
				T32.62T.04	Brushed steel	€ 610,00 '16
T32.62T.06	White painted			€ 600,00 '16		
T32.62T.09	Polished steel			€ 632,00 '16		
T32.63T.02	Matt black painted			€ 600,00 '16		
T32.63T.03	Aluminium painted			€ 600,00 '16		
T32.63T.04	Brushed steel			€ 610,00 '16		
T32.63T.06	White painted			€ 600,00 '16		
IP20	12° 3000°K Led 2x26,9W 2x2842 lm 106 lm/W 85 CRI 700m/A	T32.63T.09	Polished steel	€ 632,00 '16		
		T32.64T.02	Matt black painted	€ 600,00 '16		
		T32.64T.03	Aluminium painted	€ 600,00 '16		
		T32.64T.04	Brushed steel	€ 610,00 '16		
		T32.64T.06	White painted	€ 600,00 '16		
		T32.64T.09	Polished steel	€ 632,00 '16		
		IP20	12° 4000°K Led 2x26,9W 2x2969 lm 110 lm/W 85 CRI 700m/A	T32.535.02	Matt black painted	€ 343,00 '15
				T32.535.03	Aluminium painted	€ 343,00 '15
				T32.535.04	Brushed steel	€ 375,00 '15
T32.535.06	White painted			€ 343,00 '15		
T32.535.09	Polished steel			€ 400,00 '11		
IP20	12V G53 2x50W max ① ②					



TIM T25

Structure		Electrification ©	Code	Free of TAX
Matt black painted White painted	IP20	104° 3000°K Led 17W 2030 lm 121 lm/W 85 CRI 700m/A	T25.63L.02	€ 279,00 '16
			T25.63L.06	€ 279,00 '16

TIM T60


Structure		Electrification ©	Code	Free of TAX
Matt black painted White painted	IP20	104° 3000°K Led 34,2W 4120 lm 120 lm/W 85 CRI 700m/A	T60.63L.02	€ 364,00 '16
			T60.63L.06	€ 364,00 '16

On demand dimmable DALI - PUSH - 1...10V

TIM T120

Structure		Electrification ©	Code	Free of TAX
Matt black painted White painted	IP20	104° 3000°K Led 68,4W 8240 lm 120 lm/W 85 CRI 700m/A	T120.63L.02	€ 568,00 '16
			T120.63L.06	€ 568,00 '16



On demand dimmable DALI - PUSH - 1...10V



TIM T121

Structure		Electrification ©	Code	Free of TAX
Matt black painted White painted	IP20	104° 3000°K Led 68,4W 8240 lm 120 lm/W 85 CRI 700m/A	T121.63L.02	€ 630,00 '16
			T121.63L.06	€ 630,00 '16

On demand dimmable DALI - PUSH - 1...10V



TIM T124 ARC recessed canopy for plasterboard or wood ceiling Double switches up and down


Structure			Electrification ①	Code	Free of TAX
Matt black painted			44° 3000°K Led 2x25,9W 2x2350 lm	TA1.43L.02	€ 835,00
White painted		IP20	91 lm/W 85 CRI 24V	TA1.43L.06	€ 835,00
N.B. Dimmable option (DALI - Push -1 ... 10V) need n. 2 KIT.024.DIM for the installation.				KIT.024.DIM	€ 91,00

TIM T196 ARC recessed canopy for plasterboard or wood ceiling Double switches up and down

Structure			Electrification ①	Code	Free of TAX
Matt black painted			44° 3000°K Led 2x43,2W 2x3915 lm	TA2.43L.02	€ 1.177,00
White painted		IP20	91 lm/W 85 CRI 24V	TA2.43L.06	€ 1.177,00
N.B. Dimmable option (DALI - Push -1 ... 10V) need n. 2 KIT.024.DIM for the installation.				KIT.024.DIM	€ 91,00


Code		A	B	C
TA1.4XL.XX	Led	124,0	108,4	119,0
TA2.4XL.XX	Led	196,0	180,4	191,0

Attention: prepare a remote position for the converter because it can't pass through the housing




TIM T124 CUP with external canopy Singular switch - On demand dimmable DALI - PUSH - 1...10V

Structure			Electrification ①	Code	Free of TAX
Matt black painted			44° 3000°K Led 2x25,9W 2x2350 lm	TC1.43L.02	€ 835,00
White painted		IP20	91 lm/W 85 CRI 24V	TC1.43L.06	€ 835,00



TIM T196 CUP ON/OFF with external canopy Singular switch



Structure			Electrification ①	Code	Free of TAX
Matt black painted			44° 3000°K Led 2x43,2W 2x3915 lm	TC2.43L.02	€ 1.177,00
White painted		IP20	91 lm/W 85 CRI 24V	TC2.43L.06	€ 1.177,00



TANGO 80 SE hanging ROS

Structure			Electrification	Code	Free of TAX
Matt black painted				TANGO80-SE 2	€ 370,00 '16 ▼
Aluminium painted				TANGO80-SE 3	€ 370,00 '16 ▼
Brushed Steel				TANGO80-SE 4	€ 420,00 '16 ▼
White painted	IP40	G5	1x80W	TANGO80-SE 6	€ 370,00 '16 ▼
Rust painted				TANGO80-SE 8	€ 370,00 '16 ▼
Polished Steel				TANGO80-SE 9	€ 430,00 '16 ▼
Gold leaf				TANGO80-SE FO	€ 460,00 '16 ▼


Code	A	B	C	D	E	F
TANGO80SE	160	5,1	5,6	200	41	4,2



Code	L1	L2	L3	P1	P2	H
TUM40-T	40,0	32,0	10,0	7,2	3,8	20,5

TUM 40 Tech wall - ceiling ROS

Structure	Reflector		Electrification	Code	Free of TAX
Matt black painted				TUM40T-E 2	€ 257,00 '16 ▼
Brushed Steel				TUM40T-E 4	€ 293,00 '16 ▼
White painted	Satinized White	IP40	2Gx13 1x22W E electronic ballast	TUM40T-E 6	€ 257,00 '16 ▼
Rust painted	Methacrylate			TUM40T-E 8	€ 270,00 '16 ▼
Polished Steel				TUM40T-E 9	€ 305,00 '16 ▼
Matt black painted				TUM40T-ED 2	€ 314,00 '16 ▼
Brushed Steel				TUM40T-ED 4	€ 351,00 '16 ▼
White painted	Satinized White	IP40	2Gx13 1x22W ED - DALI	TUM40T-ED 6	€ 314,00 '16 ▼
Rust painted	Methacrylate		electronic dimmable EXCEL one4all	TUM40T-ED 8	€ 327,00 '16 ▼
Polished Steel				TUM40T-ED 9	€ 364,00 '16 ▼



Code	L1	L2	L3	P1	P2	H
TUM60-T	59,5	48,0	15,0	7,2	3,8	45,0



TUM 60 Tech wall - ceiling ROS

Structure	Reflector		Electrification	Code	Free of TAX
Matt black painted				TUM60T-E 2	€ 341,00 '16 ▼
Brushed Steel				TUM60T-E 4	€ 394,00 '16 ▼
White painted	Satinized White	IP40	2Gx13 1x55W E electronic ballast	TUM60T-E 6	€ 341,00 '16 ▼
Rust painted	Methacrylate			TUM60T-E 8	€ 356,00 '16 ▼
Polished Steel				TUM60T-E 9	€ 417,00 '16 ▼
Matt black painted				TUM60T-ED 2	€ 389,00 '16 ▼
Brushed Steel				TUM60T-ED 4	€ 442,00 '16 ▼
White painted	Satinized White	IP40	2Gx13 1x40W ED - DALI	TUM60T-ED 6	€ 389,00 '16 ▼
Rust painted	Methacrylate		electronic dimmable EXCEL one4all	TUM60T-ED 8	€ 407,00 '16 ▼
Polished Steel				TUM60T-ED 9	€ 465,00 '16 ▼

Emergency:
N° 1 bulb switch on at 20% powered.
Battery: 1:00 h

WALLY W01 Dynamic Ø 12,5 Led 12,3W - 18,1W

		Electrification ☺	Code	Structure	Free of TAX				
LOCS PLUS	IP20	50° 2700°K Led 12,3W 1792 lm 146 lm/W 85 CRI 350m/A Led 18,1W 2494 lm 138 lm/W 85 CRI 500m/A	W01D.52M.02	Black	€ 320,00 📦'16				
			W01D.52M.06	White	€ 320,00 📦'16				
		50° 3000°K Led 12,3W 1876 lm 153 lm/W 85 CRI 350m/A Led 18,1W 2611 lm 144 lm/W 85 CRI 500m/A	W01D.53M.02	Black	€ 320,00 📦'16				
	W01D.53M.06		White	€ 320,00 📦'16					
	50° 4000°K Led 12,3W 1938 lm 158 lm/W 85 CRI 350m/A Led 18,1W 2697 lm 149 lm/W 85 CRI 500m/A	W01D.54M.02	Black	€ 320,00 📦'16					
		W01D.54M.06	White	€ 320,00 📦'16					
LOCS PLUS	IP20	24° 2700°K Led 12,3W 1792 lm 146 lm/W 85 CRI 350m/A Led 18,1W 2494 lm 138 lm/W 85 CRI 500m/A	W01D.52S.02	Black	€ 320,00 📦'16				
			W01D.52S.06	White	€ 320,00 📦'16				
		24° 3000°K Led 12,3W 1876 lm 153 lm/W 85 CRI 350m/A Led 18,1W 2611 lm 144 lm/W 85 CRI 500m/A	W01D.53S.02	Black	€ 320,00 📦'16				
	W01D.53S.06		White	€ 320,00 📦'16					
	24° 4000°K Led 12,3W 1938 lm 158 lm/W 85 CRI 350m/A Led 18,1W 2697 lm 149 lm/W 85 CRI 500m/A	W01D.54S.02	Black	€ 320,00 📦'16					
		W01D.54S.06	White	€ 320,00 📦'16					
sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22 sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22 sizes mm: 185x59x34 212x46x34			Converter for Led 350m/A:		€ 21,00 📦'13 € 105,00 📦'15 € 59,00 📦'15 € 59,00 📦'15				
			12,3W	ON/OFF		min. 1 - max. 1	350m/A	KIT.350.1L	
				DALI - PUSH - 1...10V		min. 1 - max. 3	350m/A	KIT.351.40	
				DALI		min. 1 - max. 1	350m/A	KIT.352.15	
				PUSH - 1...10V		min. 1 - max. 1	350m/A	KIT.353.15	
			18,1W	ON/OFF		min. 1 - max. 1	500m/A	KIT.500.1L	
				DALI - PUSH - 1...10V		min. 1 - max. 2	500m/A	KIT.501.50	
				DALI		min. 1 - max. 1	500m/A	KIT.502.20	
				PUSH - 1...10V		min. 1 - max. 1	500m/A	KIT.503.20	
			Emergency unit: (inverter + battery. Driver not included)						
			1:00 hour	min. 1 - max. 1			KIT.900.01	€ 95,00 📦'15	
			3:00 hours	min. 1 - max. 1			KIT.900.03	€ 137,00 📦'15	
Led and Emergency unit, warranty only when used together with converter bought from Oty									
Housing for plasterboard	● ●● ●●●	singular unit housing	Z00.125.01	€ 38,00 📦'11					
		double linear unit housing	Z00.125.2L	€ 75,00 📦'11					
		triple linear unit housing	Z00.125.3L	€ 106,00 📦'11					
Housing for brickwork	●	Singular unit housing	M00.125.01	€ 139,00 📦'11					





ATTENTION:

- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.
- emergency unit works only if the emergency Kit is connected to one converter ONLY.



WALLY RING Dynamic Ø 13,1 Led 12,3W - 18,1W only for plasterboard

		Electrification ☺	Code	Structure	Free of TAX				
LOCS PLUS	IP20	50° 2700°K Led 12,3W 1792 lm 146 lm/W 85 CRI 350m/A Led 18,1W 2494 lm 138 lm/W 85 CRI 500m/A	WR1D.52M.02	Black	€ 288,00 📦'16				
			WR1D.52M.06	White	€ 288,00 📦'16				
		50° 3000°K Led 12,3W 1876 lm 153 lm/W 85 CRI 350m/A Led 18,1W 2611 lm 144 lm/W 85 CRI 500m/A	WR1D.53M.02	Black	€ 288,00 📦'16				
	WR1D.53M.06		White	€ 288,00 📦'16					
	50° 4000°K Led 12,3W 1938 lm 158 lm/W 85 CRI 350m/A Led 18,1W 2697 lm 149 lm/W 85 CRI 500m/A	WR1D.54M.02	Black	€ 288,00 📦'16					
		WR1D.54M.06	White	€ 288,00 📦'16					
LOCS PLUS	IP20	24° 2700°K Led 12,3W 1792 lm 146 lm/W 85 CRI 350m/A Led 18,1W 2494 lm 138 lm/W 85 CRI 500m/A	WR1D.52S.02	Black	€ 288,00 📦'16				
			WR1D.52S.06	White	€ 288,00 📦'16				
		24° 3000°K Led 12,3W 1876 lm 153 lm/W 85 CRI 350m/A Led 18,1W 2611 lm 144 lm/W 85 CRI 500m/A	WR1D.53S.02	Black	€ 288,00 📦'16				
	WR1D.53S.06		White	€ 288,00 📦'16					
	24° 4000°K Led 12,3W 1938 lm 158 lm/W 85 CRI 350m/A Led 18,1W 2697 lm 149 lm/W 85 CRI 500m/A	WR1D.54S.02	Black	€ 288,00 📦'16					
		WR1D.54S.06	White	€ 288,00 📦'16					
sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22 sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22 sizes mm: 185x59x34 212x46x34			Converter for Led 350m/A:		€ 21,00 📦'13 € 105,00 📦'15 € 59,00 📦'15 € 59,00 📦'15				
			12,3W	ON/OFF		min. 1 - max. 1	350m/A	KIT.350.1L	
				DALI - PUSH - 1...10V		min. 1 - max. 3	350m/A	KIT.351.40	
				DALI		min. 1 - max. 1	350m/A	KIT.352.15	
				PUSH - 1...10V		min. 1 - max. 1	350m/A	KIT.353.15	
			18,1W	ON/OFF		min. 1 - max. 1	500m/A	KIT.500.1L	
				DALI - PUSH - 1...10V		min. 1 - max. 2	500m/A	KIT.501.50	
				DALI		min. 1 - max. 1	500m/A	KIT.502.20	
				PUSH - 1...10V		min. 1 - max. 1	500m/A	KIT.503.20	
			Emergency unit: (inverter + battery. Driver not included)						
			1:00 hour	min. 1 - max. 1			KIT.900.01	€ 95,00 📦'15	
			3:00 hours	min. 1 - max. 1			KIT.900.03	€ 137,00 📦'15	
Led and Emergency unit, warranty only when used together with converter bought from Oty									



ATTENTION:


- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.
- emergency unit works only if the emergency Kit is connected to one converter ONLY.



WALLY RING Pull Ø 12,5 Led 12,3W - 18,1W only for plasterboard

	Electrification	Code	Structure	Free of TAX
LOCS PLUS	IP20	50° 2700°K Led 12,3W 1792 lm 146 lm/W 85 CRI 350m/A Led 18,1W 2494 lm 138 lm/W 85 CRI 500m/A	Black White	€ 330,00 €16▼ € 330,00 €16▼
		50° 3000°K Led 12,3W 1876 lm 153 lm/W 85 CRI 350m/A Led 18,1W 2611 lm 144 lm/W 85 CRI 500m/A	Black White	€ 330,00 €16▼ € 330,00 €16▼
		50° 4000°K Led 12,3W 1938 lm 158 lm/W 85 CRI 350m/A Led 18,1W 2697 lm 149 lm/W 85 CRI 500m/A	Black White	€ 330,00 €16▼ € 330,00 €16▼
	IP20	24° 2700°K Led 12,3W 1792 lm 146 lm/W 85 CRI 350m/A Led 18,1W 2494 lm 138 lm/W 85 CRI 500m/A	Black White	€ 330,00 €16▼ € 330,00 €16▼
		24° 3000°K Led 12,3W 1876 lm 153 lm/W 85 CRI 350m/A Led 18,1W 2611 lm 144 lm/W 85 CRI 500m/A	Black White	€ 330,00 €16▼ € 330,00 €16▼
		24° 4000°K Led 12,3W 1938 lm 158 lm/W 85 CRI 350m/A Led 18,1W 2697 lm 149 lm/W 85 CRI 500m/A	Black White	€ 330,00 €16▼ € 330,00 €16▼
sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22	12,3W	Converter for Led 350m/A:		
		ON/OFF min. 1 -max. 1 350m/A	KIT.350.1L	€ 21,00 €13
		DALI - PUSH - 1...10V min. 1 -max. 3 350m/A	KIT.351.40	€ 105,00 €15
sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22	18,1W	DALI min. 1 -max. 1 350m/A	KIT.352.15	€ 59,00 €15
		PUSH - 1...10V min. 1 -max. 1 350m/A	KIT.353.15	€ 59,00 €15
		Converter for Led 500m/A:		
sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22	18,1W	ON/OFF min. 1 -max. 1 500m/A	KIT.500.1L	€ 21,00 €15
		DALI - PUSH - 1...10V min. 1 -max. 2 500m/A	KIT.501.50	€ 105,00 €15
		DALI min. 1 -max. 1 500m/A	KIT.502.20	€ 59,00 €15
sizes mm: 185x59x34 212x46x34		PUSH - 1...10V min. 1 -max. 1 500m/A	KIT.503.20	€ 59,00 €15
		Emergency unit: (inverter + battery. Driver not included)		
		1:00 hour min. 1 -max. 1	KIT.900.01	€ 95,00 €15
	3:00 hours min. 1 -max. 1	KIT.900.03	€ 137,00 €15	
		Led and Emergency unit, warranty only when used together with converter bought from Oty		

ATTENTION:
- the dimensions of the converters and of the emergency units could change without any possibility of notification, because of the continuous technological innovation.
- emergency unit works only if the emergency Kit is connected to one converter ONLY.




WALLY RING Flash Ø 12,2 only for plasterboard

	Electrification	Code	Structure	Free of TAX
LOCS PLUS	IP40	50° 2700°K Led 12,3W 1792 lm 146 lm/W 85 CRI 350m/A Led 18,1W 2494 lm 138 lm/W 85 CRI 500m/A	Black White	€ 150,00 €16▼ € 150,00 €16▼
		50° 3000°K Led 12,3W 1876 lm 153 lm/W 85 CRI 350m/A Led 18,1W 2611 lm 144 lm/W 85 CRI 500m/A	Black White	€ 150,00 €16▼ € 150,00 €16▼
		50° 4000°K Led 12,3W 1938 lm 158 lm/W 85 CRI 350m/A Led 18,1W 2697 lm 149 lm/W 85 CRI 500m/A	Black White	€ 150,00 €16▼ € 150,00 €16▼
	IP40	24° 2700°K Led 12,3W 1792 lm 146 lm/W 85 CRI 350m/A Led 18,1W 2494 lm 138 lm/W 85 CRI 500m/A	Black White	€ 150,00 €16▼ € 150,00 €16▼
		24° 3000°K Led 12,3W 1876 lm 153 lm/W 85 CRI 350m/A Led 18,1W 2611 lm 144 lm/W 85 CRI 500m/A	Black White	€ 150,00 €16▼ € 150,00 €16▼
		24° 4000°K Led 12,3W 1938 lm 158 lm/W 85 CRI 350m/A Led 18,1W 2697 lm 149 lm/W 85 CRI 500m/A	Black White	€ 150,00 €16▼ € 150,00 €16▼

WALLY W04 half - recessed only for plasterboard


	Electrification	Code	Structure	Free of TAX
LOCS PLUS	IP20	50° 2700°K Led 12,3W 1792 lm 146 lm/W 85 CRI 350m/A Led 18,1W 2494 lm 138 lm/W 85 CRI 500m/A	Black White	€ 250,00 €16▼ € 250,00 €16▼
		50° 3000°K Led 12,3W 1876 lm 153 lm/W 85 CRI 350m/A Led 18,1W 2611 lm 144 lm/W 85 CRI 500m/A	Black White	€ 250,00 €16▼ € 250,00 €16▼
		50° 4000°K Led 12,3W 1938 lm 158 lm/W 85 CRI 350m/A Led 18,1W 2697 lm 149 lm/W 85 CRI 500m/A	Black White	€ 250,00 €16▼ € 250,00 €16▼



	Electrification	Code	Structure	Free of TAX	
sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22	12,3W	Converter for Led 350m/A:			
		ON/OFF min. 1 -max. 1 350m/A	KIT.350.1L	€ 21,00 €13	
		DALI - PUSH - 1...10V min. 1 -max. 3 350m/A	KIT.351.40	€ 105,00 €15	
	sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22	18,1W	DALI min. 1 -max. 1 350m/A	KIT.352.15	€ 59,00 €15
			PUSH - 1...10V min. 1 -max. 1 350m/A	KIT.353.15	€ 59,00 €15
			Converter for Led 500m/A:		
sizes mm: 115x45x28 124x80x22 111x52x22 111x52x22	18,1W	ON/OFF min. 1 -max. 1 500m/A	KIT.500.1L	€ 21,00 €15	
		DALI - PUSH - 1...10V min. 1 -max. 2 500m/A	KIT.501.50	€ 105,00 €15	
		DALI min. 1 -max. 1 500m/A	KIT.502.20	€ 59,00 €15	
sizes mm: 185x59x34 212x46x34		PUSH - 1...10V min. 1 -max. 1 500m/A	KIT.503.20	€ 59,00 €15	
		Emergency unit: (inverter + battery. Driver not included)			
		1:00 hour min. 1 -max. 1	KIT.900.01	€ 95,00 €15	
	3:00 hours min. 1 -max. 1	KIT.900.03	€ 137,00 €15		
		Led and Emergency unit, warranty only when used together with converter bought from Oty			


WALLY W07 Static On demand dimmable DALI - PUSH - 1...10V - IGBT TRIAC ROS

Structure			Electrification ©	Code	Free of TAX
Black painted White painted	LOCS PLUS	IP20	50° 2700°K Led 12,3W 1792 lm 146 lm/W 85 CRI 350m/A	W07S.52M.02 W07S.52M.06	€ 299,00 '16 ▼ € 299,00 '16 ▼
Black painted White painted			50° 3000°K Led 12,3W 1876 lm 153 lm/W 85 CRI 350m/A	W07S.53M.02 W07S.53M.06	€ 299,00 '16 ▼ € 299,00 '16 ▼
Black painted White painted	LOCS PLUS	IP20	50° 4000°K Led 12,3W 1938 lm 158 lm/W 85 CRI 350m/A	W07S.54M.02 W07S.54M.06	€ 299,00 '16 ▼ € 299,00 '16 ▼
Black painted White painted			24° 2700°K Led 12,3W 1792 lm 146 lm/W 85 CRI 350m/A	W07S.52S.02 W07S.52S.06	€ 299,00 '16 ▼ € 299,00 '16 ▼
Black painted White painted	LOCS PLUS	IP20	24° 3000°K Led 12,3W 1876 lm 153 lm/W 85 CRI 350m/A	W07S.53S.02 W07S.53S.06	€ 299,00 '16 ▼ € 299,00 '16 ▼
Black painted White painted			24° 4000°K Led 12,3W 1938 lm 158 lm/W 85 CRI 350m/A	W07S.54S.02 W07S.54S.06	€ 299,00 '16 ▼ € 299,00 '16 ▼




NEW **WALLY W07 Pull h. 15,6** On demand dimmable DALI - PUSH - 1...10V - IGBT TRIAC


Structure			Electrification ©	Code	Free of TAX
Black painted White painted	LOCS PLUS	IP20	50° 2700°K Led 18,1W 2494 lm 138 lm/W 85 CRI 500m/A	W07P.52M.02 W07P.52M.06	€ 430,00 '16 € 430,00 '16
Black painted White painted			50° 3000°K Led 18,1W 2611 lm 144 lm/W 85 CRI 500m/A	W07P.53M.02 W07P.53M.06	€ 430,00 '16 € 430,00 '16
Black painted White painted	LOCS PLUS	IP20	50° 4000°K Led 18,1W 2697 lm 149 lm/W 85 CRI 500m/A	W07P.54M.02 W07P.54M.06	€ 430,00 '16 € 430,00 '16
Black painted White painted			24° 2700°K Led 18,1W 2494 lm 138 lm/W 85 CRI 500m/A	W07P.52S.02 W07P.52S.06	€ 430,00 '16 € 430,00 '16
Black painted White painted	LOCS PLUS	IP20	24° 3000°K Led 18,1W 2611 lm 144 lm/W 85 CRI 500m/A	W07P.53S.02 W07P.53S.06	€ 430,00 '16 € 430,00 '16
Black painted White painted			24° 4000°K Led 18,1W 2697 lm 149 lm/W 85 CRI 500m/A	W07P.54S.02 W07P.54S.06	€ 430,00 '16 € 430,00 '16



WALLY W07 Pull h. 22,1 On demand dimmable DALI - PUSH - 1...10V

Structure			Electrification ©	Code	Free of TAX
Black painted White painted	LOCS PLUS	IP20	50° 2700°K Led 26,2W 3374 lm 129 lm/W 85 CRI 700m/A	W07P.62M.02 W07P.62M.06	€ 430,00 '15 € 430,00 '15
Black painted White painted			50° 3000°K Led 26,2W 3533 lm 135 lm/W 85 CRI 700m/A	W07P.63M.02 W07P.63M.06	€ 430,00 '13 € 430,00 '13
Black painted White painted	LOCS PLUS	IP20	50° 4000°K Led 26,2W 3649 lm 139 lm/W 85 CRI 700m/A	W07P.64M.02 W07P.64M.06	€ 430,00 '13 € 430,00 '13
Black painted White painted			24° 2700°K Led 26,2W 3374 lm 129 lm/W 85 CRI 700m/A	W07P.62S.02 W07P.62S.06	€ 430,00 '15 € 430,00 '15
Black painted White painted	LOCS PLUS	IP20	24° 3000°K Led 26,2W 3533 lm 135 lm/W 85 CRI 700m/A	W07P.63S.02 W07P.63S.06	€ 430,00 '13 € 430,00 '13
Black painted White painted			24° 4000°K Led 26,2W 3649 lm 139 lm/W 85 CRI 700m/A	W07P.64S.02 W07P.64S.06	€ 430,00 '13 € 430,00 '13






Ud

WALLY W13 Led 18,1W wall - ceiling

ROS

Structure			Electrification ©	Code	Free of TAX
Black painted	LOCS PLUS	IP20	50° 2700°K Led 18,1W 2494 lm 138 lm/W 85 CRI 500m/A	W13.52M.02	€ 350,00
White painted					€ 350,00
Black painted				W13.53M.02	€ 350,00
White painted					€ 350,00
Black painted				W13.54M.02	€ 350,00
White painted					€ 350,00


On demand dimmable DALI - PUSH - 1...10V - IGBT TRIAC



Ud

WALLY W14 Led 18,1W for 230 voltage 3 circuit track Eutrac

ROS




















Structure			Electrification ©	Code	Free of TAX
Black painted	LOCS PLUS	IP20	50° 2700°K Led 18,1W 2494 lm 138 lm/W 85 CRI 500m/A	W14.52M.02	€ 354,00
White painted					€ 354,00
Black painted				W14.53M.02	€ 354,00
White painted					€ 354,00
Black painted				W14.54M.02	€ 354,00
White painted					€ 354,00
Black painted	LOCS PLUS	IP20	24° 2700°K Led 18,1W 2494 lm 138 lm/W 85 CRI 500m/A	W14.52S.02	€ 354,00
White painted					€ 354,00
Black painted				W14.53S.02	€ 354,00
White painted					€ 354,00
Black painted				W14.54S.02	€ 354,00
White painted					€ 354,00

On demand dimmable DALI - PUSH - 1...10V

Ud

WALLY W15 Led 18,1W for 24V track Eutrac

Structure		Electrification 	Code	Free of TAX
Black painted White painted	LOCS PLUS	IP20	50° 2700°K Led 18,1W 2494 lm	W15.52M.02 € 300,00  '16 ▼
			138 lm/W 85 CRI 24V 500mA	W15.52M.06 € 300,00  '16 ▼
Black painted White painted	LOCS PLUS	IP20	50° 3000°K Led 18,1W 2611 lm	W15.53M.02 € 300,00  '16 ▼
			144 lm/W 85 CRI 24V 500mA	W15.53M.06 € 300,00  '16 ▼
Black painted White painted	LOCS PLUS	IP20	50° 4000°K Led 18,1W 2697 lm	W15.54M.02 € 300,00  '16 ▼
			149 lm/W 85 CRI 24V 500mA	W15.54M.06 € 300,00  '16 ▼
Black painted White painted	LOCS PLUS	IP20	24° 2700°K Led 18,1W 2494 lm	W15.52S.02 € 300,00  '16 ▼
			138 lm/W 85 CRI 24V 500mA	W15.52S.06 € 300,00  '16 ▼
Black painted White painted	LOCS PLUS	IP20	24° 3000°K Led 18,1W 2611 lm	W15.53S.02 € 300,00  '16 ▼
			144 lm/W 85 CRI 24V 500mA	W15.53S.06 € 300,00  '16 ▼
Black painted White painted	LOCS PLUS	IP20	24° 4000°K Led 18,1W 2697 lm	W15.54S.02 € 300,00  '16 ▼
			149 lm/W 85 CRI 24V 500mA	W15.54S.06 € 300,00  '16 ▼
sizes mm:		Electronic gear 24V series DIN:		
40x126x114		120W ON/OFF 0 ~ 5A	KIT.024.120	€ 83,00  '15
126x126x100		240W ON/OFF 0 ~ 10A	KIT.024.240	€ 170,00  '15
227x126x100		480W ON/OFF 0 ~ 20A	KIT.024.480	€ 303,00  '15





NEW

WALLY W16 Pull h.15,3 per binario 3- Eutrac 230V **Led 18,1W**



Structure			Electrification ©	Code	Free of TAX
Black painted White painted			50° 2700°K Led 18,1W 2494 lm 138 lm/W 85 CRI 500mA	W16P.52M.02 W16P.52M.06	€ 430,00 🔒 '16 ▼ € 430,00 🔒 '16 ▼
Black painted White painted	LOCS PLUS	IP20	50° 3000°K Led 18,1W 2611 lm 144 lm/W 85 CRI 500mA	W16P.53M.02 W16P.53M.06	€ 430,00 🔒 '16 ▼ € 430,00 🔒 '16 ▼
Black painted White painted			50° 4000°K Led 18,1W 2697 lm 149 lm/W 85 CRI 500mA	W16P.54M.02 W16P.54M.06	€ 430,00 🔒 '16 ▼ € 430,00 🔒 '16 ▼
Black painted White painted			24° 2700°K Led 18,1W 2494 lm 138 lm/W 85 CRI 500mA	W16P.52S.02 W16P.52S.06	€ 430,00 🔒 '16 ▼ € 430,00 🔒 '16 ▼
Black painted White painted	LOCS PLUS	IP20	24° 3000°K Led 18,1W 2611 lm 144 lm/W 85 CRI 500mA	W16P.53S.02 W16P.53S.06	€ 430,00 🔒 '16 ▼ € 430,00 🔒 '16 ▼
Black painted White painted			24° 4000°K Led 18,1W 2697 lm 149 lm/W 85 CRI 500mA	W16P.54S.02 W16P.54S.06	€ 430,00 🔒 '16 ▼ € 430,00 🔒 '16 ▼

On demand dimmable DALI - PUSH - 1...10V - IGBT TRIAC






WALLY W16 Pull h.21,8 per binario 3- Eutrac 230V **Led 26,2W**



Structure			Electrification ©	Electrification	Free of TAX
Black painted White painted			50° 2700°K Led 26,2W 3374 lm 129 lm/W 85 CRI 700mA	W16P.62M.02 W16P.62M.06	€ 430,00 🔒 '16 ▼ € 430,00 🔒 '16 ▼
Black painted White painted	LOCS PLUS	IP20	50° 3000°K Led 26,2W 3533 lm 135 lm/W 85 CRI 700mA	W16P.63M.02 W16P.63M.06	€ 430,00 🔒 '16 ▼ € 430,00 🔒 '16 ▼
Black painted White painted			50° 4000°K Led 26,2W 3649 lm 139 lm/W 85 CRI 700mA	W16P.64M.02 W16P.64M.06	€ 430,00 🔒 '16 ▼ € 430,00 🔒 '16 ▼
Black painted White painted			24° 2700°K Led 26,2W 3374 lm 129 lm/W 85 CRI 700mA	W16P.62S.02 W16P.62S.06	€ 430,00 🔒 '16 ▼ € 430,00 🔒 '16 ▼
Black painted White painted	LOCS PLUS	IP20	24° 3000°K Led 26,2W 3533 lm 135 lm/W 85 CRI 700mA	W16P.63S.02 W16P.63S.06	€ 430,00 🔒 '16 ▼ € 430,00 🔒 '16 ▼
Black painted White painted			24° 4000°K Led 26,2W 3649 lm 139 lm/W 85 CRI 700mA	W16P.64S.02 W16P.64S.06	€ 430,00 🔒 '16 ▼ € 430,00 🔒 '16 ▼

On demand dimmable DALI - PUSH - 1...10V







Code	L1	L2	P
ZIP45	8,7	8,7	7,5

ZIP 45

Structure			Electrification	Code	Free of TAX
Aluminium painted White painted	☒ ☒	IP20	12V GU4 1x35W	ZIP45GU4 3	€ 52,00 '15
				ZIP45GU4 6	€ 52,00 '15
			Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz	KIT.100.105	€ 18,00 '09
			DALI 12V max. 105VA 240V 50-60 Hz	KIT.101.105	€ 92,00 '11

ZIP 60 only for plasterboard

Structure			Electrification	Code	Free of TAX
Aluminium painted White painted	☒	IP20	230V GU10 max 1x50W	ZIP60GU10 3	€ 56,00 '15
				ZIP60GU10 6	€ 56,00 '15
Aluminium painted White painted	☒ ☒	IP20	12V GU5.3 1x50W	ZIP60GU5.3 3	€ 54,00 '15
				ZIP60GU5.3 6	€ 54,00 '15
			Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz	KIT.100.105	€ 18,00 '09
			DALI 12V max. 105VA 240V 50-60 Hz	KIT.101.105	€ 92,00 '11
Aluminium painted White painted	☒	IP20	25° 3000°K Led 7W 445 lm 65 lm/W 82 CRI 12V	Z60.235.03	€ 105,00 '15
				Z60.235.06	€ 105,00 '15
		sizes mm: 117x34x21	Electronic gear 12V Led: 12V max. 50VA 240V 50-60 Hz	KIT.201.050	€ 32,00 '15
			Dimmable by IGBT technology		


Code	L1	L2	P
ZIP60	8,7	8,7	9,5
ZIP60	8,7	8,7	8,5
ZIP60	8,7	8,7	8,5
ZIP60-M	8,7	8,7	9,5
ZIP60-M	8,7	8,7	8,5
ZIP60-M	8,7	8,7	8,5

ZIP 60-M only for housing-brickwork ZIP-M

Structure			Electrification	Code	Free of TAX
Aluminium painted White painted	☒	IP20	230V GU10 max 1x50W	ZIP60GU10-M 3	€ 64,00 '15
				ZIP60GU10-M 6	€ 64,00 '15
Aluminium painted White painted	☒ ☒	IP20	12V GU5.3 1x50W	ZIP60GU5.3-M 3	€ 59,00 '15
				ZIP60GU5.3-M 6	€ 59,00 '15
			Electronic gear for 12V: 12V max. 105VA 240V 50-60 Hz	KIT.100.105	€ 18,00 '09
			DALI 12V max. 105VA 240V 50-60 Hz	KIT.101.105	€ 92,00 '11
Aluminium painted White painted	☒	IP20	25° 3000°K Led 7W 445 lm 65 lm/W 82 CRI 12V	Z60M.235.03	€ 111,00 '15
				Z60M.235.06	€ 111,00 '15
		sizes mm: 117x34x21	Electronic gear 12V Led: 12V max. 50VA 240V 50-60 Hz	KIT.201.050	€ 32,00 '15
			Dimmable by IGBT technology		

ZIP 90

Structure			Electrification	Code	Free of TAX
Aluminium painted White painted	☒	IP20	230V GU10 max 1x50W	ZIP90GU10 3	€ 52,00 '15
				ZIP90GU10 6	€ 52,00 '15
Aluminium painted White painted	☒ ☒	IP20	12V GU5.3 1x50W	ZIP90GU5.3 3	€ 49,00 '15
				ZIP90GU5.3 6	€ 49,00 '15
			Electronic gear 12V: 12V max. 105VA 240V 50-60 Hz	KIT.100.105	€ 18,00 '09
			DALI 12V max. 105VA 240V 50-60 Hz	KIT.101.105	€ 92,00 '11
Aluminium painted White painted	☒	IP20	25° 3000°K Led 7W 445 lm 65 lm/W 82 CRI 12V	Z90.235.03	€ 100,00 '15 ▼
				Z90.235.06	€ 100,00 '15 ▼
		misure mm: 117x34x21	Electronic gear 12V Led: 12V max. 50VA 240V 50-60 Hz	KIT.201.050	€ 32,00 '15
			Dimmable by IGBT technology		

Code	L1	L2	P
ZIP90	8,7	8,7	8,0
ZIP90	8,7	8,7	7,0
ZIP90	8,7	8,7	7,0

Pirex glass


		Optional	Code	Free of TAX
for ZIP 45 - ZIP 60 - ZIP 90	1 Pz	ONE UNIT KIT	ZIP-V	€ 10,00 '06
	10 Pz	TEN UNITS KIT	ZIP-Vx10	€ 90,00 '06

Housing for brickwork

		Optional	Code	Free of TAX
only for ZIP 60-M	1 Pz	ONE UNIT KIT	ZIP-M	€ 19,00 '15
	10 Pz	TEN UNITS KIT	ZIP-Mx10	€ 171,00 '15

Housing for brickwork


		Optional	Code	Free of TAX
only for ZIP 45 - ZIP 90	1 Pz	ONE UNIT KIT	ZIP-Z	€ 17,50 '06
	10 Pz	TEN UNITS KIT	ZIP-Zx10	€ 157,50 '06



Symbols explanation:

 Item with the same price as in the mentioned year;

 Products complying with the European Community rules;

 Device which can be mounted on flammable surfaces (EN 60 598/VDE 0711);

 Ballast installed on the outside of the item;

 Ballast which can be installed on wooden surfaces according to the DIN VDE 0710/14 regulament;

 Housing for plasterboard

 Housing for brickwork

 Dimmable by IGBT (Trailing Edge) technology

 On-Off by wall switch controlled socket CEI 3-23

 Including converter;

 Not including converter;


 Including bulb;

 Not including bulb;


 Including ballast;

 Not including ballast;

 Including gear;

 Not including gear;

 Article available until Run Out of Stock;

 The elettrification of the item has been **updated** with the introduction of the current price list.

 Some details of the design have been **modified** with the introduction of the current price list.

MC-E MacAdams step

It is a parameter which defines the deterioration degree of the colour of the light coming from a led source during its life. Step 3 is nowadays the lower deterioration level.

CRI Colour Rendering Index of a light source and measure indicating how natural the colours of objects appear when enlightened from it.

lm Lumen is the unit of the light flux of a light source.

lx Lux is the unit for the lighting of a flat area. One lux is equal to one lumen divided per one square meter.

First IP figure: protection from objects

 No protection.

 Protection from objects ≥ 50 mm.

 Protection from objects ≥ 12 mm.

 Protection from objects ≥ 2,5 mm.

 Protection from objects ≥ 1 mm.

 Protection from dust

 Dust proof

Second IP figure: water proof

 No protection

 Protection from vertical waterfall

 Protection from 15° slanting drops

 Protection from 60° slanting water sprays

 Protection from water sprays


 Protection from water jets

 Protection from waterfall

 Temporary immersion

 Unlimited immersion

Isolation Classes

 The accessible electrical components are connected with a ground cable: Class I;

 Ground cable replaced with electrical cables provided with reinforced isolation: Class II;

 Low tension inferior to 50V-50Hz. No ground cable: Class III;

General Sales Terms

1- Invalidity of the General Sales Terms and of the Price Lists previously in force

1.1 All the sales and payment terms previously in force are expressly cancelled and replaced by the following general sales terms, as the present price list cancels and replaces each previous edition; both are valid since 01/09/2010 and they could be updated or modified at any time, giving notice if necessary through the pages of the web site www.otylight.com

2- Application and acceptance of the General Sales Terms:

2.1 The business relationships between Oty srl and its customers are exclusively regulated by the following general sales terms, with express renunciation and exclusion of any other agreement.

2.2 Sending an order to Oty srl, the customer declares to have gone through all the information given to him and to accept entirely, without any reservation, all the following general sales terms, which must be considered as an integral and substantial part of the sales contract.

2.3 The contract will be valid only once the customer's order is approved in writing by Oty srl. The parties could agree on possible changes, integrations or derogations to the above mentioned general sales terms, which should appear in writing in the documents including the order of the purchaser and the relating express acceptance of the seller in the order confirmation. The exclusions or the modifications introduced by the customer, if not expressly confirmed in written by Oty srl, do not bind Oty and do not become integral part of the contract, even if they have not been expressly refused and/or challenged. In any case the missing answer does not mean acceptance.

2.4 The customer is not entitled to damages and it is excluded any contractual or extra-contractual responsibility for direct or indirect damages to persons and/or things, caused by the missing acceptance, even if partial, of an order.

3- Presentation of the products:

3.1 Oty srl improves constantly its products and therefore reserves the right to introduce the necessary changes or updating at its exclusive discretion at any time. For this reason the products' technical and dimensional information (instructions for use, drawings, illustrations, technical data, weight, measure and performances descriptions) written in brochures, catalogues, newsletters, advertisements and in price lists are not binding if not expressly specified in the order confirmation, and could be subject to modifications or updating without any advance notice.

4- Offers and Prices:

4.1 All prices written in the price list are expressed in EURO, not including VAT.
4.2 These prices could be modified at any time at Oty srl exclusive discretion and with no obligation of any advance notice or communication.
4.3 Prices do not include light bulbs, if not differently and previously specified in written between the parties.
4.4 The offers of Oty srl and the customers' orders must be always considered "except for availability and prices changes".

5- Orders:

5.1 Each Order sent to Oty srl must be considered as a definitive and binding proposal for the purchaser, and this could be cancelled or modified only through a written agreement between the parties.

Anyway, the orders for customized products or for products different from standard Oty light's product, could not be cancelled neither totally nor partially once they have been sent to Oty srl.

5.2 After receiving the order Oty srl is not obliged to communicate to the customer that the net value of the above mentioned order, since it is lower than the free port limit, implies the non-application of the under mentioned delivery "free port" clause.

5.3 In case of integration orders or anyway of orders linked to the previous ones, Oty do not guarantee the delivery of the same tone or design of the material previously delivered.

6- Delivery

6.1 The delivery terms indicated on the orders' confirmations or verbally agreed between the parties, have only an indicative value. Their non-observance, as also the possible delivery of partial or reduced supplies, will not cause either the cancellation of the relating order or the application of any fine or the acknowledgment of any kind of compensation.

7- Packaging:

7.1 The products are provided packed in boxes of recyclable carton, whose cost is included in the price.

8- Pick up of the goods:

8.1 The ordered and supplied goods must be regularly picked up by the customer. If Oty srl will not be responsible for the non-delivery or if the customer refuses the delivery of the goods, the customer himself will have to organize on his own, at his own expenses and on Oty written exhortation the pick up of the previously mentioned goods, which is the object of the contract, within the deadline communicated by Oty srl and, in addition, the customer will have to pay the price of the goods. Once this expiry date is passed uselessly, Oty srl is free from any responsibility and is authorized to issue an additional regular invoice for interests on arrears (ex D.Lgs 231/2002) accrued on capital and for goods storage costs and any further damage.

8.2 At the moment of the goods delivery by the forwarder, the customer has to make all the necessary controls to check the possible damages, missing pieces, defects or other apparent imperfections of the delivered goods in comparison to the order. Precisely he must control that:

8.2.1 The number of the delivered items corresponds to the number indicated in the delivery note.

8.2.2 The packaging is integral , not damaged , not wet or anyway altered, also the closing materials. Possible damages to the packaging and/or the goods, or the non-correspondence of the number of items or of the indications, must be immediately notified, writing " reservation of control" (and specifying the cause of this reservation) on the delivery note of the forwarder and also confirmed, writing the raised reservations in a recorded delivery letter with receipt of return to Oty srl. Once the delivery note of the forwarder has been signed, the customer could not complain anymore about the external peculiarities of the delivered goods.

9- Installation:

9.1 The installation and the connection/assembly of the goods, object of the supply, are at the customer's expenses and management. All the products must be connected and installed according to the CE laws, or anyway to those in force, and according to the information contained in the catalogue and in the instruction sheets by skilled and expert personnel. Oty srl declines every responsibility for products sold and/or installed in countries in which there are laws that do not allow their use.

10- Returned goods:

10.1 Returned goods will be accepted only after written authorization by Oty srl and only if the product will be returned with all its original parts (including the possible documentation and accessories: instruction manuals, cables, etc . . .), in the original packaging, and within 7 days since the authorization. If just one of these requirements will be missing, Oty srl will return the goods to the sender ex factory. In any case, returned goods are considered free of port to Oty srl seat.

10.2 Except for any different instruction, the material will be credited only if it could be resold by Oty srl, net of costs for the control and restoring of it.

10.3 Anyway all the special productions, customized or produced according to the customer's specifications, or anyway different from standard Oty light product, as also the feeders/ballasts and housings for recessed items, could not be returned or refused.

11- Complaints:

11.1 Possible problems concerning the integrity, the correspondence or the completeness of the received goods, or any claim concerning manufacturing and/or quality defects of the goods must be notified in written, otherwise invalid, to Oty within 8 (eight) days since the date of the receipt of the goods (in case of apparent defects and/or imperfections) or since the discovery (in case of non-visible defects and/or defects).

Once this term is expired , no complain will be accepted.

11.2 For the approval of the complaint, the customer will have to demonstrate the correct maintenance and, if necessary, the correct installation of the product.

11.3 Possible claims or complaints, notified either bringing an action or raising an objection, will not allow the suspension of the goods' payments.

11.4 If the complaints will result groundless, Oty srl will debit the expenses paid for possible controls on the spot and also the costs and charges for possible surveys even if made by a third part.

12- Guarantee:

12.1 Oty product is made and controlled according to the CE laws, which guarantee the security and the technical quality of the materials.

12.2 Each Oty product has the guarantee foreseen by the laws in force since the delivery date of the goods, and by the way, the guarantee is limited to the items considered faulty and anyway to a maximum amount equal to the one of the bought goods. In any case Oty srl will not be obliged to compensate the customer for direct or indirect damages or for any other financial damage suffered by buyer or by a third part.

12.3 To benefit from assistance under guarantee, the customer must show the original invoice (or delivery note) and/or receipt for fiscal purposes.

12.4 The guarantee is applied to Oty product, if and only if, it is used correctly, according to its main use and to what is foreseen in the technical instructions attached.

12.5 It is excluded from the guarantee each defect of the product caused by a wrong installation, storage, maintenance, connection or assembling (non-observance of the CE laws in force and of the information written in the catalogue and in the possible assembling and instructions sheets), by a faulty servicing, by a wrong use or by a use not according to the technical or employment specifications (non-observance of the servicing and maintenance instructions and of the use conditions), by modifications or repairs, made by the customer or by a third part, by deteriorations or damages caused by external objects or events (such as incidents, blows, fires, acts of vandalism, water loss from pipes, natural or artificial lights (in case of discoloration), bad weather.

12.6 Products which have been tampered with or anyway damaged because of overloads, high or low voltage, unexpected chemical electrochemical/electrical alterations or because of a third party in general have no guarantee.

12.7 During the guarantee period, Oty srl commits itself , at its sole discretion, to substitute or repair the products or the products' pieces which Oty recognizes as faulty, or to reduce or pay back the corresponding price. Possible invoices for repairs made by a third part will not be in any case refunded by Oty srl.

12.8 If required , the customer will have to prove the defect with pictures which must be sent to Oty's e-mail address info@otylight.com.

13- Payment terms:

13.1 Except for any different instruction agreed in written between the parties, the supplies must be paid cash on delivery.

13.2 The payment must be made exclusively in Euro.

13.3 The customer does not have the right to counterbalance his debts towards Oty with his own possible credits or opposite demands. The customer could not raise any kind of objection to avoid or delay the payment of the required price.

13.4 In case of delayed payments, the customer must pay to Oty srl the interests on arrears (ex D.Lgs 231/2002), since the fixed expiry payment term. Possible discounts or allowances will decay.

13.5 In addition to what specified in the previous point, if the customer will not pay, even a part of the price, within the fixed expiry term, he will lose the benefit of the postponed payment ("benefit of the term"), also for the existing supplies;

Oty srl could appeal to the application of articles no.1460 and 1461 of the Civil Code and therefore suspend the ongoing supplies.

14- Withdrawal of the contract

14.1 Oty srl has the power to withdraw from the contract, with no charges, if it will know about the existence of protests as also the beginning of judicial (commanding decree) or extrajudicial processes against the client.

15- Renounce to recourse

15.1 Oty srl does not recognize to the customer the right of recourse (ex art. 131 D. Lgs: 06/09/2005, n. 206 and following modifications).

16- Applicable law and competent court:

16.1 The sales contract is regulated by the Italian law and it is excluded the application of any other international law or convention.

16.2 Considering the possible application of mandatory regulations , for any dispute related to the interpretation, application, execution of the sales contract and/or to the present "general sales terms" or anyhow related to them, the exclusive competent court will be Treviso.

Specific approval:

The customer/purchaser sending an order to Oty srl, admits and clearly confirms to have gone through and, according to the art. 1341 and 1342 C.C., and after reading, to accept and approve integrally and without reserve the above mentioned General Sales Terms, written also in the web site (www.otylight.com), which must be considered as an integral and substantial part of the sales contract and, in particular, the following articles:

- 1) Invalidity of the General Sales Terms and of the Price lists previously in force;
- 2) Application and acceptance of the General Sales Terms;
- 4) Offers and Prices;
- 5) Orders;
- 6) Delivery;
- 8) Pick up of the goods;
- 9) Installation of the product;
- 10) Returned goods;
- 11) Complaints;
- 12) Guarantee;
- 13) Payment terms;
- 14) Withdrawal of the contract;
- 15) Renounce to recourse;
- 16) Applicable law and competent court.

CREDITS

Graphic Designer Claudio Malvestio
Art Consultant Andrea Pamio
Photos Studio Fuoco
Printing Grafiche Gemma
Copyright OTY s.r.l.
Printed in Italy March 2016



Oty s.r.l. Italy
via Spangaro 8/a
30030 Peseggia di Scorzé (Ve)
Tel. +39 (0)41 5830499
Fax +39 (0)41 5830520
www.otylight.com
e-mail: info@otylight.com

OTY RESERVES THE RIGHT TO INTRODUCE ANY CHANGES TO ITS OWN MODELS,
WITHOUT NOTICE IN ADVANCE. ALL MODELS HAVE BEEN DULY REGISTERED.

OTY BEHALT SICH DAS RECHT VOR ÄNDERUNGEN VORZUNEHMEN,
OHNE SOFORTIGE BENRICHTIGUNG. ALLE MODELLE SIND EINGETRAGEN.

OTY SE RÉSERVE LE DROIT D'APPORTER UNE QUELCONQUE MODIFICATION
À LES MODÈLES SANS PRÉAVIS. TOUS NOS MODÈLES SONT DÉPOSÉS.

OTY SE RESERVA EL DERECHO DE REALIZAR CUALQUIER MODIFICACIÓN SOBRE
SUS MODELOS SIN PREVIO AVISO. TODOS LOS MODELOS HAN SIDO DEPOSITADOS.



Oty s.r.l. Italy
via Spangaro 8/a
30030 Peseggia di Scarzé (Ve)
Tel. +39 (0)41 5830499
Fax +39 (0)41 5830520
www.otylight.com
e-mail: info@otylight.com